

PRODUCT FAMILY DATASHEET

LED VALUE CLASSIC A

LED lamps, classic bulb shape



AREAS OF APPLICATION

- Domestic applications
- General illumination
- Outdoor applications only in suitable luminaires

PRODUCT BENEFITS

- Very low energy consumption
- Shockproof and vibration-proof thanks to LED technology
- No UV radiation in the light beam
- Instant 100 % light, no warm-up time
- Can be easily fitted instead of ordinary light bulbs
- Lower thermal output (compared with the standard reference product)

PRODUCT FEATURES

- Professional LED lamps for line voltage
- Not dimmable
- Base: E27
- Mercury-free lamps
- Lifetime: up to 15,000 h






TECHNICAL DATA

Product description	Electrical data		Photometrical data				
	Nominal wattage	Nominal voltage	Rated luminous flux	Color temperature	Color rendering index Ra	Lumen main.fact.at end of nom.life time	Light color (designation)
VALUE CLAS A 40 6 W/827 E27 FR ¹⁾	6.00 W	220...240 V	470 lm	2700 K	≥80	0.70	Warm White
VALUE CLAS A 40 6 W/865 E27 FR ¹⁾	6.00 W	220...240 V	500 lm	6500 K	≥80	0.70	Daylight
VALUE CLAS A 60 DIM 9 W/827 E27 FR ¹⁾	9.00 W	220...240 V	806 lm	2700 K	≥80	0.70	Warm White
VALUE CLAS A 60 9.5 W/827 E27 ¹⁾	9.50 W	220...240 V	806 lm	2700 K	≥80	0.70	Warm White
VALUE CLAS A 60 9.5 W/840 E27 ¹⁾	9.50 W	220...240 V	806 lm	4000 K	≥80	0.70	Cool White
VALUE CLAS A 75 11.5 W/827 E27 ¹⁾	11.50 W	220...240 V	1055 lm	2700 K	≥80	0.70	Warm White
VALUE CLAS A 75 11.5 W/865 E27 ¹⁾	11.50 W	220...240 V	1055 lm	6500 K	≥80	0.70	Cool Daylight
VALUE CLAS A 100 14 W/827 E27 ¹⁾	14.00 W	220...240 V	1521 lm	2700 K	≥80	0.70	Warm White
VALUE CLAS A 100 14.5 W/865 E27 ¹⁾	14.50 W	220...240 V	1521 lm	6500 K	≥80	0.70	Cool Daylight

Product description	Lifespan		Additional product data		Capabilities	Certificates & standards
	Nominal lamp life time	Number of switching cycles	Base (standard designation)	Mercury-free	Dimmable	Energy efficiency class
VALUE CLAS A 40 6 W/827 E27 FR ¹⁾	15000 h	100000	E27	Yes	No	A+
VALUE CLAS A 40 6 W/865 E27 FR ¹⁾	15000 h	100000	E27	Yes	No	A+
VALUE CLAS A 60 DIM 9 W/827 E27 FR ¹⁾	25000 h	100000	E27	Yes	Yes	A+
VALUE CLAS A 60 9.5 W/827 E27 ¹⁾	15000 h	100000	E27	Yes	No	A+
VALUE CLAS A 60 9.5 W/840 E27 ¹⁾	15000 h	100000	E27	Yes	No	A+
VALUE CLAS A 75 11.5 W/827 E27 ¹⁾	15000 h	100000	E27	Yes	No	A+
VALUE CLAS A 75 11.5 W/865 E27 ¹⁾	15000 h	100000	E27	Yes	No	A+
VALUE CLAS A 100 14 W/827 E27 ¹⁾	15000 h	100000	E27	Yes	No	A+
VALUE CLAS A 100 14.5 W/865 E27 ¹⁾	15000 h	100000	E27	Yes	No	A+

1) All technical parameters apply to the entire lamp/Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not n which can vary from the typical value



VALUE CLAS A 40 6 W/827 E27 FR,
 VALUE CLAS A 40 6 W/865 E27 FR,
 VALUE CLAS A 60 DIM 9 W/827 E27 FR,
 VALUE CLAS A 60 9.5 W/827 E27,
 VALUE CLAS A 60 9.5 W/840 E27,
 VALUE CLAS A 75 11.5 W/827 E27,
 VALUE CLAS A 75 11.5 W/865 E27

VALUE CLAS A 100 14 W/827 E27,
 VALUE CLAS A 100 14.5 W/865 E27

VALUE CLAS A 40 6 W/827 E27 FR

APPLICATION ADVICE

For more detailed application information and graphics please see product datasheet.

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)
4052899326927	VALUE CLAS A 40 6 W/827 E27 FR	Shipping carton box 10	318 mm x 133 mm x 124 mm

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)
4052899971011	VALUE CLAS A 40 6 W/865 E27 FR	Shipping carton box 10	315 mm x 131 mm x 126 mm
4052899327047	VALUE CLAS A 60 DIM 9 W/827 E27 FR	Shipping carton box 10	315 mm x 131 mm x 126 mm
4052899326842	VALUE CLAS A 60 9.5 W/827 E27	Shipping carton box 10	318 mm x 133 mm x 124 mm
4052899971554	VALUE CLAS A 60 9.5 W/827 E27	Shipping carton box 10	330 mm x 138 mm x 130 mm
4052899973381	VALUE CLAS A 60 9.5 W/840 E27	Shipping carton box 10	318 mm x 133 mm x 124 mm
4052899971028	VALUE CLAS A 75 11.5 W/827 E27	Shipping carton box 10	318 mm x 133 mm x 124 mm
4058075042698	VALUE CLAS A 75 11.5 W/827 E27	Shipping carton box 10	318 mm x 133 mm x 135 mm
4052899971035	VALUE CLAS A 75 11.5 W/865 E27	Shipping carton box 10	318 mm x 133 mm x 124 mm
4058075047297	VALUE CLAS A 75 11.5 W/865 E27	Shipping carton box 10	318 mm x 133 mm x 135 mm
4052899971097	VALUE CLAS A 100 14 W/827 E27	Shipping carton box 10	318 mm x 133 mm x 134 mm
4052899971042	VALUE CLAS A 100 14.5 W/865 E27	Shipping carton box 10	315 mm x 131 mm x 134 mm

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. Enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [LED Backlighting](#) category:

Click to view products by [Osram](#) manufacturer:

Other Similar products are found below :

[HBL0218](#) [SSB-COB7540GW](#) [SSB-DL6528SRW](#) [3G3DV130B4294](#) [SSB-CEL8040UWW](#) [4052899961654](#) [49131](#) [0025 INT CLASSIC](#)
[GLACIER WHITE](#) [0025 INT NATURAL BLUE](#) [0100 INT CLASSIC GLACIER WHITE](#) [0100 INT EXTREME ORANGE](#) [0100 INT](#)
[NATURAL BLUE](#) [0200 INT EXTREME BLUE GREEN](#) [30531](#) [30586](#) [30588](#) [30589](#) [30590](#) [30637](#) [4052899149281](#) [4052899326453](#)
[44865WFL](#) [JDR20W38 E14](#) [JDR50W38 GU10](#) [KB-2600ID](#) [KB-2855SGW](#) [4052899913615](#) [L-875/4IDT](#) [L-875/4SRDT](#) [44860WFL](#)
[44870WFL](#) [MR16 60ST 20W](#) [MR16 60ST 50W](#) [64465](#) [64695 ECO](#) [64698 ECO](#) [64701 ECO](#) [64702 ECO](#) [64760](#) [30597](#) [SL2CD](#) [SKU 165](#)
[SKU 167](#) [SKU 193](#) [SKU 194](#) [SKU 203](#) [4052899973428](#) [8718696497586](#) [8718696537015](#) [8718696728352](#)