


STE

Square tube expander connectors



technical informations

Material

Polyamide (PA) based technopolymer. Resistant to solvents, oils, greases and other chemical agents.

Colour


Black, matte finish.

Features and applications

The two connector parts are connected together by means of pins which are housed in special counter-seats. Two cavities inside the connector are provided for housing an hexagonal-head screw or an hexagonal nut. Thanks to the tapered shape of the cavity, the connector exerts a pressure on the inner walls of the tube, due to the tightening of the screw or of the nut, thus ensuring the tensile strength of the connection. The level of the tensile strength depends on the tube dimensional tolerances, the roughness of the tube inner surfaces and the tightening torque applied. The connector has no collar and allows the joining of square tubes to other elements. The assembly can be performed simply by positioning the connector inside the tube, with no need of screws or other fasteners.

Assembly of the tube to the connector

- Hexagonal-head screw DIN 933 of dimension as shown in the table.
- Hexagonal nut DIN 934 of dimension as shown in the table.
- Self-locking hexagonal nut DIN 985 of dimension as shown in the table.



Special executions on request

Connector assembled with nut or screw.

Standard Elements		Main dimensions					Tube dimensions			Weight
Code	Description	B	h	h ₁	h ₂	s	External	Thickness	Internal	g
430201	STE.20x1.0-M6	18	42	12	32	10	20	1	18	9
430203	STE.20x1.0-M8	18	43	10	30	13	20	1	18	9
430205	STE.20x1.5-M6	17	42	12	32	10	20	1.5	17	10
430207	STE.20x1.5-M8	17	42	10	30	13	20	1.5	17	8
430209	STE.20x2.0-M8	16	43	10	30	13	20	2	16	6
430215	STE.22x1.5-M6	19	41	12	32	10	22	1.5	19	12
430217	STE.22x1.5-M8	19	42	10	30	13	22	1.5	19	10
430223	STE.25x1.5-M8	22	42	10	30	13	25	1.5	22	13
430225	STE.25x1.5-M10	22	42	10	30	17	25	1.5	22	12
430227	STE.25x2.0-M8	21	43	10	30	13	25	2	21	12
430233	STE.30x1.5-M10	27	42	10	30	17	30	1.5	27	22
430235	STE.30x2.0-M8	26	41	10	30	13	30	2	26	20
430237	STE.30x2.0-M10	26	41	10	30	17	30	2	26	20
430241	STE.35x2.0-M10	31	42	10	30	17	35	2	31	27
430251	STE.40x1.2-M10	37.6	40	10	30	17	40	1.2	37.6	41
430253	STE.40x1.2-M12	37.6	40	8	28	19	40	1.2	37.6	39
430255	STE.40x2.0-M10	36	42	10	30	17	40	2	36	36
430257	STE.40x3.0-M8	34	42	11	30	13	40	3	34	35
430259	STE.40x3.0-M10	34	41	10	30	17	40	3	34	32



ELESA and GANTER models all rights reserved in accordance with the law. Always mention the source when reproducing our drawings.

STANDARD MACHINE ELEMENTS WORLDWIDE

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Sensor Fixings & Accessories](#) category:

Click to view products by [Elesa & Ganter](#) manufacturer:

Other Similar products are found below :

[EC18-WELL](#) [FMD411](#) [SA9Z-F11](#) [E4R-R12A-CS3M010](#) [E4R-R12A-CS3M020](#) [BS-1T CHITAN](#) [ICAB-1](#) [SA9Z-S07PN02](#) [ECT18-WELL](#) [57142-000](#) [79450811](#) [734209100](#) [ASI M12 VS](#) [440148](#) [430233](#) [440101](#) [440102](#) [440121](#) [440122](#) [440131](#) [440132](#) [440135](#) [440147](#) [XSZB108](#) [Y92E-BC12](#) [Y92E-BC18](#) [10901](#) [0909](#) [UAC 101](#) [810-12AC/DC](#) [843-12AC/DC](#) [844-12AC/DC](#) [771000-6011](#) [771000-6202](#) [812-12AC/DC](#) [834-12AC/DC](#) [909G](#) [910G](#) [913G](#) [92.031.9058.1](#) [92.032.9058.1](#) [925G](#) [771000-6010](#) [GN 473-B12-MT](#) [GN 474-B12-B12-MT](#) [GN 474-B16-B16-MT](#) [GN 479-B12-30](#) [XSZB118](#) [XSZB112](#) [XSZB130](#) [611-12DC](#) [08 2424 010 000](#) [733877001](#) [ELST-M PG9](#)