Detailed Specifications & Technical Data



ENGLISH MEASUREMENT VERSION

AX104270 Connectivity Accessories - FiberExpress Brilliance Field Kit

| 2 | | | For more Informatio please call | | |
|---|--|---|---|--|--|
| | | * | 1-800-Belden1 | | |
| neral Desc | ription: | | | | |
| berExpre | ss Brilliance Field Kit | | | | |
| age (Overa | | | | | |
| Suitable Ap | | Indoor termination of fiber cables: Patch panels. Comm | nunication outlets. Fiber-to-the-desk. Distribution | | |
| ounable Ap | piloations. | Indoor termination of fiber cables: Patch panels, Communication outlets, Fiber-to-the-desk, Distribution frames, Direct termination to equipment, Fiber cable repair, Campus, Customer premise / Access network. | | | |
| Related Part | ts: | Brilliance connectors, Breakout kits | | | |
| ysical Cha | racteristics (Connectivity) | | | | |
| mensions | | | | | |
| Dimensions: | | | | | |
| Height (in.) 14.000 | Width (in.) Depth (in.) 15.000 6.000 | | | | |
| 14.000 | 13.000 0.000 | | | | |
| eight | | | | | |
| Weight: | | 3.600 lbs. | | | |
| cluded Parts | • | | | | |
| Included Pa | rts: | Tool Pouch, Handle, SC, LC,ST Adapters, VFL Patch (Strippers, Scissors, Tweezers, USB Key, Marker, VFL, | | | |
| | | | | | |
| Included Pa | rts Graphic: | | 1. Support Handle 2. SC Adapter | | |
| | | | 3. LC Adapter | | |
| | | | 4. ST Adapter | | |
| | | | 5. Patch Cords 6. Field Cleaver | | |
| | | | 0. Held Gleaver | | |
| | | 6 6 | 8. Alcohol Wipes | | |
| | | | 9. Waste Bottle | | |
| | | | 10. Safety Glasses 11. Strippers | | |
| | | | 12. Scissors | | |
| | | | 13. Tweezers | | |
| | | FiberExpress Brillance® Connectors | 14. USB Installation Files 15. Marker | | |
| | | Antidation Galde | 16. Visual Fault Locator (VFL) | | |
| | | | 17. Microscope | | |
| | | BELDEN | Its. Installation Guide | | |
| akaaina | | | 19. Installation Card | | |
| | | | | | |
| ackaging | | | | | |
| Packaging | | The carrying case is individually packaged in a cardboa | ard box. | | |
| Packaging: | haracteristics (Connectivity) | The carrying case is individually packaged in a cardboa | ard box. | | |
| Packaging: | haracteristics (Connectivity) | The carrying case is individually packaged in a cardboa | ard box. | | |
| Packaging: chanical C Storage Ten | | -20°C To +60°C | ard box. | | |
| Packaging: echanical C Storage Ten plicable Sp | nperature Range: Decifications and Agency Compli | -20°C To +60°C | ard box. | | |
| Packaging: echanical C Storage Ten plicable Sp uitability Suitability | nperature Range: Decifications and Agency Compli Indoor: | -20°C To +60°C ance (Overall) | ard box. | | |
| Packaging: echanical C Storage Ten plicable Sp uitability | nperature Range: Decifications and Agency Compli Indoor: II) | -20°C To +60°C ance (Overall) | ard box. | | |
| Packaging: echanical C Storage Ten plicable Sp uitability Suitability - tes (Overal roduct Family Part Number L | nperature Range: Decifications and Agency Compli Indoor: III) Y v | -20°C To +60°C ance (Overall) | ard box. | | |
| Packaging: echanical C Storage Ten plicable Sp uitability Suitability suitability - tes (Overal oduct Family Part Number L Part Number | nperature Range: Decifications and Agency Compli Indoor: II) Y Just: er Description | -20°C To +60°C ance (Overall) | ard box. | | |
| Packaging: Packaging: Packaging: Storage Ten plicable Sp uitability Suitability Suitability - tes (Overal oduct Family Part Number L Part Number AX100910 | nperature Range: Decifications and Agency Compli Indoor: II) Y Just: er Description Cleave Inspection Microscope | -20°C To +60°C ance (Overall) Yes - Indoor | ard box. | | |
| Packaging: Packaging: Packaging: Storage Ten plicable Sp uitability Suitability Suitability - tes (Overal roduct Family Part Number L Part Number AX100910 AX100951 | nperature Range: Decifications and Agency Compli Indoor: II) Y J S S Cleave Inspection Microscope Refurbishing Materials (80 alcohol wipes ar | -20°C To +60°C ance (Overall) Yes - Indoor d a black felt tip marker) | ard box. | | |
| Packaging: Packaging: Packaging: Storage Ten plicable Sp uitability Suitability Suitability - tes (Overal roduct Family Part Number L Part Number AX100910 AX100951 AX103149 | nperature Range: Decifications and Agency Compli Indoor: II) Y ist: er Description Cleave Inspection Microscope Refurbishing Materials (80 alcohol wipes ar Brilliance Field Cleaver Replacement Blade | -20°C To +60°C ance (Overall) Yes - Indoor d a black felt tip marker) | ard box. | | |
| Packaging: Packaging: Packaging: Storage Ten plicable Sp uitability Suitability Suitability - tes (Overal roduct Family Part Number L Part Number L Part Number AX100910 AX100951 AX103149 AX103151 | Indoor: Indoor: II) y ist: P Description Cleave Inspection Microscope Refurbishing Materials (80 alcohol wipes ar Brilliance Field Cleaver Replacement Blade Fiber-Cable Stripper | -20°C To +60°C ance (Overall) Yes - Indoor d a black felt tip marker) | ard box. | | |
| Packaging: Packaging: Packaging: Storage Ten plicable Sp uitability Suitability Suitability - tes (Overal roduct Family Part Number L Part Number L Part Number L Part Number L AX100910 AX100951 AX1003151 AX104268 | Indoor: Indoor: II) y ist: er Description Cleave Inspection Microscope Refurbishing Materials (80 alcohol wipes ar Brilliance Field Cleaver Replacement Blade Fiber-Cable Stripper FiberExpress Brilliance Basic Kit | -20°C To +60°C ance (Overall) Yes - Indoor d a black felt tip marker) | ard box. | | |
| Packaging: Packaging: Packaging: Storage Ten plicable Sp itability Suitability - tes (Overal oduct Family Part Number L Part Number L Part Number L Ax100910 Ax100951 Ax103151 Ax104268 Ax104270 | Indoor: Indoor: II) y ist: P Description Cleave Inspection Microscope Refurbishing Materials (80 alcohol wipes ar Brilliance Field Cleaver Replacement Blade Fiber-Cable Stripper FiberExpress Brilliance Basic Kit FiberExpress Brilliance Field Kit | -20°C To +60°C ance (Overall) Yes - Indoor d a black felt tip marker) | ard box. | | |
| Packaging: Packaging: Packaging: Storage Ten plicable Sp itability Suitability - tes (Overal oduct Family Part Number L Part Number L Part Number L Part Number L Ax100910 Ax100951 Ax100951 Ax103151 Ax104268 Ax104270 Ax104271 | Indoor: Indoor: II) y ist: P Description Cleave Inspection Microscope Refurbishing Materials (80 alcohol wipes ar Brilliance Field Cleaver Replacement Blade Fiber-Cable Stripper FiberExpress Brilliance Basic Kit FiberExpress Brilliance Field Kit FiberExpress Brilliance Field Kit FiberExpress Brilliance Precision Kit | -20°C To +60°C ance (Overall) Yes - Indoor d a black felt tip marker) | ard box. | | |
| Packaging: Packaging: Packaging: Storage Ten plicable Sp itability Suitability - tes (Overal oduct Family Part Number L Part Number L Part Number L Part Number L Ax100910 Ax100951 Ax100951 Ax1004251 Ax104270 Ax104272 | Indoor: Indoor: II) y ist: P Description Cleave Inspection Microscope Refurbishing Materials (80 alcohol wipes ar Brilliance Field Cleaver Replacement Blade Fiber-Cable Stripper FiberExpress Brilliance Basic Kit FiberExpress Brilliance Field Kit FiberExpress Brilliance Field Kit FiberExpress Brilliance Precision Kit FiberExpress Brilliance Installation Pouch | -20°C To +60°C ance (Overall) Yes - Indoor d a black felt tip marker) | ard box. | | |
| Packaging: Packaging: Packaging: Storage Ten plicable Sp itability Suitability - tes (Overal oduct Family Part Number L Part Number L Part Number L Part Number L Ax100910 Ax100951 Ax103151 Ax104268 Ax104270 Ax104272 Ax104273 | Indoor: Indoor: II) y ist: ar Description Cleave Inspection Microscope Refurbishing Materials (80 alcohol wipes ar Brilliance Field Cleaver Replacement Blade Fiber-Cable Stripper FiberExpress Brilliance Basic Kit FiberExpress Brilliance Field Kit FiberExpress Brilliance Precision Kit FiberExpress Brilliance Installation Pouch FiberExpress Brilliance Installation Guide | -20°C To +60°C ance (Overall) Yes - Indoor d a black felt tip marker) | ard box. | | |
| Packaging: Packaging: Packaging: Storage Ten plicable Sp itability Suitability - tes (Overal oduct Family Part Number L Part Number L Part Number L Part Number L Ax100910 Ax100951 Ax100951 Ax1004251 Ax104270 Ax104272 | Indoor: Indoor: II) y ist: P Description Cleave Inspection Microscope Refurbishing Materials (80 alcohol wipes ar Brilliance Field Cleaver Replacement Blade Fiber-Cable Stripper FiberExpress Brilliance Basic Kit FiberExpress Brilliance Field Kit FiberExpress Brilliance Field Kit FiberExpress Brilliance Precision Kit FiberExpress Brilliance Installation Pouch | -20°C To +60°C ance (Overall) Yes - Indoor d a black felt tip marker) | ard box. | | |

Detailed Specifications & Technical Data



AX104270 Connectivity Accessories - FiberExpress Brilliance Field Kit

| AX104278 | Tweezers |
|----------|---|
| AX104279 | Pen Marker |
| AX104280 | Scissors |
| AX104281 | Waste Bottle |
| AX104282 | Safety Glasses |
| AX104283 | FiberExpress Brilliance Pocket Visual Fault Locator (VFL) with Adapter Cords |
| AX104285 | FiberExpress Brilliance Field Cleaver |
| AX104286 | FiberExpress Brilliance Precision Cleaver |
| AX104289 | FiberExpress Brilliance Support Handle LC Adapter |
| AX104290 | FiberExpress Brilliance Support Handle SC Adapter |
| AX104291 | FiberExpress Brilliance Support Handle ST Adapter |
| AX104293 | FiberExpress Brilliance Precision Cleaver Replacement Blade |
| AX104294 | FiberExpress Brilliance Replacement Leaf Spring Base Plate |
| AX203567 | FiberExpress Brilliance Visual Fault Locator (VFL) LC-LC Adapter Cord |
| AX203568 | FiberExpress Brilliance Visual Fault Locator (VFL) LC-SC Adapter Cord (valid for ST also) |
| | |

Put Ups and Colors:

| Item # | Putup | Ship Weight | Color | Notes | Item Desc |
|----------|-------|-------------|-------|-------|----------------------|
| AX104270 | 1 EA | 2.500 KG | | | Brilliance Field Kit |

Revision Date: 03-10-2010 Revision Number: 0

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described herein are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability. Belden provides the information and specifications herein on an "AS IS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein. All sales of Belden products are subject to Belden's standard terms and conditions of sale.

^{© 2016} Belden, Inc All Rights Reserved.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Fiber Optic Connectors category:

Click to view products by Belden manufacturer:

Other Similar products are found below :

 0004700001
 6100-R
 6313
 F709034706
 F709722200
 F709730000
 F718183204
 F727403500
 F727752800
 FCXO-12-3BY
 FO

 SCREW(M2X6)
 9440F20-27S-190
 944-120-6001
 944-125-6003
 9441F10SL-3P
 953-101-5310-P
 954-101-57202B
 A0270169
 12-9122
 12

 5702
 143025NC
 DSAKB
 AX101713
 AX102420
 AX103923
 AX104193
 AX104230
 AX104562
 AX104683
 AX105203-B25
 AX105205-S1

 EHSC2M
 17-300800
 180-044NF06-11-2S
 180-044NF06-17-8P
 180-044NF07-11-2S
 181-011-S
 181-057-126
 BT34IW

 HRFCP-HSCJ-1(61)
 HRFC-R2(40)
 NKSOPBUY
 20500002116
 2064996-1
 20800001065
 2170
 9132
 2612
 2620