

Standard withdrawn



BN 30502

Pozi pan head machine screws


form Z


Steel 4.8

zinc plated black

- ~UNI 7687
- ~CSN 021147

i All lengths fully threaded

Article#	d ₁	d ₂ max.	k max.		m~	t min.	t max.	L
5401256	M2,5	5	2,12	1	2,6	1,27	1,52	5
5401257								6
5401258								8
5401259								10
5401260	M3	6	2,52	1	3	1,68	1,93	5
5002028								6
5401261								8
5401262								10
5002044								12
5002052								16
5402902								20
5402903								25
5402904								30
5402905								35
5402906								40
5402907								45
5402908								50
5002095	M4	8	3,25	2	4,3	1,9	2,36	6
5401263								8
5002087								10
5401264								12
5402909								16
5402910								20
5402911								25

Article#	d ₁	d _{2 max.}	k max.		m~	t min.	t max.	L
5402912	M4	8	3,25	2	4,3	1,9	2,36	30
5402913								35
5402914								40
5402915								45
5402916								50
5402917								60
5402918								70
5401265	M5	10	3,95	2	5	2,64	3,1	8
5401266								10
5401267								12
3303539								16
5401268	M6	12	4,75	3	6,7	3,02	3,48	10
5401269								12
5401270								16

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Screws & Fasteners](#) category:

Click to view products by [Bossard](#) manufacturer:

Other Similar products are found below :

[5721-1440-1/4-SS](#) [593503FX](#) [0098.0094](#) [0098.9206](#) [0098.9219](#) [0098.9221](#) [0098.9262](#) [596-2114-013](#) [59781-4](#) [59781-6](#) [0098.0026](#)
[0098.9210](#) [0098.9212](#) [60227-01](#) [60227-04](#) [60227-08](#) [60228-09](#) [618-00001](#) [62153-03](#) [62153-11](#) [M316-KSSTMCZ100](#) [M3440-SS](#) [M3442-SS](#) [M3448-SS](#) [6291A](#) [6292-1](#) [6-306105-9](#) [6-306131-4](#) [690432-1](#) [699161-000](#) [700989](#) [7-18023-1](#) [7-21002-8](#) [7230-3](#) [7235-3](#) [7248-1](#) [7248-2](#)
[73542-02](#) [CAPTIVE SHORT THUMBSCREW](#) [745564-1](#) [748174-2](#) [F03-02](#) [SUS316](#) [F1209](#) [751-00001](#) [80011](#) [809704-1](#) [8700](#) [8860220](#)
[9047](#) [95000002B](#) [9885-2](#)