


1. TRUE POSITION TOLERANCE OF THE POST TIPS APPLIES WHEN THE HEADERS ARE HELD FLAT AGAINST THE PRINTED CIRCUIT BOARD.
2. THE NOTED DIMENSIONS APPLY AT THE INTERSECTION OF THE POST AND THE HOUSING.
3. RETENTION FEATURES ON SOLDER TAILS, LOCATED AT MANUFACTURERS OPTION.
4. $\Phi .020 \text{ (M)}$ FOR KINKED TAILS.
5. 0.000381 [0.00015] GOLD IN CONTACT AREA, 0.00254-0.00504 [0.00100-.000200] MATTE TIN-LEAD ON SOLDER TAIL, ALL OVER 0.00127 [0.000050] NICKEL.
6. HOUSING: LCP, COLOR-BLACK. POSTS: COPPER ALLOY.
7. 0.000381 [0.00015] GOLD IN CONTACT AREA, 0.00254-0.00504 [0.00100-.000200] MATTE TIN ON SOLDER TAIL, ALL OVER 0.00127 [0.000050] NICKEL.
8. OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



RECOMMENDED PC BOARD MOUNTING DIMENSIONS FOR .063 [1.60] THICK PC BOARD AND .012 [.305] STENCIL THICK.

PLATING	C	B	A	NO. OF POSITIONS	PART NUMBER	
				39	40	9-146288-0
				38	39	8-146288-9
				37	38	8-146288-8
				36	37	8-146288-7
				35	36	8-146288-6
				34	35	8-146288-5
				33	34	8-146288-4
				32	33	8-146288-3
				31	32	8-146288-2
				30	31	8-146288-1
				29	30	8-146288-0
				28	29	7-146288-9
				27	28	7-146288-8
				26	27	7-146288-7
				25	26	7-146288-6
				24	25	7-146288-5
				23	24	7-146288-4
				22	23	7-146288-3
				21	22	7-146288-2
				20	21	7-146288-1
				19	20	7-146288-0
				18	19	6-146288-9
				17	18	6-146288-8
				16	17	6-146288-7
				15	16	6-146288-6
				14	15	6-146288-5
				13	14	6-146288-4
				12	13	6-146288-3
				11	12	6-146288-2
				10	11	6-146288-1
OBSOLETE				9	10	6-146288-0
				8	9	5-146288-9
OBSOLETE				7	8	5-146288-8
OBSOLETE				6	7	5-146288-7
				5	6	5-146288-6
				4	5	5-146288-5
OBSOLETE				3	4	5-146288-4
				2	3	5-146288-3

PLATING	C	B	A	NO. OF POSITIONS	PART NUMBER	
				39	40	4-146288-0
				38	39	3-146288-9
				37	38	3-146288-8
				36	37	3-146288-7
				35	36	3-146288-6
				34	35	3-146288-5
				33	34	3-146288-4
				32	33	3-146288-3
				31	32	3-146288-2
				30	31	3-146288-1
				29	30	3-146288-0
				28	29	2-146288-9
				27	28	2-146288-8
				26	27	2-146288-7
				25	26	2-146288-6
				24	25	2-146288-5
				23	24	2-146288-4
				22	23	2-146288-3
				21	22	2-146288-2
				20	21	2-146288-1
				19	20	2-146288-0
				18	19	1-146288-9
				17	18	1-146288-8
				16	17	1-146288-7
				15	16	1-146288-6
				14	15	1-146288-5
				13	14	1-146288-4
				12	13	1-146288-3
				11	12	1-146288-2
				10	11	1-146288-1
				9	10	1-146288-0
				8	9	1-146288-9
				7	8	1-146288-8
				6	7	1-146288-7
				5	6	1-146288-6
				4	5	146288-5
				3	4	146288-4
				2	3	146288-3
				1	2	146288-2
				0	1	146288-1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm [INCHES]

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	± .005
1 PLC	± .005
2 PLC	± .005
3 PLC	± .005
4 PLC	± .005
ANGLES	± .005

MATERIAL: $\Delta 6$ SEE TABLE

FINISH: SEE TABLE

WEIGHT: --

CUSTOMER DRAWING

DIN T. HOFFMAN 12/6/95

CHK G. DUBNICZKI 2/1/96

APPRO G. DUBNICZKI 2/1/96

NAME: G. DUBNICZKI

PRODUCT SPEC: HEADER ASSEMBLY, MOD II, BREAKAWAY, SINGLE ROW, HIGH TEMPERATURE, VERTICAL WITH RETENTION FEATURE, W/.025 SQ. POSTS, .100 C/L

APPLICATION SPEC: --

SIZE: A1

SCALE: 4:1

SHEET 1 OF 1

REV J

STE TE Connectivity

00779 146288

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[95000-104TRLF](#) [10135584-644402LF](#) [DF62W-EP2022PCA](#) [95000-106TRLF](#) [DF62W-2022SCA](#) [DF62W-EP2022PC](#) [2203348](#) [DF62W-2022SC](#) [1084018](#) [1029039](#) [1084017](#) [802-10-012-10-002000](#) [1112640](#) [1112639](#) [891-007-9SS-BST1T](#) [000-34000](#) [0008550134](#) [0009482033](#) [0009507031](#) [57102-F02-18ULF](#) [57102-S06-03LF](#) [57202-S52-04LF](#) [PCN6-15S-2.5E](#) [0039019024](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [0009508121](#) [0022285053](#) [0050291907](#) [018731A](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#) [60101931](#) [60598-1 \(Cut Strip\)](#) [M1625-3R/100](#) [61062-3](#) [61082-181009](#) [CSU011177004](#) [636-1427](#) [638009-1](#) [641938-9](#) [641991-4](#) [644168-1](#) [644827-2](#) [647662-1](#) [65039-019ELF](#) [65692-001LF](#) [65781-018](#) [65781-047](#)