


U.I. Lapp GmbH	PRODUCT INFORMATION	
	SKINDICHT® BLK-M	07.11.2014

For closing pre-threaded holes
Cost-effective solution



Reliability



UV-resistant



Waterproof

Info

SKINDICHT® BLK-M/BLK-GL-M will be renamed into SKINTOP® PLUG

Application range

Control cabinet manufacturing
Distribution box
Junction boxes

Product Make-up

Metric connection thread acc. to EN 50262

Remark

Photographs are not to scale and do not represent detailed images of the respective products.

Technical Data

On request:	BLK-M with O-ring, black RAL 9005
Classification:	ETIM 5.0 Class-ID: EC000032 ETIM 5.0 Class-Description: plug for cable screw gland
Colour delivered:	Light grey (RAL 7035)
Material:	Fire behaviour according to UL 94 HB Impact-resistant polystyrene
Protection rating:	IP 54 IP 68 (with O-Ring)
Temperature range:	-25°C to +60°C

Product Management	Document: LAPP_PRO1027EN.pdf	1 / 2
--------------------	------------------------------	-------

Part number	Article designation / size	Thread length/ D (mm)	Pieces /
SKINDICHT® BLK-M			
52006600	12 x 1,5	6.0	100
52006610	16 x 1,5	6.0	100
52006620	20 x 1,5	6.0	100
52006630	25 x 1,5	8.0	100
52006640	32 x 1,5	8.0	50
52006650	40 x 1,5	8.0	25
52006660	50 x 1,5	10.0	25
52006670	63 x 1,5	12.0	25

Product Management

Document: LAPP_PRO1027EN.pdf

2 / 2

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Cable Glands, Strain Reliefs & Cord Grips](#) category:

Click to view products by [Lapp Kabel](#) manufacturer:

Other Similar products are found below :

[120-116-1-1-20BP](#) [120-116-1-1-32BE](#) [120-117-40](#) [120-123-14](#) [120-123-16](#) [120-125-16](#) [120-125-16R](#) [120-125-16Y](#) [120-125-24Y](#) [120-125-28](#) [120-125-28R](#) [120-125-32](#) [120-125-32R](#) [120-125-40](#) [120-125-56](#) [120-126-14](#) [120-126-16](#) [120-126-20](#) [120-126-20BL](#) [120-126-20R](#) [120-126-24](#) [120-126-28](#) [120-126-32](#) [120-126-40BL](#) [120-116-1-1-06BP-509](#) [120-116-1-1-06CP](#) [120-116-1-1-16BE](#) [120-116-1-1-28BP](#) [120-123-20](#) [120-123-24](#) [120-123-32](#) [120-125-20](#) [120-125-20Y](#) [120-125-24](#) [120-125-24R](#) [120-125-28Y](#) [120-126-14BL](#) [120-126-16R](#) [120-126-16Y](#) [120-126-24BL](#) [120-126-28BL](#) [120-126-32BL](#) [120-126-40](#) [120-126-48](#) [120-126-48BL](#) [1300980012](#) [1300980105](#) [DBZM-6828](#) [1498](#) [15190-103 R2](#)