


U.I. Lapp GmbH	PRODUCT INFORMATION	
	SKINTOP® MS-XL	19.11.2014

Especially for thick walls
Maximum reliability
Wide, variable clamping ranges
Optimum strain relief



Good chemical resistance



Mechanical resistance



Optimum strain relief



Robust



Temperature-resistant



Variety of approval certifications



Application range

With long connection thread for applications involving a thicker wall.

Product Make-up

PG connection thread

Note

Counter nut to be used: SKINDICHT® SM

Refer to SKINTOP® PG accessories for suitable accessories

Remark

Photographs are not to scale and do not represent detailed images of the respective products.

Technical Data

Caution:	Refer to Appendix T21 for the installation dimensions and torques
Classification:	ETIM 5.0 Class-ID: EC000441 ETIM 5.0 Class-Description: cable screw gland
Material:	Body: nickel-plated brass Insert: polyamide Sealing ring: CR O-ring: NBR
Protection rating:	IP 68 - 10 bar
Temperature range:	-30°C to +100°C


Product Management	Document: LAPP_PRO159167EN.pdf	1 / 3
--------------------	--------------------------------	-------


Part number	Article designation / size	Clamping range ØF (mm)	SW (mm)	Overall length/ C (mm)
SKINTOP® MS-XL				
52115700	MS 7 XL	2 - 6,5	14	32.0
52115710	MS 9 XL	4 - 8	17	35.0
52115720	MS 11 XL	4 - 10	20	38.0
52115730	MS 13,5 XL	5 - 12	22	39,5
52115740	MS 16 XL	8 - 14	24	40,5
52115750	MS 21 XL	11 - 18	30	45.0
52115760	MS 29 XL	16 - 25	40	52.0

Product Management

Document: LAPP_PRO159167EN.pdf

2 / 3

U.I. Lapp GmbH	PRODUCT INFORMATION	
	SKINTOP® MS-XL	19.11.2014



Product Management	Document: LAPP_PRO159167EN.pdf	3 / 3
--------------------	--------------------------------	-------

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Cable Glands, Strain Reliefs & Cord Grips](#) category:

Click to view products by [Lapp Kabel](#) manufacturer:

Other Similar products are found below :

[120-116-1-1-20BP](#) [120-116-1-1-32BE](#) [120-117-40](#) [120-123-14](#) [120-123-16](#) [120-125-16](#) [120-125-16R](#) [120-125-16Y](#) [120-125-24Y](#) [120-125-28](#) [120-125-28R](#) [120-125-32](#) [120-125-32R](#) [120-125-40](#) [120-125-56](#) [120-126-14](#) [120-126-16](#) [120-126-20](#) [120-126-20BL](#) [120-126-20R](#) [120-126-24](#) [120-126-28](#) [120-126-32](#) [120-126-40BL](#) [120-116-1-1-06BP-509](#) [120-116-1-1-06CP](#) [120-116-1-1-16BE](#) [120-116-1-1-28BP](#) [120-123-20](#) [120-123-24](#) [120-123-32](#) [120-125-20](#) [120-125-20Y](#) [120-125-24](#) [120-125-24R](#) [120-125-28Y](#) [120-126-14BL](#) [120-126-16R](#) [120-126-16Y](#) [120-126-24BL](#) [120-126-28BL](#) [120-126-32BL](#) [120-126-40](#) [120-126-48](#) [120-126-48BL](#) [1300980012](#) [1300980105](#) [DBZM-6828](#) [1498](#) [15190-103 R2](#)