

SKINTOP® BS

SKINTOP® BS, polyamide cable gland with bending and anti-kink protection, to protect flexible cables, for moving machine parts







Variety of approval certifications



Temperature-resistant



Optimum strain relief



Mechanical resistance



Wide clamping range



Good chemical resistance

Benefits

Reliable bending and anti-kink protection Cable conservation Functional reliability To protect flexible cables

Application range

Cables for electrical appliances and machinery that are moved under normal use must be protected against excessive bending as required in accordance with VDE 0700-1

Handheld device
Robotics industry
Light and sound applications
Moving machine parts

Last Update (25.02.2018)
©2018 Lapp Group - Technical changes reserved
Product Management www.lappkabel.de
You can find the current technical data in the corresponding data sheet.
PN 0456 / 02_03.16



SKINTOP® BS

Norm references / Approvals

UL File Nr. E79903

Product Make-up

PG connection thread acc. to DIN 40430

Note

Refer to SKINTOP® PG accessories for suitable accessories

Counter nut to be used: SKINTOP® GMP-GL

Version with smaller insert to seal smaller cable cross-sections, SKINTOP® BSR, is available upon request

Technical Data

Classification ETIM 5: ETIM 5.0 Class-ID: EC000441

ETIM 5.0 Class-Description: Cable screw gland

Classification ETIM 6: ETIM 6.0 Class-ID: EC000441

ETIM 6.0 Class-Description: Cable screw gland

Caution: Refer to Appendix T21 for the installation dimensions and

orques

Colour delivered: Silver grey (RAL 7001)

Black (RAL 9005), UV-resistant

Material: Body: Polyamide

Seal: CR

Protection rating: IP 68 - 5 bar

Temperature range: -20°C to +100°C

Note

Photographs and graphics are not to scale and do not represent detailed images of the respective products. Prices are net prices without VAT and surcharges. Sale to business customers only.

Last Update (25.02.2018)
©2018 Lapp Group - Technical changes reserved
Product Management www.lappkabel.de
You can find the current technical data in the corresponding data sheet.
PN 0456 / 02_03.16

| Article designation / size | Clamping range ØF (mm) | SW wrench size mm | Overall length, C (mm) |
|----------------------------|---|---|------------------------|
| ilver grey | · | • | · |
| PG 7 | 2.5 - 6.5 | 15 | 62 |
| PG 9 | 3.5 - 8 | 19 | 75 |
| PG 11 | 4 - 10 | 22 | 87 |
| PG 13,5 | 6 - 12 | 24 | 100 |
| PG 16 | 9 - 14 | 27 | 113 |
| PG 21 | 13 - 18 | 33 | 129 |
| lack | | | |
| PG 7 | 2.5 - 6.5 | 15 | 62 |
| PG 9 | 3.5 - 8 | 19 | 75 |
| PG 11 | 4 - 10 | 22 | 87 |
| PG 13,5 | 6 - 12 | 24 | 100 |
| PG 16 | 9 - 14 | 27 | 113 |
| PG 21 | 13 - 18 | 33 | 129 |
| | PG 7 PG 9 PG 11 PG 13,5 PG 16 PG 21 lack PG 7 PG 9 PG 11 PG 13,5 PG 16 | PG 7 2.5 - 6.5 PG 9 3.5 - 8 PG 11 4 - 10 PG 13,5 6 - 12 PG 16 9 - 14 PG 21 13 - 18 lack PG 7 2.5 - 6.5 PG 9 3.5 - 8 PG 11 4 - 10 PG 13,5 6 - 12 PG 16 9 - 14 | PG 7 |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Cable Mounting & Accessories category:

Click to view products by Lapp Kabel manufacturer:

Other Similar products are found below:

HP-4N 582603-1 009333-000 727844N003 809090N001 8109 843188-000 843459N001 843460N003 8666 967279N002 GPQC1/0 DB11 1300830208 1300840039 1300900026 1300990052 1301740005 1301800121 1301800416 1300830184 1300990149 1301580036
1301720103 1301720135 1301720152 1301720157 1301740009 1301770011 1301850553 1301860939 1302000074 1302264431
1337706-2 APA18-AK MTX6UTPSRC-C 1-787307-1 185491N001 HP-6N C-202-C 202C221-13-0 OMTM-S10-C0 205339-4 CA7308000 8S23-75FR-CS8184 2684 9648 3089 988382-000 A0270164