

SKINTOP® GMP-GL-M

SKINTOP® GMP-GL-M, glass fibre-reinforced counter nuts, for maximum mechanical stability, for locking in boreholes without thread



Variety of approval certifications



UV-resistant



Temperature-resistant



Oil-resistant



Assembly time



Good chemical resistance

Benefits

Glass fibre-reinforced for maximum mechanical stability

Supporting surface for spanner means scratches on the housing are avoided

Application range

For locking SKINTOP® cable glands in boreholes without thread.

Norm references / Approvals

UL File Nr. E79903

SKINTOP® GMP-GL-M

Product Make-up

Metric connection thread acc. to DIN EN 60423

Basis for technical information DIN IEC 62444

Note

UL approval only when used with the UL-approved SKINTOP® polyamide cable glands

Designed for use with metric SKINTOP® plastic cable glands

Technical Data

Classification ETIM 5:	ETIM 5.0 Class-ID: EC000441 ETIM 5.0 Class-Description: Cable screw gland
Classification ETIM 6:	ETIM 6.0 Class-ID: EC000441 ETIM 6.0 Class-Description: Cable screw gland
On request:	Available without collar (without surface for assembling tool)
Colour delivered:	Silver grey (RAL 7001) Light grey (RAL 7035) Black (RAL 9005), UV-resistant
Material:	Polyamide, glass fibre-reinforced
Temperature range:	Fixed: -40 °C to +100 °C Dynamic: -20 °C to +100 °C

Note

Photographs and graphics are not to scale and do not represent detailed images of the respective products.

Prices are net prices without VAT and surcharges. Sale to business customers only.

Article number	Article designation / size	SW wrench size mm
SKINTOP® GMP-GL-M silver grey		
53119000	M 12 x 1,5	17
53119010	M 16 x 1,5	22
53119020	M 20 x 1,5	27
53119030	M 25 x 1,5	34
53119040	M 32 x 1,5	41
53119050	M 40 x 1,5	50
53119060	M 50 x 1,5	60
53119070	M 63 x 1,5	75
SKINTOP® GMP-GL-M black		
53119100	M 12 x 1,5	17
53119110	M 16 x 1,5	22
53119120	M 20 x 1,5	27
53119130	M 25 x 1,5	34
53119140	M 32 x 1,5	41
53119150	M 40 x 1,5	50
53119160	M 50 x 1,5	60
53119170	M 63 x 1,5	75
SKINTOP® GMP-GL-M light grey		
53119003	M 12 x 1,5	17
53119013	M 16 x 1,5	22
53119023	M 20 x 1,5	27
53119033	M 25 x 1,5	34
53119043	M 32 x 1,5	41
53119053	M 40 x 1,5	50
53119063	M 50 x 1,5	60
53119073	M 63 x 1,5	75

Last Update (10.04.2018)
 ©2018 Lapp Group - Technical changes reserved
 Product Management www.lappkabel.de
 You can find the current technical data in the corresponding data sheet.
 PN 0456 / 02_03.16

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Cable Glands, Strain Reliefs & Cord Grips](#) category:

Click to view products by [Lapp Kabel](#) manufacturer:

Other Similar products are found below :

[120-116-1-1-20BP](#) [120-116-1-1-32BE](#) [120-117-40](#) [120-123-14](#) [120-123-16](#) [120-125-16](#) [120-125-16R](#) [120-125-16Y](#) [120-125-24Y](#) [120-125-28](#) [120-125-28R](#) [120-125-32](#) [120-125-32R](#) [120-125-40](#) [120-125-56](#) [120-126-14](#) [120-126-16](#) [120-126-20](#) [120-126-20BL](#) [120-126-20R](#) [120-126-24](#) [120-126-28](#) [120-126-32](#) [120-126-40BL](#) [120-116-1-1-06BP-509](#) [120-116-1-1-06CP](#) [120-116-1-1-16BE](#) [120-116-1-1-28BP](#) [120-123-20](#) [120-123-24](#) [120-123-32](#) [120-125-20](#) [120-125-20Y](#) [120-125-24](#) [120-125-24R](#) [120-125-28Y](#) [120-126-14BL](#) [120-126-16R](#) [120-126-16Y](#) [120-126-24BL](#) [120-126-28BL](#) [120-126-32BL](#) [120-126-40](#) [120-126-48](#) [120-126-48BL](#) [1300980012](#) [1300980105](#) [DBZM-6828](#) [1498](#) [15190-103 R2](#)