







Standard Barrel Copper Lug T&B Catalog Number:

UPC Number: Status: **Description:**

54153UF 78621086903 Active

Copper One-Hole Lug - 45 degree Standard Barrel - max 35KV, 1/0 AWG Wire, 5/16" Bolt Size, Tin Plated with Inspection Hole, Pink 42 General

Material	Copper
Finish	Tin Plated
Wire Size	1/0 AWG
Number of Studs	1
Stud Size	5/16
Tongue Angle	45
Barrel Length	Standard
Barrel Shape	Standard
Tongue Width	Standard
Peep Hole	Y
Marking	Standard
Hole Shape	Round
Die Color	Pink
Die Code	42
Dimension Information	
A (inches)	1.625
B (inches)	.719
C (inches)	.75
D (inches)	.141
E (inches)	.531
F (inches)	.25
Specifications	
Voltage Rating	600V to 35KV
Tooling	
Connector & Tooling Chart	Available on Website
Packaging	
Package in Units	100
T&B Sold in UOM	Each
T&B Weight Per UOM	6 lbs. per 100
Application Support	
Overview	Available on Website
Notes	
	Dimensions given for reference only. Dimensions may vary up to +/030.
Certifications	
RoHS Compliance	Yes



Certifications

File Nbr:

E9809

For further technical assistance, please contact us...

T&B Technical Support MS 3B-50 8155 T&B Blvd. Memphis, TN 38125

(SP)

Hours: 7AM - 6PM CDT Monday-Friday Phone: (888) 862-3289 Fax: (901) 252-1321 Email:techsupport@thb.com

Thomas & Betts - USA 8155 T&B Blvd. Memphis, TN 38125 www.tnb.com

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Terminals category:

Click to view products by ABB manufacturer:

Other Similar products are found below :

HT-13-10 71M-250-32-NB 01-2065-1-0216 00581P0075 M10-10RX M10BCK 60205-1 604200-1 60598-1-CUT-TAPE 60617-1-C 60873-1 M14-516R/SK M14-6RSX M18-10FLX M18-8FBX M18-8R/LX M18BCK 61314-6-C 61-S 61-SN-A 62-NBM-A 63-S 640179-1 640917-2-CUT-TAPE 6501550002 66107-2-C 66107-4-C 696683-1 696834-1 696861-1 696931-1 696999-1 M8-516RK M86700006 MA250DMFMX-A 701-2007 701-2307 701-7761-03 70F-110-32-PB 718-N-A 71M-187-20-NBL 71M-250-32-NBL 72F-187-20-NBL 72M-250-32-NBL 7310 73F-250-32 73F-250-32-NBL 73F-250-32-NL F14-10C F-1M