







SILVYN® FPAG PG

SILVYN® FPAG PG - conduit fitting for SILVYN® FPAS



-  Variety of approval certifications
-  Temperature-resistant
-  Optimum strain relief
-  Assembly time
-  Maximum vibration protection
-  Halogen-free

Benefits

Fast assembly
High-tensile
Sealing
Vibration protection

Application range

In combination with protective conduit:
SILVYN® FPAS
Applications with strong vibrations

SILVYN® FPAG PG

Product features

In black colour UV-resistant and weather-proofed
Removeable with a screwdriver

Norm references / Approvals

UL FILENUMBER E308201

Product Make-up

PG connection thread
Body
Upper part with integrated all-round tothing

Technical Data

Classification ETIM 5:	ETIM 5.0 Class-ID: EC001176 ETIM 5.0 Class-Description: Screw connection for corrugated plastic hose
Classification ETIM 6:	ETIM 6.0 Class-ID: EC001176 ETIM 6.0 Class-Description: Screw connection for corrugated plastic hose
Certifications:	IEC EN 61386-23
Colour delivered:	Grey (RAL 7031) Black (RAL 9005), UV-resistant
Material:	PA66 Halogen-free
Protection rating:	IP 66
Temperature range:	-50°C to +135°C

Note

Photographs and graphics are not to scale and do not represent detailed images of the respective products.
Prices are net prices without VAT and surcharges. Sale to business customers only.

Article number	PG size	Suitable for SILVYN® F
SILVYN® FPAG PG black		
55506585	7	10
55506595	9/1	10
55506605	9/2	13
55506615	9/3	16
55506625	11	16
55506635	13.5/1	16
55506645	13.5/2	18
55506995	13.5/3	21
55506655	16	21
55506665	21	28
55506675	29	34
55506685	36	42
55506695	48/1	54
55506705	48/2	67
SILVYN® FPAG PG grey		
55506580	7	10
55506590	9/1	10
55506600	9/2	13
55506610	9/3	16
55506620	11	16
55506630	13.5/1	16
55506640	13.5/2	18
55506990	13.5/3	21
55506650	16	21
55506660	21	28
55506670	29	34
55506680	36	42
55506690	48/1	54
55506700	48/2	67

Last Update (25.02.2018)
 ©2018 Lapp Group - Technical changes reserved
 Product Management www.lappkabel.de
 You can find the current technical data in the corresponding data sheet.
 PN 0456 / 02_03.16

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Conduit Fittings & Accessories](#) category:

Click to view products by [Lapp Kabel](#) manufacturer:

Other Similar products are found below :

[S53.35A](#) [260-416](#) [DM0240-1/2A](#) [817.612.0](#) [55506625](#) [1.511.2001.50](#) [1.533.1601.50](#) [1.533.2001.50](#) [52005810](#) [817.716.0](#) [712.015.0](#) [216-420](#) [2276](#) [2663-P](#) [C2070-P](#) [3582V](#) [2643-P](#) [4975](#) [2644-P](#) [90480](#) [2404-P](#) [1047561](#) [2723-P](#) [55506355](#) [1.513.1101.14](#) [55502461](#) [55502462](#) [55502463](#) [55502464](#) [55502473](#) [166-22214](#) [166-22215](#) [166-24800](#) [166-25801](#) [166-30318](#) [SHR-C1](#) [2037 12-20 LGR](#) [2037 16-24 LGR](#) [HP50SS](#) [55502470](#) [SH PA6 BL ND10](#) [5308 946](#) [295.012.0](#) [2955 M16](#) [2955 M25](#) [2955 M32](#) [2955 M40](#) [297.212.0](#) [297.240.0](#) [298.012.0](#)