




Snap-Acting Pushbutton Switches

HOW TO ORDER SEE PAGE 1



SPECIFICATIONS:

Contact rating: see page 1 or 45

Electrical life: 50.000 make and break cycles at full load

Contact resistance: $10m\Omega$ max. initial @ 2-4VDC 100mA for both

coin silver and gold plated contacts Insulation resistance: $1.000M\Omega$ min.

Dielectric strengths: 1.500V RMS @ sea level Operation temperature: -30 °C to 85 °C

Cap installation force: 45N max. permisible

MATERIALS:

Plunger: glass filled nylon or polyester (UL 94V-0)

Bushing: brass, nickel plated Housing: stainless steel

Case: diallyl phthalate (DAP) (UL 94V-0)


Terminal seal: epoxy


Cap and frame: nylon (UL 94V-0) Mounting bracket: stainless steel Switch support: brass, tin plated Contact materials: see page 1 or 45

SPDT_TYPE_1507P1B10M1RE



FUNCTION	SWITCE POSITION	
5	ON	мом
TERM. CONN.	1-3	1-2





DPDT_TYPE_2507P1B10M1RE




FUNCTION	SWITCH POS	SITION	.190 -7.95
5	ON	мом	111 DK 1183 7197 102
TERM.	1-3,	1-2,	
CONN.	46	45	
NOTE FOR EPICT TYPES: POLES MAY NOT CHANGE OVER SMULTAREOUSLY		OUT/INDOOMLY	451 - 100D TP
SCHEWATC:	100mm	1 DOMM	2.23 290 13.45 206 BP001 3.46 T3T 0.20 SEAL SWITCH SUPPORT

SPDT_TYPE_1507P1B20M6QE


TERMINATIONS OPTIONS







DPDT_TYPE_2507P1B20M6RE











X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Toggle Switches category:

Click to view products by IC Switches manufacturer:

Other Similar products are found below:

A19HV 8A1-C-222 60012L 6006L 6663 7101MD9V30GE 7101SPDV30BE 7103SDV30BE 7105D 7108P3YAV2BE 71YY50282

7201MD9AVBE 7301K38 7306K36 7310K36 7314K36 7506K4 7592K6 7691K14 7700K1 8396K108 8824K14 8828K13 G2VX G3VX

PS83-121G A101MD9AB04 A101SD9AB04 A101SDCQ04 A103SD9AQ04 A107TZB04 A123P32YZQ A123S1YZG A127S1YCQ 1
1825192-0 A131S1YZQ A201SCWZB04 A207SYCB04 A208J61ZQ0004 A221K12KAG A221S1YZQ A221T1TCQ A232K12KZQ

A232M1YCQ A323S1CWZQ A423S1CWZG-M8 A423S1YZQ 12149A-3V 12156AX408 12147AGKX679