

QSFP+, 56Gb/s, Active Optical Cable

DESCRIPTION

The FCI QSFP+ FDR, 56Gb/s, Active Optical Cable series provides a cost effective, high performance, plug & play solution.

The AOC features optical engines inside both cable connectors improving speed and distance versus traditional copper assemblies.

By having the same supplier transceiver at both ends, the assembly assures interoperability and provides an excellent link performance.

The assembly is a full duplex, 4 channel construction whereby each channel is capable of transmitting data at rates up to 14 Gb/s.

Typical applications are serving transmission distances between 3m and 100m.



FEATURES & BENEFITS

Cost effective

- Simplified designs
- Limited number of discrete components in the link
- Elimination of on-site cleaning

Ease of installation

- Plug & Play
- No dust contamination
- Closed optical system providing 100% eye safety

Interoperability

- SFF-8436 QSFP+ compliant mechanical design
- Supports Infiniband FDR
- Same brand transceiver on each end

Reliability

- 100% final tested
- Assembled under clean room environment
- Optimum Signal Integrity

TARGET MARKETS / APPLICATIONS

- Data Center
- High Performance Computing
- Switching
- Industrial

XLERATETM-4X



TECHNICAL INFORMATION

MECHANICAL

- Cable:
 - Multi-mode
 - OFNP
- Mates with:

• Board Connector: 10099113-101LF

• Cage: 10099114-001LF

ELECTRICAL

Power supply voltage: 3.3VData rate per lane: 14 Gbps

▶ Power consumption per plug: 0.8W (typ.)

Transmitter type: VCSELReceiver type: PIN-diode

ENVIRONMENTAL

- RoHS 6/6 compliant
- ► Laser Class 1 / CDRH
- Case temperature 0 70 degrees C
- ▶ Halogene free

SPECIFICATIONS


- Cable connector meets MSA QSFP+ form factor (SFF 8436)
- Cable assembly supports Infiniband FDR and lower data rates SDR, DDR, QDR
- ► Product Specification: GS-12-1059

APPROVALS AND CERTIFICATIONS

► TUV : DE 2-015589 ► UL : E 251142-A2 ► FDA : 0820640-xxx

PACKAGING

- Blister reel up to 30 meter length
- Box beyond 30 meter length



PART NUMBERS

ICD056GVP163D-XX	Straight exit boot

Suffix XX	Cable Length (m)	Category	Colour
01	1	OM2	Orange
05	5	OM2	Orange
10	10	OM2	Orange
15	15	OM2	Orange
20	20	OM2	Orange
30	30	ОМ3	Aqua
50	50	ОМ3	Aqua
C0	100	ОМ3	Aqua



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Fibre Optic Cable Assemblies category:

Click to view products by Amphenol manufacturer:

Other Similar products are found below:

F9L12D5-5F26 FXE3-10CM3 2061529-7 FXE3-10EM3 10114734-2030LF 2123524-2 2125046-1 2821236-3 2821310-2 2821310-3
2821313-4 FOLPC-2.5MM KFOLPC-1.25MM KFOLPC-1.25SM FOLPC-1.25SM FOLPC-1.25SM FOSPR40-L 17-300310-100 G-FC-FC-S-002.0-DX-A-18-Y G-E2A-E2A-S-003.0-SX-A-18-Y NKO2S-XP-0-31 100CQQF3020 956-322-502214 DK-2511-03 DK-2511-05
DK-2512-02 DK-2522-01 DK-2532-10-4 DK-2922-01 DK-2922-02 DK-2932-01 DK-2933-02 DK-2522-03 DK-2531-02 DK-2533-01 DK-2533-01/3 DK-2533-02/3 DK-2911-01 DK-2911-03 DK-2912-10 DK-2922-03 DK-2932-02 DK-2932-05 DK-2933-05 DK-2933-10
29011102 29011202 29011302 29011402 29011902