
No.	Changes and/or Note No.	hanges and/or Note No. Date Sign No. Changes and/or Note No.		Changes and/or Note No.	Date	Sign	

Push-in Series

Plastic shell: PA66, (nylon 66) Insert: Brass Working Temperature: -40°C to 130°C Current rate: 10A/500V Wire size: 2.5mm²--4.0mm² Poles available: 1-12

Color: white, nature





Ordering information

7600-0002-xx xx = No of Poles 01-12

DATE 2012-05-15	DRAWN MRR	SCALE FREE	MATERIAL TYPE		
	APPROVED		REPLACES		
© encitech	Feedthrou		$\triangleleft \oplus$		
connectors AB	Push-in S	DRAWING No	6688-1022		

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for AC Power Entry Modules category:

Click to view products by Encitech manufacturer:

Other Similar products are found below:

0098.0050 6167.0002 FN389-4-22

FN9222U-6-06 FN9233ER-12-06

FN9233S1-10-06 FN9233S1-8-06 FN9233S1B-8-06 FN9233S1R-1-06

FN9233S1R-12-06 FN9233SB-1-06

FN9233SB-12-06 FN9233SB-8-06 FN9233SR-10-06 FN9233SR-3-06 FN9244B-15-06HI FN9244EB-3-06 FN9244EB-8-06 FN9244ER-15-06

FN9244ER-8-06 FN9244ES1-8-06

FN9244ESB-8-06 FN9244EU-6-06

FN9244R-12-06 FN9244R-3-07 FN9244R-8-06 FN9244S1-10-06 FN9244S1-12-06 FN9244S1-3-06 FN9244S1B-6-06 FN9244S1R-3-06 FN9244S-6-06

FN9244SB-10-06 FN9244SB-6-06

FN9244SB-8-06 FN9244SR-10-06

FN9244SR-6-06 FN9244U-3-06 FN9244U-8-06 FN9260A-6-06 PE00SSSXB Fuse-H-EUR-1 PM00XD000 PS0SSDBX0 PS0SXSH3B A-0701-HT-H RAPC3FG

15EJMS8 2121 2123