

☆TDK Multilayer Ceramic Chip Capacitors

Page 1 of 2

Creation Date: March 04, 2016

C2012C0G2E152J085AA

(TDK item description : C2012C0G2E152JT****)

Applications



Commercial Grade



Please refer to Part No. CGA4F3C0G2E152J085AA for automotive use.


Feature

Mid

Mid Voltage (100 to 630V)

Series

C2012 [EIA CC0805]











Size		
Length(L)	2.00mm +/-0.20mm	
Width(W)	1.25mm +/-0.20mm	
Thickness(T)	0.85mm +/-0.15mm	
Terminal Width(B)	0.20mm Min.	
Terminal Spacing(G)	0.50mm Min.	
Recommended Land Pattern(PA)	1.00 to 1.30mm (Flow Soldering) < br /> 0.90 to 1.20mm (I	Reflow Soldering)
Recommended Land Pattern(PB)	1.00 to 1.20mm (Flow Soldering) < br /> 0.70 to 0.90mm (I	Reflow Soldering)
Recommended Land Pattern(PC)	0.80 to 1.10mm (Flow Soldering) < br /> 0.90 to 1.20mm (I	Reflow Soldering)
Recommended Slit Pattern(SD)		

Electrical Characteristics		
Capacitance	1.5nF +/-5%	
Rated Voltage	250Vdc	
Temperature Characteristic	C0G(0+/-30ppm/degC)	
Q	1000 Min.	
Insulation Resistance	10000MΩ Min.	

Other		
Soldering Method	Reflow, Flow	
AEC Q200	No	
Packing	Punched (Paper)Taping [180mm Reel]	
Package Quantity	4000Pcs Min.	


[•]This PDF document was created based on the data listed on the TDK Corporation website.


[•]All specifications are subject to change without notice.


Creation Date: March 04, 2016


C2012C0G2E152J085AA


Characteristic Graphs (This is reference data, and does not guarantee the product's characteristics.)














C2012C0G2E152J085AA(DC Bias = 0VC2012C0G2E152J085AA(DC Bias = 125V)

[•]This PDF document was created based on the data listed on the TDK Corporation website.

[•]All specifications are subject to change without notice.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Multilayer Ceramic Capacitors MLCC - SMD/SMT category:

Click to view products by TDK manufacturer:

Other Similar products are found below:

M39014/01-1467 M39014/02-1218V M39014/02-1225V M39014/02-1262V M39014/02-1301 M39014/22-0631 1210J5000102JCT

1210J2K00102KXT 1210J5000103KXT 1210J5000223KXT D55342E07B379BR-TR D55342E07B523DR-T/R 1812J1K00103KXT

1812J1K00473KXT 1812J2K00680JCT 1812J4K00102MXT 1812J5000102JCT 1812J5000103JCT 1812J5000682JCT NIN-FB391JTRF

NIN-FC2R7JTRF NPIS27H102MTRF C1206C101J1GAC C1608C0G1E472JT000N C2012C0G2A472J 2220J2K00101JCT

KHC201E225M76N0T00 LRC-LRF1206LF-01R025FTR1K 1812J1K00222JCT 1812J2K00102KXT 1812J2K00222KXT

1812J2K00472KXT 2-1622820-7-CUT-TAPE 2220J3K00102KXT 2225J2500824KXT CCR07CG103KM CGA2B2C0G1H010C

CGA2B2C0G1H040C CGA2B2C0G1H050C CGA2B2C0G1H060D CGA2B2C0G1H070D CGA2B2C0G1H151J CGA2B2C0G1H1R5C

CGA2B2C0G1H2R2C CGA2B2C0G1H3R3C CGA2B2C0G1H680J CGA2B2C0G1H6R8D CGA2B2X8R1H221K CGA2B2X8R1H472K

CGA3E1X7R1C474K