







THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 2000
 © COPYRIGHT 2000 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.



LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
A1	-			PART NUMBER CHANGED TO TYCO ELECTRONICS	13DEC2000	ACK	GF
				A2 ECR-10-026307	09JUL11	KK	HMR

CROSS REFERENCE LIST / UEBERSETZUNGSLISTE

TE - PN	OLD PART NUMBER	TE - PN	OLD PART NUMBER
1 393 532 - 1	C42334-A368-A14	1 393 557 - 1	C42334-A368-C4
1 393 532 - 2	C42334-A368-A15	1 393 557 - 2	C42334-A368-C5
1 393 532 - 3	C42334-A368-A16	1 393 557 - 3	C42334-A368-C6
1 393 532 - 4	C42334-A368-A17	1 393 557 - 4	C42334-A368-C7
1 393 532 - 5	C42334-A368-A18	1 393 557 - 5	C42334-A368-C9
 1 393 532 - 6	C42334-A368-A19		
 1 393 532 - 7	C42334-A368-A24		
 1 393 532 - 8	C42334-A368-A40		
 1 393 532 - 9	C42334-A368-A41		
 1 - 1 393 532 - 0	C42334-A368-A42		

 OBSOLETE

ERSETZT EC-ZEICHNUNG C42334-A368-A14-*-27 BLATT 1..4

<small>THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.</small>		DWN 11DEC2000 G. ACKERMANN CHR - M. SCHLEIHAUF APVD - G. FEILDMEIER PRODUCT SPEC - APPLICATION SPEC 114 - 18415 WEIGHT -	 TE Connectivity NAME STECKVERBINDER BK - DIL 368 CONNECTOR -
DIMENSIONS: mm 	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±	SIZE A3 CAGE CODE 00779 DRAWING NO C=1393532-1 RESTRICTED TO -	SCALE 1:1 SHEET 1 OF 4 REV A2
MATERIAL - FINISH -		CUSTOMER DRAWING	


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 2000
 © COPYRIGHT 2000 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
A1	-	SEE SHEET 1	-	-	-

STECKVERBINDER BK - DIL 368	POL-ZAHL	b=ANZAHL DER TEILUNGEN	MASS c=ABSTAND DER AEUSSEREN KABELMITTEN	MASS d = BREITE DES KABELS	TOLERANZ X	QUERSCHNITT 0.05 mm ² AWG 30/1 MASSIV	QUERSCHNITT 0.09 mm ² 1) AWG 28/1 MASSIV	QUERSCHNITT 0.09 mm ² 1) AWG 28/7 LITZE	QUERSCHNITT 0.14 mm ² AWG 26/7 LITZE
1 393 532-1 1 393 532-2	14	13	16.51	17.78	0.2	FL-Y14x1x0.05 vzn xx	FL-Y14x1x0.09 vzn xx	FLi-Y14x1x0.09 vzn xx	FLi-Y14x1x0.14 vzn xx
1 393 532-3 1 393 532-4	16	15	19.05	20.32	0.2	FL-Y16x1x0.05 vzn xx	FL-Y16x1x0.09 vzn xx	FLi-Y16x1x0.09 vzn xx	FLi-Y16x1x0.14 vzn xx
1 393 532-5 1 393 532-6 1	18	17	21.59	22.86	0.2	FL-Y18x1x0.05 vzn xx	FL-Y18x1x0.09 vzn xx	FLi-Y18x1x0.09 vzn xx	FLi-Y18x1x0.14 vzn xx
1 393 532-7 1	24	23	29.21	30.48	0.2	FL-Y24x1x0.05 vzn xx	FL-Y24x1x0.09 vzn xx	FLi-Y24x1x0.09 vzn xx	FLi-Y24x1x0.14 vzn xx
1 393 532-8 1 393 532-9 1 1-1 393 532-0	40	39	49.53	50.8	0.3	FL-Y40x1x0.05 vzn xx	FL-Y40x1x0.09 vzn xx	FLi-Y40x1x0.09 vzn xx	FLi-Y40x1x0.14 vzn xx

1) PREFERED TYPE / VORZUGSTYP

xx = Code for color / Farbkennzeichen





ERSETZT EC-ZEICHNUNG C42334-A368-A14-*-27 BLATT 1...4

<small>THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.</small>		DWN 11 DEC 2000 G. ACKERMANN CHK - M. SCHLEIHAUF APVD - G. FELDMEIER		TE Connectivity	
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 1 PL ± 2 LC ±0.1 3 PL ± ANGLES ±°		NAME STECKVERBINDER BK - DIL 368 CONNECTOR	
MATERIAL - FINISH -		PRODUCT SPEC - APPLICATION SPEC 114 - 18415 WEIGHT -		SIZE A3 CAGE CODE 00779 DRAWING NO C=1393532-1 RESTRICTED TO -	
CUSTOMER DRAWING				SCALE 1:1 SHEET 2 OF 4 REV A2	

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 2000
 © COPYRIGHT 2000 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
A1	-	-	-	SEE SHEET 1	-	-	-



STECKVERBINDER CONNECTOR	APPLICATION	KABELUMLENK-BUEGEL	POL-ZAHL	DIM. MASS a 1)	DIM. MASS b	DIM. MASS c
1 393 532 - 1	PLUGGABLE STECKBAR	1 393 557 - 1	14	19.35	6	15.24
1 393 532 - 2	FLOW SOLDERABLE SCHW ALLLÖTBAR	1 393 557 - 1	14	19.35	6	15.24
1 393 532 - 3	PLUGGABLE STECKBAR	1 393 557 - 2	16	21.9	7	17.78
1 393 532 - 4	FLOW SOLDERABLE SCHW ALLLÖTBAR	1 393 557 - 2	16	21.9	7	17.78
1 393 532 - 5	PLUGGABLE STECKBAR	1 393 557 - 5	18	24.45	8	20.32
1 393 532 - 6 	FLOW SOLDERABLE SCHW ALLLÖTBAR	1 393 557 - 5	18	24.45	8	20.32



gezeichnet 14 polig
 2) bei Verwendung des Kabelumlenkbügels
 1) Größtmaß


1:1

ERSETZT EC-ZEICHNUNG C42334-A368-A14-*-27 BLATT 1..4


<small>THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.</small>		DWN 13DEC2000 G. ACKERMANN CHK - M. SCHLEIHAUF APVD - G. FEILMEIER PRODUCT SPEC APPLICATION SPEC 114 - 18415 WEIGHT - CUSTOMER DRAWING	 TE Connectivity NAME STECKVERBINDER BK - DIL 368 CONNECTOR SIZE A3 CAGE CODE 00779 DRAWING NO C=1393532-1 RESTRICTED TO - SCALE 1:1 SHEET 3 OF 4 REV A2
DIMENSIONS: mm 	TOLERANCES UNLESS OTHERWISE SPECIFIED: PL ± 1 P/C ± 2 L/C ±0.1 3 P/C ± PL ± ANGLES ±1° FINISH -	MATERIAL -	

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
A1	-	SEE SHEET 1	-	-	-

STECKVERBINDER CONNECTOR	APPLICATION	KABELUMLENK-BUEGEL	POL-ZAHL	DIM. MASS a 1)	DIM. MASS b	DIM. MASS c
1 393 532 - 7 Δ	PLUGGABLE STECKBAR	1 393 557 - 3	24	32.1	11	27.94
1 393 532 - 8 Δ	PLUGGABLE STECKBAR	1 393 557 - 4	40	52.4	19	48.26
1 393 532 - 9 Δ	FLOW SOLDERABLE SCHW ALLLÖTBAR	1 393 557 - 4	40	52.4	19	48.26
1 1 393 532 - 0 Δ	PLUGGABLE STECKBAR	1 393 557 - 4	40	52.4	19	48.26



3) nicht zutreffend für C42334-A368-A42
 gezeichnet 24 polig
 2) bei Verwendung des Kabelumlenkbügels
 1) Größtmaß



<small>THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.</small>		DWN 13DEC2000 G. ACKERMANN CHK - M. SCHLEIHAUF APVD - G. FEIDMEIER PRODUCT SPEC APPLICATION SPEC 114 - 18415 WEIGHT - CUSTOMER DRAWING		TE Connectivity NAME STECKVERBINDER BK - DIL 368 CONNECTOR SIZE A3 CAGE CODE 00779 DRAWING NO C=1393532-1 RESTRICTED TO - SCALE 1:1 SHEET 4 OF 4 REV A2	
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: PL \pm 1 P/C \pm 2 LC ± 0.1 3 P/C \pm PL ANGES $\pm 1^\circ$ FINISH -			

ERSETZT EC-ZEICHNUNG C42334-A368-A14-*-27 BLATT 1...4

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[95000-104TRLF](#) [10135584-644402LF](#) [DF62W-EP2022PCA](#) [95000-106TRLF](#) [DF62W-2022SCA](#) [DF62W-EP2022PC](#) [2203348](#) [DF62W-2022SC](#) [1084018](#) [1029039](#) [1084017](#) [802-10-012-10-002000](#) [1112640](#) [1112639](#) [891-007-9SS-BST1T](#) [000-34000](#) [0008550134](#) [0009482033](#) [0009507031](#) [57102-F02-18ULF](#) [57102-S06-03LF](#) [57202-S52-04LF](#) [PCN6-15S-2.5E](#) [0039019024](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [0009508121](#) [0022285053](#) [0050291907](#) [018731A](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#) [60101931](#) [60598-1 \(Cut Strip\)](#) [M1625-3R/100](#) [61062-3](#) [61082-181009](#) [CSU011177004](#) [636-1427](#) [638009-1](#) [641938-9](#) [641991-4](#) [644168-1](#) [644827-2](#) [647662-1](#) [65039-019ELF](#) [65692-001LF](#) [65781-018](#) [65781-047](#)