



zaczep ryglujący; z ręcznym pobudzeniem; do połączeń swobodnych

Numer wyrobu: 770-101



zaczep ryglujący; z ręcznym pobudzeniem; do połączeń swobodnych

Oznaczenie

RoHS ✓
Compliant

Dane handlowe

<i>Dostawca</i>	WAGO
<i>Nr wyrobu dostawcy</i>	770-101
<i>GTIN / EAN</i>	4017332660907
<i>Zawartość</i>	1
<i>Opakowanie jednostkowe</i>	25
<i>Nr artykułu u klienta</i>	

Uwagi

Dane techniczne

<i>Inne</i>	
<i>kolor</i>	czarny
<i>materiał izolacyjny</i>	poliamid 66 (PA 66)
<i>klasa palności zgodnie z UL 94</i>	V0
<i>temperatura montażu</i>	-5°C ... +40°C
<i>obciążenie ogniowe [MJ]</i>	0.017 [MJ]
<i>ciężar [g]</i>	0.563 [g]

Zdjęcia i schematy



Adres

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Telefon: 0571/887-0

Fax: 0571/887-169

<http://www.wago.com>

© WAGO Kontakttechnik GmbH & Co. KG

Technische Änderungen und Irrtümer vorbehalten.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Sensor Fixings & Accessories](#) category:

Click to view products by [Wago](#) manufacturer:

Other Similar products are found below :

[EC18-WELL](#) [SA9Z-F11](#) [E4R-R12A-CS3M010](#) [E4R-R12A-CS3M020](#) [BS-1T](#) [CHITAN](#) [ICAB-1](#) [SA9Z-S07PN02](#) [ECT18-WELL](#) [57142-000](#)
[79450811](#) [T18908](#) [P2435.3](#) [TM1STNTCW69755](#) [FRS2](#) [P2432.3](#) [P2434.3](#) [AS7030B_WRISTBAND](#) [AS7038GB_WRISTBAND](#) [EVAL-](#)
[CHAMBER](#) [EVAL-CHAMBER-10](#) [MB18A](#) [R-6717-4F6](#) [51001R](#) [430233](#) [440101](#) [440102](#) [440121](#) [440122](#) [440131](#) [440132](#) [440135](#)
[440136](#) [440147](#) [XSZB108](#) [Y92E-BC12](#) [Y92E-BC18](#) [843-12AC/DC](#) [844-12AC/DC](#) [771000-6011](#) [771000-6202](#) [812-12AC/DC](#) [834-](#)
[12AC/DC](#) [909G](#) [910G](#) [913G](#) [92.031.9058.1](#) [92.032.9058.1](#) [925G](#) [771000-6010](#) [GN 473-B12-MT](#)