



CONTACTOR SIZE 00 3-POLE AC-3 4KW/380V,  
AUX. SWITCH 11 (1NO+1NC),  
WIDTH 90 MM PIN,  
JACK CONNECTION 6.3 MM,  
DC ACTUATION 24 V DC

### General details:

Size of the contactor		0
Protection class IP / on the front		IP20
Ambient temperature / during operating	°C	55 ... -25
Reference code / according to DIN 40719 extended according to IEC 204-2 / according to IEC 750		K
Reference code / according to DIN EN 61346-2		Q

### Main circuit:

Number of poles / for main current circuit		6
Operating current / at AC-1 / at 400 V		
• at 40 °C ambient temperature / rated value	A	16
Number of NC contacts / for main contacts		0
Number of NO contacts / for main contacts		6
Operating current / at AC-3 / at 400 V / rated value	A	9
Operating performance		
• at AC-3 / at 400 V / rated value	kW	4
• at AC-1 / at 400 V / rated value	kW	10

### Control circuit:

Design of activation / of the operating mechanism		conventional
---	--	--------------

<b>Voltage type / of control feed voltage</b>		DC
<b>Control supply voltage</b> • for DC / rated value	V	24

#### Auxiliary circuit:

<b>Number of NC contacts / for auxiliary contacts</b> • lagging switching • instantaneous switching		0 1
<b>Number of NO contacts / for auxiliary contacts</b> • leading switching • instantaneous switching		0 1






#### Connection type:

<b>Design of the electrical connection</b> • for main current circuit • for auxiliary and control current circuit		tab terminals tab terminals
<b>Identification number and letter for switching elements</b>		11 E

#### Mechanical design:

<b>Mounting type</b>		screw and snap-on mounting onto 35 mm standard mounting rail according to DIN EN 50022
<b>Mounting type / series installation</b>		Yes
<b>Width</b>	mm	90
<b>Height</b>	mm	48
<b>Depth</b>	mm	68

#### Certificates/approvals:

General Product Approval		Functional Safety / Safety of Machinery	Test Certificates
 CCC	 CSA		 UR
		<a href="#">Type Examination</a>	<a href="#">Special Test Certificate</a>
Shipping Approval	other		
 GL	<a href="#">Declaration of Conformity</a>	<a href="#">other</a>	<a href="#">Environmental Confirmations</a>

#### Further information:

**Information- and Downloadcenter (Catalogs, Brochures,...)**  
<http://www.siemens.com/industrial-controls/catalogs>

**Industry Mall (Online ordering system)**  
<http://www.siemens.com/industrial-controls/mall>

---

**Cax online generator:**

<http://www.siemens.com/cax>

---

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<http://support.automation.siemens.com/WW/view/en/3TF2184-8BB4/all>

---

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3TF2184-8BB4](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3TF2184-8BB4)

---

**last change:**

Jul 21, 2014

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Industrial Relays](#) category:*

*Click to view products by [Siemens](#) manufacturer:*

Other Similar products are found below :

[6-1618400-7](#) [686-117111](#) [686-120111](#) [EV250-4A-02](#) [EV250-6A-01](#) [FCA-125-CX8](#) [FCA-410-138](#) [8-1618393-1](#) [GCA32A208VAC60HZ](#)  
[GCA32A220VAC50/60HZ](#) [GCA32A230VAC50/60HZ](#) [GCA32A240VAC50/60HZ](#) [GCA32A48VAC60HZ](#) [GCA63A120VAC50/60HZ](#)  
[GCA63A208VAC60HZ](#) [GCA63A220VAC60HZ](#) [GCA63A230VAC50/60HZ](#) [GCA63A240VAC50/60HZ](#) [GCA63A277VAC60HZ](#)  
[GCA63A48VAC60HZ](#) [GCA63A500VAC50/60HZ](#) [GCA63A600VAC60HZ](#) [GCA800A200VACDC](#) [GCA95A110VAC50/60HZ](#)  
[GCA95A120VAC50/60HZ](#) [GCA95A12VDC](#) [GCA95A240VAC50/60HZ](#) [GCA95A24VAC50/60HZ](#) [GCA95A48VAC60HZ](#) [ACC530U20](#)  
[ACC730U30](#) [1395832-1](#) [RM699BV-3011-85-1005](#) [RMIA210230AC](#) [RMIA45024AC](#) [1423675-8](#) [B07B032AC1-0329](#) [B329](#) [1617807-1](#)  
[N417](#) [P25-E5019-1](#) [P30C42A12D1-120](#) [2-1618398-1](#) [PBO-18A1218](#) [2307497](#) [RPYA00324LT](#) [RPYA003A120LT](#) [KR-4539-1](#)  
[RT334012WG](#) [S160156115](#)