

Solid State Relays

Datasheet WG A8 8D, 10D, 12D

Comus International Bvba
 Overhaamlaan 40
 3700 Tongeren, Belgium
 Phone: +32 12390400
 Fax: +32 12235754
 Email: info@comus.be
 www.comus.be



Features

Switching Zero cross & Random

Output Triac

Input DC with constant current control

Applications

Resistive and inductive loads with $\cos\phi > 0.85$ (Z-type)
 inductive load with $\cos\phi > 0.65$ (R-type)

Technical data

WG A8	8D 05	10D 05	12D 05
Input circuit			
Control voltage range	3...32 VDC		
Control current max	22 mA		
Turn-off voltage min..	1 VDC		
Input resistance	Constant current		
Output circuit			
	TRIAC	TRIAC	ALTERNISTOR
Load voltage range	24...420 VAC	24...480 VAC	24...480 VAC
Peak-off state voltage	800 Vdrm	1000 Vdrm	1200 Vdrm
Off-state leakage current	5 mA eff.		
Load current range	5 A		
Surge current 1 half wave	120 A _{peak}		
I ² t for fusing	72 A ² s		
On-state voltage	1,6 V _{peak}		
Off-state (static) dv/dt	500 V/μs		
Snubber	47 Ω / 10 nF		
General data			
Turn-on time max.	11 ms (WG A8 ...D 05 Z zero cross type) 0.1 (WG A8 ...D 05 R random switching-type)		
Turn-off time max.	11 ms		
Line frequency range.	47...63 Hz		
Isolation volt. between input/output	4.000 V		
Isolation volt. between input-output/base	————		
Isolation resistance	50 MΩ		
Operation temperature	-20...+80 °C		
Recommended varistor	SIOV-S14 K230		
Approvals	————	————	VDE
RoHS conform	YES		


Solid State Relays

Datasheet WG A8 8D, 10D, 12D



Comus International Bvba
 Overhaamlaan 40
 3700 Tongeren, Belgium
 Phone: +32 12390400
 Fax: +32 12235754
 Email: info@comus.be
 www.comus.be



Dimensions in mm




Circuit diagram



Housing specifications

Weight	Ca. 35 g
Housing material	Glass filled polyester
Potting compound	UL recognized Epoxy
Terminals	Solder pins

Ordering



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Solid State Relays - Industrial Mount](#) category:

Click to view products by [Comus](#) manufacturer:

Other Similar products are found below :

[6225XXASRS-DC3](#) [D2440-C](#) [H10CA4890](#) [D4875C](#) [D53TP50DH-10](#) [1395831-1](#) [1616010-6](#) [BR312BY](#) [A-1326](#) [AQY210SXE01](#)
[AQY221N2SYD01](#) [AQY414SXE01](#) [26532764](#) [H10CA4850](#) [H12CA4890VL](#) [RA2410-D06](#) [D1202F](#) [D53TP50-10](#) [W230E-1-12](#) [W230T-3-](#)
[12](#) [W6125ASX-1](#) [W6225DSX-2](#) [W6240DSX-4](#) [W6240DTX-2](#) [1-1617030-3](#) [1-1617033-9](#) [1-1617033-7](#) [MS2-D2420](#) [MS2-D2430](#) [A-1440](#)
[4-1617080-0](#) [RJ1P60V50E](#) [RN1F48I50](#) [70.362.1028.0](#) [7-1393030-8](#) [Z5.509.0828.0](#) [W230E-2-5](#) [G3RV-SR700-D](#) [AC110](#) [G3RV-SR500-AL](#)
[AC100](#) [G3RV-SR500-D](#) [ACDC24](#) [G3RV-SR500-AL](#) [ACDC24](#) [G3RV-SR700-D](#) [ACDC24](#) [G3RV-SR700-AL](#) [ACDC24](#) [G3RV-SR500-D](#)
[DC12](#) [G3RV-SR700-A](#) [ACDC24](#) [G3RV-SR500-A](#) [ACDC24](#) [2912138](#) [2912141](#) [SSRDAC10](#) [1613353](#)