## Green-Cap (ELECTRIC DOUBLE LAYER CAPACITORS)



Threaded Terminal Type, High Power Density Type

- $\cdot$  High Power Density
- · Rapid charge and discharge
- · Ultra-low internal resitance




Item	Characteristics						
Operating temperature range	-40 ~ 65°C						
Rated Voltage	2.7 VDC						
Capacitance tolerance	0% ~ +20%						
Low temperature characteristics	Capacitance change	Within $\pm 5\%$ of initial value at +20°C					
	Internal resistance	Within 150% of initial value at +20°C					
Endurance (65°C)	Test time	1000 hours					
	Capacitance change	Within $\pm 30\%$ of initial specified value					
	Internal resistance	Less than 100% of initial specified value					
Shelf life (70°C)	After 1000 hours no load test same as endurance						
Life Time at RT <sup>(1)</sup>	10 years	(1) I△CI<30% and △ESR<200% of initially specified value, respectively and LC <specified th="" value<=""></specified>					
Cycle Life (25°C) <sup>(1)(2)</sup>	500,000 cycles	(2) Cycle : between rated voltage and half rated voltage under constant current at 25°C					

## DRAWING

M16

Unit : mm



Size(mm)							
Н	D1	D2					
(±0.2)	(±0.2)	(±0.5)					
3.5	Ø60.4	Ø60.7					

## • CHARACTERISTIC LIST & DIMENSIONS

Rated Voltage	Capacitance (F)	ESR, 1KHz (mΩ)	ESR, DC (mΩ)	LC (72hr) (mA Max.)	Max Continuous Current(A)	Max Peak Current(A)	Specific Energy		Weight	Volume	Dimension
							(Wh/kg)	(Wh/L)	(g) (	(ml)	ØD×L(mm)
2.7	650	0.50	0.70	1.5	34	577	2.99	4.50	220	146	60.4 × 51
	1200	0.38	0.50	2.7	63	955	3.86	5.73	315	212	60.4 × 74
	1600	0.34	0.45	3.0	85	1233	4.63	6.65	350	244	60.4 × 85
	2000	0.26	0.35	4.2	106	1588	4.94	6.93	410	292	60.4 × 102
	3000	0.21	0.28	5.2	150	1975	5.63	7.68	540	395	60.4 × 138

22

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Supercapacitors / Ultracapacitors category:

Click to view products by Samwha manufacturer:

Other Similar products are found below :

DCK-3R3E224U-E BZ12GA154ZHB BZ195B273ZNBDM C-TEC2403-1 CEM2 KW-5R5C105H-R KW-5R5C224H-R KR-5R5C105H-R DBJ-5R5D105T DXJ-5R5H334U DSK-3R3H703T414-HRL DHL-5R5D224GT LX055105A LT055105A SCCY73B407SLBLE VPF127M3R8 VPF706M3R8 VMF706M3R8 VMF506M3R8 VPF506M3R8 VMF306M3R8 VPF227M3R8 VMF227M3R8 VMF127M3R8 DB5U207M30045HA DH5U128W60074TH DRL106S0TI25RRDAP DRL226S0TK25RR 106DCN2R7M SCCR20B335SRB SCCS30B106SRB SCCT30B156SRB SCCU30B306MRB SCCW45B107VSB SCMR14C474MSBA0 SCMR22C155MRBA0 SCMR22C155MSBA0 SCMS22C255MRBA0 SCMT22C505MRBA0 SCMT32C755MRBA0 DRL475S0TG20RRDAP FT0H225ZF FCS0H224ZFTBR24 FR0H473ZF GS206F DS5U506M18040BB SCCV40B506MRB NEXT474Z5.5V16.5X13F DBJ-5R5D224T GW209F