

## SKINDICHT® BL-M

SKINDICHT® BL-M, brass blind plugs for closing pre-threaded holes, assembling with screwdriver



Temperature-resistant



Reliability



Robust



Corrosion-resistant

### Benefits

For closing pre-threaded holes  
Assembling with screwdriver

### Application range

Machine and equipment manufacturing  
Electric motor manufacturing

### Product Make-up

Metric connection thread acc. to DIN EN 60423  
Basis for technical information DIN IEC 62444

### Note

Drawing on request

**SKINDICHT® BL-M****Technical Data**

Classification:	ETIM 5.0 Class-ID: EC000032 ETIM 5.0 Class-Description: Plug for cable screw gland
On request:	Fitted with FKM O-ring
Material:	Body: nickel-plated brass Sea water-resistant
Protection rating:	IP 54 IP 68 (with O-Ring)
Temperature range:	With O-ring: -30°C to +100°C Without O-ring: -60°C to +200°C

**Note**

Photographs are not to scale and do not represent detailed images of the respective products.  
Prices are net prices without VAT and surcharges. Sale to business customers only.

Article number	Article designation / size	Outer Ø (mm)
SKINDICHT® BL-M		
52103100	M 12 x 1,5	14
52103110	M 16 x 1,5	18
52103120	M 20 x 1,5	22
52103130	M 25 x 1,5	28
52103140	M 32 x 1,5	35
52103150	M 40 x 1,5	44
52103160	M 50 x 1,5	54
52103170	M 63 x 1,5	70
SKINDICHT® BL-M with O-ring		
52103105	M 12 x 1,5	14
52103115	M 16 x 1,5	18
52103125	M 20 x 1,5	22
52103135	M 25 x 1,5	28
52103145	M 32 x 1,5	35
52103155	M 40 x 1,5	44
52103165	M 50 x 1,5	54
52103175	M 63 x 1,5	70
52103190	M 75 x 1,5	80

Last Update (10.07.2017)  
 ©2017 Lapp Group - Technical changes reserved  
 Product Management [www.lappkabel.de](http://www.lappkabel.de)  
 You can find the current technical data in the corresponding data sheet.  
 PN 0456 / 02\_03.16

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Cable Glands, Strain Reliefs & Cord Grips](#) category:*

*Click to view products by [Lapp Kabel](#) manufacturer:*

Other Similar products are found below :

[120-116-1-1-20BP](#) [120-116-1-1-32BE](#) [120-117-40](#) [120-123-14](#) [120-123-16](#) [120-125-16](#) [120-125-16R](#) [120-125-16Y](#) [120-125-24Y](#) [120-125-28](#) [120-125-28R](#) [120-125-32](#) [120-125-32R](#) [120-125-40](#) [120-125-56](#) [120-126-14](#) [120-126-16](#) [120-126-20](#) [120-126-20BL](#) [120-126-20R](#) [120-126-24](#) [120-126-28](#) [120-126-32](#) [120-126-40BL](#) [120-116-1-1-06BP-509](#) [120-116-1-1-06CP](#) [120-116-1-1-16BE](#) [120-116-1-1-28BP](#) [120-123-20](#) [120-123-24](#) [120-123-32](#) [120-125-20](#) [120-125-20Y](#) [120-125-24](#) [120-125-24R](#) [120-125-28Y](#) [120-126-14BL](#) [120-126-16R](#) [120-126-16Y](#) [120-126-24BL](#) [120-126-28BL](#) [120-126-32BL](#) [120-126-40](#) [120-126-48](#) [120-126-48BL](#) [1300980012](#) [1300980105](#) [DBZM-6828](#) [1498](#) [15190-103 R2](#)