

This document was generated on 09/02/2015 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 07	16241013	
	ctive	
A		
	H [™] Interconnect System	11
-	7mm Pitch LFH™ Matrix 50 Shielded Plug, 160 Circuits, Vertical, PC Tai	I Length
4.5	i0mm	
Documents: 3D Model	Product Specification DS 74626 (DDF)	
	Product Specification PS-71626 (PDF) RoHS Certificate of Compliance (PDF)	
<u>Drawing (PDF)</u>	ROHS Certificate of Compliance (PDF)	
Agency Certification		Series image - Reference only
CSA	LR19980	
UL	E29179	EU ELV
		Not Relevant
General		
Product Family	I/O Connectors	EU RoHS China RoHS
Series	<u>71624</u>	Not Reviewed
Application	Board-to-Board	REACH SVHC
Component Type	Plug	Not Reviewed
Overview	LFH [™] Interconnect System	Halogen-Free
Product Name	LEH™	Status
Туре	N/A	Not Reviewed
UPC	800756547718	Need more information on product
Physical		environmental compliance?
Circuits (Loaded)	160	En sil and desta and line as @males.com
	160	Email productcompliance@molex.com
Circuits (maximum)		Please visit the <u>Contact Us</u> section for any
Color - Resin	Black	non-product compliance questions.
Flammability	94V-0	China ROHS Not Reviewed
Lock to Mating Part	Yes	
Material - Metal	Phosphor Bronze	ELV Not Relevant
Material - Plating Mating	Gold	
Material - Plating Terminat		
Material - Resin	High Temperature Thermoplastic	Search Parts in this Series
Orientation	Vertical	71624 Series
PC Tail Length	4.49mm	
PCB Retention	Yes	Mates With
PCB Thickness - Recomm	ended 3.00mm	71626 LFH [™] Receptacle
Packaging Type	Tube	
Panel Mount	Yes	
Pitch - Mating Interface	1.27mm	Use With
Pitch - Termination Interfa	ce 1.27mm	71628 Guide Pin, 70982 Hex Screw Kit,
Plating min - Mating	1.905µm	71629 Guide Sleeve, 71771 Guide Slee
Plating min - Termination	2.540µm	
Polarized to Mating Part	Yes	
Surface Mount Compatible		
Temperature Range - Ope		
Termination Interface: Styl	0	
Wire Size AWG	N/A	
Electrical		
Current - Maximum per Co	ontact 1.0A	
Shielded	Yes	
Voltage - Maximum	40V	
Solder Process Data		
Lead-freeProcess Capabil	ity SMC&WAVE	
Process Temperature max		

Material Info

Reference - Drawing Numbers Product Specification Sales Drawing

PS-71626 SDA-71624-****

This document was generated on 09/02/2015 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for D-Sub Standard Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

DCM37S732N DAM15P500 DEV09S364GTLF DEM09P032N DDM50P732N DAM15S332N 173109-2218 173109-2466 173109-2436 173109-2435 56F706-005-LI 56F711-015 015-0341-000 015-0372-008 015-8544-011 017041-0005 020419-0104 012-0515-000 012-9507-034 012-9507-114 012-9534-001 020745-0008 609-25P M24308/2-23Z M243082310F M243082410F M243082411F M24308/4-21 CT1A18-11PSA206 CT1N36-5SC CT2-16S-17PS CT2-20-15PCAU CT2-24-12PS CT2-24-28PSF127A206 CT2-32-9PC CT6F9767-14-4-14S-5PC CT6FA10SL-4PS CT7-18-10SC CT7-18-10SCAU CT7-18-12SCAU CT7-18-1PC CT7-18-1PCAU CT7-18-21SCAU M83513/01-FC M83723/76W24619 L/C M85049/48-3-2F 69001-865 6STD09PCM99B70X 6STD09SCM99B30X 6STD09SCT99S40X