

## SKINTOP® DIX

SKINTOP® DIX, silicone multiple sealing inserts, higher packing density allows smaller part construction, easy insertion of several cables



CE



Temperature-resistant



Reliability



Assembly time

### Benefits

Easy insertion of several cables into one gland  
Higher packing density allows smaller part construction

### Application range

For use in SKINTOP® cable glands.  
A sealing ring with several holes is used in place of the inner sealing insert.

### Note

IP 68 can be achieved when all openings are closed and all bores are optimally occupied, i.e. when using cables with nominal diameter and/or SKINTOP® DIX-DV sealing plugs

### Technical Data

Classification:	ETIM 5.0 Class-ID: EC000032 ETIM 5.0 Class-Description: Plug for cable screw gland
Colour delivered:	natural
Material:	Silicone
Protection rating:	IP 54
Temperature range:	-40°C to +100°C

Last Update (06.07.2017)

©2017 Lapp Group - Technical changes reserved

Product Management [www.lappkabel.de](http://www.lappkabel.de)

You can find the current technical data in the corresponding data sheet.

PN 0456 / 02\_03.16

**SKINTOP® DIX****Note**

Photographs are not to scale and do not represent detailed images of the respective products.  
Prices are net prices without VAT and surcharges. Sale to business customers only.

Article number	Article designation / size	PG size	Number
SKINTOP® DIX			
53607225	DIX 7225	7	2 x 2.5
53607417	DIX 7417	7	4 x 1.7
53609230	DIX 9230	9	2 x 3
53611225	DIX 11225	11	2 x 2.5
53611330	DIX 11330	11	3 x 3
53611240	DIX 11240	11	2 x 4
53611430	DIX 11430	11	4 x 3
53613250	DIX 13250	13.5	2 x 5
53613340	DIX 13340	13.5	3 x 4
53613440	DIX 13440	13.5	4 x 4
53616140	DIX 16140	16	1 x 4
53616225	DIX 16225	16	2 x 2.5
53616240	DIX 16240	16	2 x 4
53616340	DIX 16340	16	3 x 4
53616350	DIX 16350	16	3 x 5
53616440	DIX 16440	16	4 x 4
53616540	DIX 16540	16	5 x 4
53616450	DIX 16450	16	4 x 5
53616356	DIX 16356	16	3 x 5.6
53616260	DIX 16260	16	2 x 6
53616360	DIX 16360	16	3 x 6
53621550	DIX 21550	21	5 x 5
53621460	DIX 21460	21	4 x 6
53621640	DIX 21640	21	6 x 4
53621270	DIX 21270	21	2 x 7
53621370	DIX 21370	21	3 x 7
53621280	DIX 21280	21	2 x 8
53621380	DIX 21380	21	3 x 8
53629556	DIX 29556	29	5 x 5.6
53629470	DIX 29470	29	4 x 7
53629570	DIX 29570	29	5 x 7
53629480	DIX 29480	29	4 x 8
53629290	DIX 29290	29	2 x 9
53629390	DIX 29390	29	3 x 9

Last Update (06.07.2017)  
 ©2017 Lapp Group - Technical changes reserved  
 Product Management www.lappkabel.de  
 You can find the current technical data in the corresponding data sheet.  
 PN 0456 / 02\_03.16

Article number	Article designation / size	PG size	Number
53629490	DIX 29490	29	4 x 9
53629675	DIX 29675	29	6 x 7.5

Last Update (06.07.2017)  
©2017 Lapp Group - Technical changes reserved  
Product Management [www.lappkabel.de](http://www.lappkabel.de)  
You can find the current technical data in the corresponding data sheet.  
PN 0456 / 02\_03.16

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Cable Glands, Strain Reliefs & Cord Grips](#) category:*

*Click to view products by [Lapp Kabel](#) manufacturer:*

Other Similar products are found below :

[120-116-1-1-20BP](#) [120-116-1-1-32BE](#) [120-117-40](#) [120-123-14](#) [120-123-16](#) [120-125-16](#) [120-125-16R](#) [120-125-16Y](#) [120-125-24Y](#) [120-125-28](#) [120-125-28R](#) [120-125-32](#) [120-125-32R](#) [120-125-40](#) [120-125-56](#) [120-126-14](#) [120-126-16](#) [120-126-20](#) [120-126-20BL](#) [120-126-20R](#) [120-126-24](#) [120-126-28](#) [120-126-32](#) [120-126-40BL](#) [120-116-1-1-06BP-509](#) [120-116-1-1-06CP](#) [120-116-1-1-16BE](#) [120-116-1-1-28BP](#) [120-123-20](#) [120-123-24](#) [120-123-32](#) [120-125-20](#) [120-125-20Y](#) [120-125-24](#) [120-125-24R](#) [120-125-28Y](#) [120-126-14BL](#) [120-126-16R](#) [120-126-16Y](#) [120-126-24BL](#) [120-126-28BL](#) [120-126-32BL](#) [120-126-40](#) [120-126-48](#) [120-126-48BL](#) [1300980012](#) [1300980105](#) [DBZM-6828](#) [1498](#) [15190-103 R2](#)