

HEAT SHRINK TUBING





✓ Active



TE CONNECTIVITY (TE) DWFR-24/8-0-STK

EH2293-000

TE Internal Number: EH2293-000

Always EU RoHS/ELV Compliant

Wall Type **Dual**

Resistant To Fluids, Mechanical Damage, Strain

Low Outgassing No

Product Source **US**

Shrink Ratio 3:1

Product Drawings

DWFR Highly Flame-Retardant, Dual Wall Polyolefin Heat-Shrinkable Tubing

English

Catalog Pages/Data Sheets

DWFR Heat Shrink Tubing Product Flyer

PDF **English**

Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Wall Type Product Family	Dual DWFR
Electrical Characteristics	Voltage (Max) (kV)	.6
Body Features	Shrink Ratio Color Flexibility Material	3:1 Black Semi-Flexible Irradiated Modified Polyolefin
Dimensions	Recovered Wall Thickness (Nominal) Recovered Wall Thickness (Tolerance)	2.54 mm [.1 in] .5 mm [.02 in]

	·	-
	Cut Length	1220 mm [48 in]
	Expanded Inside Diameter (Min)	24 mm [.945 in]
Usage Conditions	Resistant To	Fluids, Mechanical Damage, Strain
	Recovery Temperature (°C)	110
	Operating Temperature Range (°C)	-40 – 110
	Flammability	Highly Flame-Retardant
	Fluid Resistance	Moisture/Spray Protection, Splash Protection
	Shrink Temperature (Min) (°C)	60
Product Availability	Applicable Region	Global
Other	Low Outgassing	No
	Product Source	US
Product Compliance	Statement of Compliance	

VIEW ALL PRODUCT COMPLIANCE

Recovered Inside Diameter (Max)

8 mm [.315 in]

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Heat Shrink Tubing and Sleeves category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below:

770-006S102 5685710001 CR8248-000 CR9960-000 603312-4 607381P039 611112-000 617867N001 6500750004 CZ1420-000 D-306-38 770-003S106W2 770-005S105W1 770-005S106W1 770-007A303 770-010Y106W1 770-010Y706W1 7771210001 MFP-1/4"-Clear MFP-3/64"-Clear 790-3012 MFT-MT2000-NO.14-0-SP MHHT-4-15K2-G-104 MIL-LT-1-1/2-4-SP MIL-LT-1-1/2-9-STK MIL-LT-1/2-2-STK MIL-LT-3-0-SP MIL-LT-3/32-0-SP MIL-LT-3/32-6-SP MIL-LT-3/4-6-SP MIL-LT-3/8-0-SP 8159270001 839602-000 8423-6 FP301-116-6"-Black FP301-1/2-48"-Black FP301-12-48"-Black-Hdr FP301-1/4-48"-Black FP301-1/4-48"-White-Hdr FP301-18-48"-Black-Hdr FP301-1/8-6"-Black FP301-18-6"-Black FP301-316-48"-Blue-Hdr FP301-316-6"-Clear FP301-332-6"-Black 912229N002 120-126-16BL 121-001-09 121-018-32 121-018-40