



TECHNICAL DATA

Scapa 2759

PVC Adhesive Tape

DESCRIPTION

Scapa 2759 is a plasticised PVC tape, single coated with a rubber based adhesive.
Scapa 2759 is available in black.

APPLICATIONS

- Wrapping of automotive electrical wiring harnesses
- Hand application
- Product designed for applications which require a temperature resistance, class T1 – class A (85°C)

PRODUCT BENEFITS

- Very flexible and conformable
- Easy and smooth unwind
- Easy hand application
- Good chemical resistance
- Good electrical insulation
- Self-extinguishing on harness
- Lead free
- DOP free
- Conforms to European Directive 2000/53/EC for End of Vehicle Life (ELV) recycling (does not contain heavy metals)
- Operating temperature between –40°C to +85°C

TECHNICAL PROPERTIES

	Unit	Nominal Value	Test Method
Thickness	mm	0.09	AFERA 5006
Tensile Strength	N/cm	17	AFERA 5004 ASTM D1000
Elongation at Break	%	150	AFERA 5004 ASTM D1000
Peel Adhesion to Steel	N/cm	1.4	AFERA 5001 (1 min./19mm width)
Peel Adhesion to Backing	N/cm	1.3 1.6	AFERA 5001 (1 min./19mm width) ASTM D1000
Flame Resistance on Harness	Type	B – Self-extinguishing	D45 1333 / FMVSS302

STANDARD PRESENTATION

- Roll length: 33metres
- Roll width: 9, 12, 15, 19 and 25mm
- Core: 38mm – Scapa branded cardboard core
- Packaging: Cardboard – Towerpack
- Colours: Black

RECOMMENDATIONS

Rolls should be stored flat on their cut edges in the original packaging. The product must be protected from dust, heat, moisture, direct sunlight and solvent fumes. The storage temperature should be between +5°C and +25°C. A strict use-by date of 24 months from the date of manufacture is recommended.

The tape should be applied with sufficient tension and a minimum of two layers with a half overlap to ensure optimum bonding. The final layer should be wrapped with a lower tension to prevent flagging effects.

Surfaces should be clean, dry and free of dust, grease, oil or other contaminants.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Adhesive Tapes](#) category:

Click to view products by [Scapa](#) manufacturer:

Other Similar products are found below :

[PF24.0W](#) [4718](#) [4516-1/4x36](#) [56-YELLOW-34"X72YD](#) [00-021200-13972-7](#) [021200-64630](#) [60 TAPE \(1"\)](#) [62-GRAY-12"X36YD](#) [62-GRAY-1"X36YD](#) [69-1"X36YD](#) [764-1"x36yd-Red](#) [764-1"x36yd-White](#) [PG ASSY](#) [926-1/4X18YD](#) [967454-1](#) [1194-14"X36YD](#) [1181 19MM X 16,5 METERS](#) [1182-7.7X10](#) [1245-34"X18YD](#) [1267](#) [130C-1X15FT](#) [130-1x10FT](#) [1345-3/8x18yrd](#) [1380-2"X8"](#) [E39-RS1-CA](#) [1900-48mm](#) [22-1/2X36YD](#) [2229-P-2-1/2x3-3/4](#) [88-SUPER-34X44FT](#) [890103N001](#) [2670](#) [SJ3527N-Black-1.5"x50yd](#) [EVK-TA-TM047NBH01](#) [AD-UCUSB-DCAUD-SPL](#) [20-1"X60YDS](#) [2020-18mmx55m](#) [H150](#) [3900-Blue](#) [3939-24mmx55m](#) [396-1"x36yd](#) [4016-34"x36yd](#) [4462W-12"x72yd](#) [44-TAN-14"X90YD](#) [4504-34x18](#) [471-Trans-1"x36yd-Bulk](#) [5414 34X36](#) [C-22](#) [35-Gray-1/2](#) [371-Tan-48mmx50m](#) [4008-12"X36YD](#)