

UNIVERSAL INDICATORS WITH LEDS - NEF22 SERIES



New universal indicators with LEDs are made of plastic. They are designed to build into standard \emptyset 22 mm mounting holes in consoles, control desks or directly in machines and other electrical equipment.

Position indicator NEF22WP may be applied in systems of industries automatics and power industry, and particularly to signal contacts of switches, disconnecting switches and so on. At synoptic tables of hydraulic systems and gas networks it may signal the position of valves and gate valves. According to the connections it may display the vertical line or horizontal line. The available colours: yellow, green, red-green, yellow-green and red-yellow.

Earting indicator NEF22WU may serve to signal the state of earthing switch and to inform if a circuit is earthed or not. The colour of indicator: yellow.


Switch position indicator NEF22WPW is designed for indicating of switches and disconecting switches position. On a front plate of the indicator there is a symbol of switch contact. There are 3 LEDs meant for indicating various positions of switch: red (c) - position of work, yellow (g) - position of test and green (z) - position of complete disconnecting.

Indicator of phase presence NEF22WF is designed for indicating whether there are all three phases operating. There are three diodes and each of them indicates one phase presence.

TECHNICAL DATA

Rated insulation voltage Ui	250V
Rated voltage U _e	24-230V AC/DC
Protection degree: - part over console - part under console	IP65 IP20
Maximum thickness of control panel	4mm
Type of emitting light element	LED
Luminous intensiti	1000 mcd
Ambient temperature for version	N/2: -15+30°C W/3: -30+50°C
Product consistent with standard IEC 60947-5-1	

DIMENSIONS



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for LED Lighting Mounting Accessories category:

Click to view products by Promet manufacturer:

Other Similar products are found below:

3635 PALBF18 C16142_HEKLA-SOCKET-K 3SU1900-0BC31-0AA0 3SU1900-0BC31-0NB0 2213118-2 47.319.6380.50 3SU1401-2BB40
1AA0 3SU1401-2BB60-1AA0 1SFA611621R1041 23110040 23120022 23130000 68550022 68550040 70290000 70290022 70290040 70300022

70300040 76620000 76990022 77280022 77980022 77990001 77990002 77990040 83130001 83130040 83150001 83150022 83150040

83980001 83980040 83990001 83990002 83990040 84040022 84510002 86050038 86180003 89080002 89080022 89140002 89980002

89980019 98050040 A1070001 A1070002 A2070001