

Pulse Part Number SPDA24700/2700



Pulse is proud to announce the SPDA24700/2700 which provides a 4G swivel blade antenna for access points, routers and small base station applications. The SPDA24700/2700 covers the LTE frequency ranges of 698-960/1710-2170/2500-2700 MHz providing omnidirectional radiation with a gain of 2 dBi.

The blade package is a right angle swivel provided in black plastic with dimensions of .94" x 7.72" (23.8 mm x 196 mm) in the right angle position. It is supplied with an SMA Male connector. Other connectors are available on request, so contact Pulse for further information

#### **Features**

- 4G Swivel Blade Antenna
- Performance across the LTE frequency bands
- 698-960/1710-2170/2500-2700 MHz
- Up to 2 dBi Gain
- SMA connector
- RoHS Compliant Product

#### **Applications**

- 4G Router, Hub or Access point
- Small Base Station
- Femto Cell
- SOHO

P/N	Connector
SPDA24700/2700	SMA Male

# CONFIDENTIAL AND PROPRIETARY INFORMATION © 2003-2009 Pulse Electronics, Inc. (Unpublished) All Rights Reserved.

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

San Diego, CA 858 674 8100

Vancouver, WA 360 944 7551

Europe 49 7032 7806 0

Asia 86 755 33966678

North Asia 886 3 4356768

China 86 512 6807 9998

## LTE Dipole

Pulse Part Number SPDA24700/2700

## **Electrical Specifications**

Frequency [MHz]	698-960/1710-2170/
	2500-2700
Nominal Impedance $[\Omega]$	50
VSWR	2.5:1
Gain [dBi]	0 Min-2 Max
Polarization	Linear Vertical
Radiation Pattern	Omni
Power Rating [W]	3

## **Environmental Specifications**

Operating Temperature [°C]	-30 to +70
Storage Temperature [°C]	-40 to +85

## **Mechanical Specifications**

Radome Material	PC/ABS
Color	Black
Weight [oz/g]	1.66 / 47
Dimensions [In/mm]	9 / 228
Flamability Rating	UL94 V-0




## LTE Dipole


#### Pulse Part Number SPDA24700/2700

#### **Radiation Patterns**


#### Horizontal Plane (698-960 MHz)




#### Vertical Plane (698-960 MHz)



#### Horizontal Plane (1710-2170 MHz)



#### Vertical Plane (1710-2170 MHz)



#### For More Information

Tel: 858 674 8100

Fax: 858 674 8262

 Pulse Worldwide Headquarters
 Larsen Brand Antennat

 12220 World Trade Drive
 3611 NE 112th Avenue

 San Diego, CA 92128
 Vancouver, WA 98682

 U.S.A.
 USA

Tel: 360 944 7551 Fax: 369 944 7556 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg

Herrenberg Germany Tel: 49 7032 7806 0 Fax: 49 7032 7806 135 Asia Headquarters
B402, Shenzhen Academy of
Aerospace Technology Bldg.
10th Kejinan Road, High-Tech Zone
Nanshan District. Shenzen. PR China 518

10th Kejinan Road, High-Tech Zone Nanshan District, Shenzen, PR China 518057 Tel: 86 755 33966678

Tel: 886 3 4356768 Fax: 886 3 4356823

Pulse North Asia

Taiwan R. O. C.

3F, No. 198, Zhongyuan Road Zhongli City, Taoyuan County 320 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road, (#29 Bldg, 4th Phase) Suzhou New District Science & Tech Industrial Park

Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998

Tel: 86 512 6807 9998 Fax: 86 512 6809 8023

Performance warranty of products offered on this data sheet is limited to the parameters specified. Data is subject to change without notice. Other brand and product names mentioned herein may be trademarks or registered trademarks of their respective owners. © Copyright, 2010. Pulse Electronics, Inc. All rights reserved.

Fax: 86 755 33966700




## LTE Dipole


Pulse Part Number SPDA24700/2700

#### **Radiation Patterns**

#### Horizontal Plane (2500-2700 MHz)



#### Vertical Plane (2500-2700 MHz)



#### For More Information

Pulse Worldwide Headquarters Larsen Brand Antennas 12220 World Trade Drive 3611 NF 112th Avenue San Diego, CA 92128 Vancouver, WA 98682

Germany

**Asia Headquarters** B402, Shenzhen Academy of Aerospace Technology Bldg. 10th Kejinan Road, High-Tech Zone Nanshan District, Shenzen, PR China 518057

Pulse North Asia 3F, No. 198, Zhongyuan Road Zhongli City, Taoyuan County 320 Taiwan R. O. C.

Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road, (#29 Bldg, 4th Phase) Suzhou New District Science & Tech Industrial Park

Tel: 858 674 8100 Fax: 858 674 8262

rights reserved.

Tel: 49 7032 7806 0

Europe Headquarters

Pulse GmbH & Do, KG Zeppelinstrasse 15

Herrenberg

Jiangsu Province, Suzhou 215009 PR China

Tel: 360 944 7551 Tel: 86 755 33966678 Tel: 886 3 4356768 Tel: 86 512 6807 9998 Fax: 369 944 7556 Fax: 49 7032 7806 135 Fax: 86 755 33966700 Fax: 886 3 4356823 Fax: 86 512 6809 8023 Performance warranty of products offered on this data sheet is limited to the parameters specified. Data is subject to change without notice. Other brand and product names mentioned herein may be trademarks or registered trademarks of their respective owners. © Copyright, 2010. Pulse Electronics, Inc. All



### **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Antennas category:

Click to view products by Pulse manufacturer:

Other Similar products are found below:

CCT FM1 ABFT AD-NM-SMAF 001-0021 CTC110 MAF94149 EXE902SF MMCX-SMA-100 PDQ24496-91NF GAN30084EU 930-033-R A08-HABUF-P5I AAF95035 DG-ANT-20DP-BG-B APAMPGJ-141 1513563-1 OF86315-FNF OP24516DS-91NM A09-HASM-7 EXE902MD EXE902SM SPDA17806/2170LAR APAMPG-117 GPS1575SP26-004 GPS15MGSMA CMD69273P-30NF CMQ69273-30NF RD2458-5-OTDR-NM RD2458-5-RSMA TRAB24/49003 W4120ER5000 W6102B0100 YE572113-30RSMM 108-00014-50 SPDA17RP918 OP24516SX-91NM OP24516SX-91RSMM CMQ69273P-30NF CMS69273-30NF CMS69273P-30NF TRAB24003N TRAB8213NP TRAB8903 A09-Y8NF A09-Y11NF A09-HSM-7 A09-F8NF-M A09-F5NF-M