

FEATURES:



Meets energy star level VI

MTBF – 50 000 h

DC Cable - L=1200mm

OCP / OVP / SC



SPECIFICATION:

| output | Model | Voltage DC [V] | Current min [A] | Current max. [A] | Tolerance [%] | Efficiency [%] | Power max. [W] | Ripple & noise [mV] | DC plug |
|---------------|---------------------------|---|-----------------|------------------|---------------|----------------|----------------|---------------------|------------|
| | CLW-0808-W2E | 7.5 | 0 | 1 | +/- 5 | >80 | 7.5 | 120 | 2.1x5.5x11 |
| input | voltage | 100 - 240V | | | | | | | |
| | voltage range | 90 - 264V | | | | | | | |
| | frequency min. / max | 47 - 63 Hz | | | | | | | |
| | frequency | 60HZ / 50Hz | | | | | | | |
| | variation Frequency | 47-63Hz | | | | | | | |
| | current | 0.25 Amax @ 115VAC | | | | | | | |
| | inrush current | 20 Amax @ 230VAC | | | | | | | |
| | leakage current | 0,25mA @ 264WAC | | | | | | | |
| protection | OCP | Overload | | | | | | | |
| | OVP | Over voltage | | | | | | | |
| | SC | Short circuit | | | | | | | |
| | insulation | Class II | | | | | | | |
| | min. load requirement | No | | | | | | | |
| others | MTBF | 50000h | | | | | | | |
| | efficiency | > 80 % | | | | | | | |
| | dimensions / weight | 69 x 27 x 38 mm / 80g | | | | | | | |
| environmental | operating temp. | 0 ~40 deg C | | | | | | | |
| | storage temp. | -10 ~85 deg C | | | | | | | |
| | relative humidity | 5 ~90% RH | | | | | | | |
| | storage relative humidity | 5% ~90% RH | | | | | | | |
| safety | CE | EN 60950-1 | | | | | | | |
| | TUV - GS | EN 60950-1 | | | | | | | |
| EMC | EMI | EN 55022 CLASS B | | | | | | | |
| | EMS | EN 61000-3-2, EN 61000-3-3, EN 61000-4-2, EN 6100-4-3, EN 6100-4-4, EN 61000-4-5, EN 61000-4-6 EN 61000-4-8, EN 61000-4-11 | | | | | | | |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Wall Mount AC Adapters](#) category:

Click to view products by [Cellevia](#) manufacturer:

Other Similar products are found below :

[76000738](#) [76000756-B10](#) [ADP-163 E](#) [ADP-159 A](#) [PSAC05A-050L6](#) [RLMDT361800](#) [TE30A1803F01](#) [0650-00005](#) [P25A14E-R1C](#) [SWI24-12-N-P6R](#) [SWI24-24-N-ST](#) [TRH25033-A-02E01-Level-VI](#) [DA5-050US-B](#) [DA5-050UK-B](#) [RLMDT701800](#) [76000756](#) [DA5-050EU-B](#) [WSU120-2000-R13](#) [5V1A-USB](#) [AC-DC ADAPTER 160W](#) [WSU120-2000-13](#) [WSU150-0800-13](#) [76000980](#) [WSU075-3200-13](#) [WSU090-2500-13](#) [WSU050-2000-R13](#) [WSU240-1000-13](#) [WSU090-3500-R13](#) [WSU075-1500-13](#) [WSU050-3000-13](#) [WSU135-1330-13](#) [WSU045-1500-13](#) [WSU090-2500-R13](#) [WSU240-1500-13](#) [WSU180-0660-13](#) [WSU075-1500-R13](#) [WSU090-1300-13](#) [WSU180-1330-R13](#) [NTPS-24-TT-700](#) [BB-SMI1812VP230C1](#) [WSU150-1600-13](#) [WSU050-1500-13](#) [WSU090-0800-13](#) [WSU180-0450-13](#) [WSU150-0560-R13](#) [WSU135-0880-13](#) [WSU120-3000-13](#) [WSU120-1000-R13](#) [WSU090-1300-R13](#) [WSU060-4000-13](#)