

PRODUCT SPECIFICATION

| | |
|-------------------------|---|
| Brand | C.K |
| Product Range | Ecotronic ESD Pliers |
| Catalogue number | T3883, T3884, T3885, T3886, T3887, T3888, T3889, T3890, T3891, T3892, T3893, T3894, T3895 |
| Date | 20/03/2015 |

Range Description

A range of lightweight ESD Electronic pliers and cutters.

Precision Cutters

Features

- Sharp, precision ground cutting edges with an extra full flush cut
- Special tool steel blade, hardened for long-term cutting performance
- Electro-static discharging handles - dissipative

10⁸

- Contoured, dual component handle design for comfortable working
- Black oxidised finish for corrosion resistance and reduced glare
- Smooth-action return spring for convenience during repetitive work
- Joint with durable stainless steel rivet





Precision Pliers

Features

- For the safe handling of small components in fine applications (e.g microelectronics and precision mechanics)
- Special tool steel body, hardened for long-term performance
- Black oxidised finish for corrosion resistance and reduced glare
- Electro-static discharging handles - dissipative

10⁸

- Contoured, dual component handle design for



comfortable working

- Smooth-action return spring for convenience during repetitive work
- Joint with durable stainless steel rivet



Precision Wire Stripping Pliers

Features

- Suitable for stripping all common wire insulation types
- Special tool steel blades, hardened for long-term performance
- Integrated shears for cutting soft copper wires up to 3mm Ø / 8AWG Stranded
- Plier nose with serrated tips for gripping and looping wires
- Electro-static discharging handles - dissipative

10⁸



- Contoured, dual component handle design for comfortable working
- Locking mechanism to secure the blade pairs in a closed position
- Black oxidised finish for corrosion resistance and reduced glare
- Smooth-action return spring for convenience during repetitive work
- Joint with durable stainless steel rivet



| Item Number | Item Description | EAN No | Commodity code | Carton Qty |
|-------------|---|---------------|----------------|------------|
| T3883 | C.K Ecotronic ESD Side Cutters (Micro) | 5013969938838 | 82032000 | 6 |
| T3884 | C.K Ecotronic ESD Side Cutters (Micro, Reverse Cut) | 5013969938845 | 82032000 | 6 |
| T3885 | C.K Ecotronic ESD Side Cutters (Slim) | 5013969938852 | 82032000 | 6 |
| T3886 | C.K Ecotronic ESD Side Cutters (Slim, Relieved) | 5013969938869 | 82032000 | 6 |
| T3887 | C.K Ecotronic ESD Side Cutters | 5013969938876 | 82032000 | 6 |
| T3888 | C.K Ecotronic ESD Side Cutters (Relieved) | 5013969938883 | 82032000 | 6 |
| T3889 | C.K Ecotronic ESD Long Snipe Nose Pliers | 5013969938890 | 82032000 | 6 |
| T3890 | C.K Ecotronic ESD Sort Snipe Nose Pliers | 5013969938906 | 82032000 | 6 |
| T3891 | C.K Ecotronic ESD Flat Nose Pliers | 5013969938913 | 82032000 | 6 |
| T3892 | C.K Ecotronic ESD Snipe Nose Pliers (Bent) | 5013969938920 | 82032000 | 6 |
| T3893 | C.K Ecotronic ESD Wire Stripping Pliers (0.2 - 0.8mm Ø) | 5013969938937 | 82032000 | 6 |
| T3894 | C.K Ecotronic ESD Wire Stripping Pliers (0.4 - 1.3mm Ø) | 5013969938944 | 82032000 | 6 |
| T3895 | C.K Ecotronic ESD Wire Stripping Pliers (0.8 - 2.6mm Ø) | 5013969938951 | 82032000 | 6 |


Technical
product
information

Side Cutters

| Item | Cutting Capacity AWG / mm (Soft Copper Wire) |
|-------|--|
| T3883 | 16 / 1.3 |
| T3884 | 16 / 1.3 |
| T3885 | 16 / 1.3 |
| T3886 | 16 / 1.3 |
| T3887 | 14 / 1.6 |
| T3888 | 14 / 1.6 |

Wire Stripping Pliers


| Item | Wire Stripping Capacity AWG / mm (Solid Core Wires) | Integrated Shears Cutting Capacity (Soft Cu) | |
|-------|--|--|-----|
| | | mm Ø | AWG |
| T3893 | 30 / 0.2 28 / 0.3 26 / 0.4 24 / 0.5 22 / 0.6 20 / 0.8 | 3.0 | 8 |
| T3894 | 26 / 0.4 24 / 0.5 22 / 0.6 20 / 0.8 18 / 1.0 16 / 1.3 | 3.0 | 8 |
| T3895 | 20 / 0.8 18 / 1.0 16 / 1.3 14 / 1.6 12 / 2.0 10 / 2.6 | 3.0 | 8 |



C.K ECOTRONIC PRECISION SIDE CUTTERS - DIAGRAM

C.K ECOTRONIC ESD - PRECISION SIDE CUTTERS


| Item No. | Description | A | B | C | D | E | Length (mm) | Weight (g) | Blade Thickness (mm) | Blade Height at Tips (mm) |
|----------|---------------------------------------|----|-----|----|----|----|-------------|------------|----------------------|---------------------------|
| T3883 | ESD Side Cutters – Micro | 8 | 9.5 | 16 | 4 | 21 | 132 | 64 | 2 | 1.5 |
| T3884 | ESD Side Cutters - Micro, Reverse Cut | 8 | 9.5 | 13 | 4 | 48 | 132 | 64 | 2 | 1.5 |
| T3885 | ESD Side Cutters - Slim | 9 | 10 | 18 | 5 | 21 | 139 | 76 | 2.5 | 1.5 |
| T3886 | ESD Side Cutters - Slim, Relieved | 10 | 11 | 21 | 5 | 21 | 139 | 76 | 2.5 | 1 |
| T3887 | ESD Side Cutters | 10 | 12 | 21 | 6 | 21 | 136 | 83 | 3 | 1.5 |
| T3888 | ESD Side Cutters - Relieved | 10 | 15 | 21 | 10 | 21 | 135 | 101 | 5 | 1.2 |



C.K ECOTRONIC PRECISION PLIERS - DIAGRAM

C.K ECOTRONIC ESD - PRECISION PLIERS

| ITEM NO. | DESCRIPTION | A mm | B mm | C mm | D mm | E mm | F ° | Length (mm) | Weight (g) | Tool Thickness (mm) |
|----------|------------------------------|------|------|------|------|------|-----|-------------|------------|---------------------|
| T3889 | ESD Long Snipe Nose Pliers | 49 | 12 | 6 | 1 | 2 | - | 152 | 85 | 3 |
| T3890 | ESD Short Snipe Nose Pliers | 31 | 12 | 6 | 1 | 1.5 | - | 145 | 83 | 3 |
| T3891 | ESD Flat Nose Pliers3 | 31 | | | 3 | 2 | - | 145 | 83 | 3 |
| T3892 | ESD Snipe Nose Pliers (Bent) | 39 | 12 | 6 | 1 | 2 | 45 | 152 | 85 | 3 |



| Item No. | Description | A (Head Height mm) | B (Head Width mm) | Blade Thickness (mm) | Blade Height at Tips (mm) | Length (mm) | Weight (g) |
|----------|---------------------------|--------------------|-------------------|----------------------|---------------------------|-------------|------------|
| T3893 | ESD Wire Stripping Pliers | 49 | 28 | 3 | 3 | 168 | 116 |
| T3894 | ESD Wire Stripping Pliers | 49 | 28 | 3 | 3 | 168 | 116 |
| T3895 | ESD Wire Stripping Pliers | 49 | 28 | 3 | 3 | 168 | 116 |

| | |
|------------------------------------|---|
| Standards compliance | None applicable |
| User health and safety information | None applicable |
| RoHS/WEEE compliance | These products do not fall within the scope of RoHS or WEEE regulations |
| Material safety data | None applicable |
| Warranty | C.K Ecotronic ESD pliers and cutters are guaranteed for life against imperfect materials or workmanship Normal wear and tear or damage caused through inappropriate use is not covered |
| Country of origin | Taiwan |

Dimensional details

| Item | Product only | | | | Product on primary packaging | | | |
|-------|--------------|----------|-----------|--------------|------------------------------|----------|-----------|----------------|
| | Width mm | Depth mm | Height mm | Net weight g | Width mm | Depth mm | Height mm | Gross weight g |
| T3883 | 132 | 70 | 20 | 64 | 220 | 80 | 2.5 | 79 |
| T3884 | 132 | 70 | 20 | 64 | 220 | 80 | 2.5 | 79 |
| T3885 | 139 | 70 | 20 | 76 | 220 | 80 | 2.5 | 91 |
| T3886 | 139 | 70 | 20 | 76 | 220 | 80 | 2.5 | 91 |
| T3887 | 139 | 70 | 20 | 83 | 220 | 80 | 2.5 | 98 |
| T3888 | 135 | 70 | 20 | 101 | 220 | 80 | 2.5 | 116 |
| T3889 | 152 | 70 | 20 | 85 | 220 | 80 | 2.5 | 100 |
| T3890 | 145 | 70 | 20 | 83 | 220 | 80 | 2.5 | 98 |
| T3891 | 145 | 70 | 20 | 83 | 220 | 80 | 2.5 | 98 |
| T3892 | 152 | 70 | 20 | 85 | 220 | 80 | 2.5 | 98 |
| T3893 | 168 | 70 | 20 | 116 | 220 | 80 | 2.5 | 131 |
| T3984 | 168 | 70 | 20 | 116 | 220 | 80 | 2.5 | 131 |
| T3895 | 168 | 70 | 20 | 116 | 220 | 80 | 2.5 | 131 |

| Item | Shelf box (secondary packaging) | | | | Euro Pallet data Wi x Hi | |
|-------|---------------------------------|----------|-----------|----------------|-----------------------------|---------------------|
| | Width mm | Depth mm | Height mm | Gross weight g | No of cartons on base | Number of rows high |
| T3883 | 21.6 | 8.4 | 10.8 | | | |
| T3884 | 21.6 | 8.4 | 10.8 | | | |
| T3885 | 21.6 | 8.4 | 10.8 | | | |
| T3886 | 21.6 | 8.4 | 10.8 | | | |
| T3887 | 21.6 | 8.4 | 10.8 | | | |
| T3888 | 21.6 | 8.4 | 10.8 | | | |
| T3889 | 21.6 | 8.4 | 10.8 | | | |
| T3890 | 21.6 | 8.4 | 10.8 | | | |
| T3891 | 21.6 | 8.4 | 10.8 | | | |
| T3892 | 21.6 | 8.4 | 10.8 | | | |
| T3893 | 21.6 | 8.4 | 10.8 | | | |
| T3984 | 21.6 | 8.4 | 10.8 | | | |
| T3895 | 21.6 | 8.4 | 10.8 | | | |

Packaging waste details

| Item | Primary Packaging | | | | Secondary packaging | | | |
|-------|-------------------|---------|--------|-----|---------------------|-----|--------|-----|
| | Plastic g | Use | Card g | Use | Plastic g | Use | Card g | Use |
| T3883 | 15 | Blister | | | - | - | - | - |
| T3884 | 15 | Blister | | | - | - | - | - |
| T3885 | 15 | Blister | | | - | - | - | - |
| T3886 | 15 | Blister | | | - | - | - | - |
| T3887 | 15 | Blister | | | - | - | - | - |
| T3888 | 15 | Blister | | | - | - | - | - |
| T3889 | 15 | Blister | | | - | - | - | - |
| T3890 | 15 | Blister | | | - | - | - | - |
| T3891 | 15 | Blister | | | - | - | - | - |
| T3892 | 15 | Blister | | | - | - | - | - |
| T3893 | 15 | Blister | | | - | - | - | - |
| T3984 | 15 | Blister | | | - | - | - | - |
| T3895 | 15 | Blister | | | - | - | - | - |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Pliers & Tweezers](#) category:

Click to view products by [Carl Kammerling](#) manufacturer:

Other Similar products are found below :

[0026](#) [32750](#) [G77015](#) [0037](#) [2890-180](#) [571](#) [76C](#) [RX 8130](#) [RX 8145](#) [RX 8146](#) [RX 8152](#) [DRP10N](#) [0036](#) [44 21 J41](#) [49 31 A0](#) [49 41 A11](#) [64](#)
[11 115](#) [0020](#) [0032](#) [44593](#) [00 19 72 V01](#) [00 20 72 V06](#) [1006](#) [30 11 140](#) [30 21 160](#) [30 25 160](#) [72 01 160](#) [102ACA](#) [72 11 160](#) [HLCP180](#) [72](#)
[21 160](#) [7224](#) [32954](#) [33507](#) [33521](#) [3400](#) [34 12 130](#) [34688](#) [34689](#) [34690](#) [34700](#) [35 21 115](#) [35 22 115 ESD](#) [3-653-15](#) [3-657-15](#) [3-669-15](#) [3-](#)
[672-15](#) [3-675-15](#) [37450](#) [74 06 180](#)