



DIMENSIONS mm (inches)



METHOD OF INSERTION
ON THE PCB = FLAT ROCK



TIN LEAD	LEAD FREE	
8609 396 81 94 755 000 E3	8609 396 81 94 755 E3 LF	Style C receptacle, 96 Position, press fit, class 2
8609 396 81 94 765 000 E3	8609 396 81 94 765 E3 LF	Style C receptacle, 96 Position, press fit, class 1
8609 464 81 94 755 000 E3	8609 464 81 94 755 E3 LF	Style C receptacle, 64 Position, press fit, class 2
8609 464 81 94 765 000 E3	8609 464 81 94 765 E3 LF	Style C receptacle, 64 Position, press fit, class 1
TIN LEAD	LEAD FREE	
8609 396 81 94 745 000 E3	8609 396 81 94 745 E3 LF	Style C receptacle, 96 Position, press fit, class 3
8609 464 81 94 745 000 E3	8609 464 81 94 745 E3 LF	Style C receptacle, 64 Position, press fit, class 3

European Views

Application specific part-numbers: See sheet 2

GENERAL CHARACTERISTICS AND ROHS INFORMATIONS:
SEE DRAWING C-8609-0000C


rev	ecn no	dr	date
F	-	ROU	2002/08/30
G	LS05-004	JTA	2005/02/25
H	LS06-0097	LGO	2006/07/25
J	LS06-0171	HLG	2006/10/27
K	LS07-0051	HLG	2007/02/21
-	-	-	-
-	-	-	-

www.fciconnect.com		surface ISO 1302	tolerance std ISO 406 ISO 1101	projection mm
		TOLERANCES UNLESS OTHERWISE SPECIFIED		
Dr	ROUILLARD	1993/06/16	0.X	±0.1
Eng	TARON	1993/06/16	0.XX	±0.1
Chr	LEGARE	1993/06/16	0.XX*	±2*
Appr	LEGARE	1993/06/16	0.XXX	±0.1
		Product family	DIN 8609	Spec ref -
FCI		title STRAIGHT RECEPTACLE - STYLE C		size A3
		PRESS FIT		Scale 1.5
		catalog no	-	ECN LS07-0051
		CUSTOMER		Rev. K
		sheet 1 of 2		

PART NUMBER	8609			81		7		5	
PIN OUT									
rows a-b-c	=====	3	96						
rows a-c	=====	4	64						
NUMBER OF CONTACTS									
TERMINATION									
L = 13.10 ±0.20 (.515)	=====	1 wrap	91						
L = 17.10 ±0.20 (.673)	=====	2 wraps	92						
L = 3.00 ±0.20 (.118)	=====	short post	94						
PERFORMANCE CLASS									
DIN 41612 class 3	=====							4	
DIN 41612 class 2	=====								
DIN 41612 class 1	=====								
TERMINATION TYPE									
TIN LEAD	=====							000E3	
LEAD FREE	=====							E3LF	

PCB LAYOUT

component side



GENERAL CHARACTERISTICS AND ROHS INFORMATIONS:

SEE DRAWING C-8609-0000C

European Views

rev	ecn no	dr	date
F	-	ROU	2002/08/30
G	LS05-004	JTA	2005/02/25
H	LS06-0097	LGO	2006/07/25
J	LS06-0171	HLG	2006/10/27
K	LS07-0051	HLG	2007/02/21
-	-	-	-
-	-	-	-

www.fciconnect.com		surface ISO 1302 <input checked="" type="checkbox"/>	tolerance std ISO 406 ISO 1101	projection 	mm
TOLERANCES UNLESS OTHERWISE SPECIFIED					
Dr	ROUILLARD	1993/06/16	0.X	±0.1	size
Eng	TARON	1993/06/16	0.XX	±0.1	A3
Chr	LEGARE	1993/06/16	0.XX' ±2'	±0.1	Scale
Appr	LEGARE	1993/06/16	0.XXX	±0.1	1.5
Product family			DIN 8609		ECN LS07-0051
Spec ref			-		
		title STRAIGHT RECEPTACLE - STYLE C			Rev.
		PRESS FIT			K
catalog no		-			dwg no
		-			C-8609-0365-2
CUSTOMER		sheet 2 of 2			



Copyright FCI.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [amphenol manufacturer](#):

Other Similar products are found below :

[CTV06RGQF-17-52P](#) [CTVPS00RGF-23-6P-LC](#) [GC835TY2S](#) [CF-509621-29P](#) [BF8-1218-31SV-Y70](#) [TVP00RGW-23-6SA\(LC\)](#)
[RNJ27CI1535P014](#) [10-553998-139](#) [21-033388-031](#) [10-507142-843](#) [GTS06G-32-7S](#) [GTC06-36-78PX-023](#) [ACC02E28-51S-003-B30-LC](#)
[TV06RL-13-35SD-LC](#) [TV06RL-13-35SD](#) [TV06RL-13-98SD-LC](#) [TV06RL-13-98SD](#) [GTC08AF32-15SX-B30-LC](#) [GTC06G32-76PZ](#)
[TVP00RW-23-53AD](#) [100-007-213-002-001](#) [5M30-61](#) [FSPP-103-00-004](#) [360031](#) [10-037090-161](#) [10-541504-001](#) [10-580902-409](#) [TV97RW-](#)
[9-9S\(S15\)](#) [TVPS00RGF-9-5P-LC](#) [TVPS00RGF-9-5PA-LC](#) [TVP00RGQW-21-75P-LC](#) [TV06RW-25-90AE](#) [97-3108B16S-5PW-417](#) [PT06J20-](#)
[24SW](#) [97-3108B16S-4PY-417](#) [97-3108B16S-4PX-417](#) [97-3108B16S-5PY-417](#) [97-3108B16S-4PW-417](#) [CS-DSDMDB37MF-025](#) [97-](#)
[3108B16S-5PZ-417](#) [TV06RW-25-46AE](#) [TVS07RF-21-16AA](#) [TVS07RF-21-39BA](#) [60261626SNCOND1](#) [SE00TVW09](#) [CF-5A9013-04N](#) [CF-](#)
[6A4615-06N](#) [GTS01-22-22PX-025-116](#) [GTS01-22-22P-025-116](#) [GTS01-22-22P-116](#)