




Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du propriétaire. Propriete de ©FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of ©FCI. Copyright FCI.

PRODUCT NUMBER  
SEE TABLE



SEE SHEET 2 AND TABLES FOR POLARIZATION FEATURE ARRANGEMENT AND STYLE

mat'l. code NOTES 2, 5 & 6				tolerances unless otherwise specified			CUSTOMER COPY		 www.fciconnect.com	
ltr	ecn no	dr	date	.XX±.01/X.XX±0.25			projection		title	
H	N05-0123	ZC	5/9/05	linear .XXX±.005/X.XXX±0.13					HEADER, QUICKIE, SLIM LINE VERTICAL, 4-WALL	
J	N07-0151	WG	8/02/07	.XXX±.0020/X.XXX±0.051			INCH/MM		product family QKE. HDR. code	
				angles 0° ±2°			scale		size dwg no	
				dr	M. CLOUSER	7/11/90	2:1		A 88880	
				enr	M. SMYK	7/11/90			sheet	
				chr	M. SMYK	8/21/91			1 of 10	
				appd	M. SMYK	8/21/91				
sheet	revision	J	J	J	J	J	J	J	J	J
index	sheet	1	2	3	4	5	6	7	8	9

1 | 2

3

4

PRODUCT NUMBER  
SEE TABLE

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du propriétaire. Droits de reproduction FCI. Propriete de ©FCI.

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Copyright FCI. Property of ©FCI.

2 X 5  
STYLE A

2 X 7  
STYLE C

2 X 5  
STYLE B

2 X 8 THUR 2 X 30  
STYLE D

NOTES:

- ① SAME POSITION TOLERANCE APPLIES TO BOTH ENDS OF PINS.
- ② MOLDING MATERIAL: GLASS-FILLED POLYESTER, FLAME RETARDANT PER UL 94 V-0, COLOR: BLUE.
3. 1° MAX. DRAFT PERMISSIBLE ON ALL SURFACES.
4. 4 LBS. /1.8 KG MIN. TERMINAL PULL-OUT FORCE.
- ⑤ TERMINAL MATERIAL: PHOSPHORUS BRONZE.
- ⑥ MOLDING MATERIAL: GLASS FILLED POLYESTER, FLAME RETARDANT PER UL 94V-0, COLOR - BLACK.
- ⑦ MOLDING MATERIAL: GLASS FILLED POLYESTER, FLAME RETARDANT PER UL 94V-0, COLOR - GREY.
- ⑧ PART NUMBERS WITH "R" FOLLOWING THE PART NUMBER ( EXAMPLE 88880-326 R ) HAS RETENTION. (ONLY PARTS WITH .105, .120, AND .150 ROUND OR SQUARE TAILS CAN HAVE RETENTION.) LOCATION IS MANUFACTURES OPTION.  
FOR ROUND PIN CONNECTORS:  
15 LBS MAX INSERTION AND .25 LB MIN RETENTION FORCE WHEN USED IN .035±.003 DIA HOLES AND .062/1.57 THICK PC BOARD.  
FOR SQUARE PIN CONNECTORS:  
15 LBS MAX INSERTION AND .5 LB MIN RETENTION FORCE WHEN USED IN .040±.003 DIA HOLES AND .062/1.57 THICK PC BOARD.
- ⑨ PART NUMBERS WITH "T" FOLLOWING PART NUMBER (EXAMPLE 88880-068 T IS PACKED IN TUBES.) (CALL PRODUCT MANAGER FOR AVAILABILITY.)
10. PIN REMOVED FOR POLARIZED PART.
11. FOR LEAD FREE P/N JUST ADD "LF" BELOW THE ORIGINAL P/N.
12. THE HOUSING OF XXXX-XYLF WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER PROCESS.
13. PLATING OPTION: MAYBE EITHER GOLD OR GXT PLATING AT MANUFACTURER' OPTION.

mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY		 www.fciconnect.com	
ltr	ecn no	dr	date	linear	.XX±.01/X.XX±0.25		projection	title	
J					.XXX±.005/X.XXX±0.13			 HEADER, QUICKIE, SLIM LINE VERTICAL, 4-WALL	
				angles	.xxx±.0020/X.xxxx±0.051		INCH/MM	product family QKE. HDR.	
					0° ±2'			size dwg no	
				dr	M. CLOUSER	7/11/90	scale	A	88880
				enr	M. SMYK	7/11/90			
				chr	M. SMYK	8/21/91			
				appd	M. SMYK	8/21/91			
sheet index	revision sheet						1:1		sheet 2 of

form no. 7530-001-103

1 | 2

PDM: Rev:J

STATUS: Released  
cage code 26  
Printed: Apr 12, 2011

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du propriétaire. Propriete de ©FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of ©FCI. Copyright FCI.

PRODUCT NO. NOTE 8 & 9	SIZE	STYLE	DIM A	DIM B	DIM C	DIM J	PIN PLATING NOTE 13	PIN TYPE	PLASTIC MATERIAL
88880-001	2 X 5	A	.78/19.8	.72/18.3	.400/10.16	.105/2.67	30u"/0.76u Au OVER 50u"/1.27u Ni	RD	NOTE 2
-002						.150/3.81	30u"/0.76u Au OVER 50u"/1.27u Ni	RD	
-003						.675/17.15	30u"/0.76u Au OVER 50u"/1.27u Ni	SQ	
-004						.105/2.67	150u"/3.81u TIN	SQ	
-005						.150/3.81	150u"/3.81u TIN	SQ	
-006	2 X 5	A	.78/19.8	.72/18.3	.400/10.16	.675/17.15	150u"/3.81u TIN	SQ	
-007	2 X 10	D	1.28/32.5	1.22/31.0	.900/22.86	.105/2.67	30u"/0.76u Au OVER 50u"/1.27u Ni	RD	
-008						.150/3.81	30u"/0.76u Au OVER 50u"/1.27u Ni	RD	
-009						.675/17.15	30u"/0.76u Au OVER 50u"/1.27u Ni	SQ	
-010						.105/2.67	150u"/3.81u TIN	SQ	
-011						.150/3.81	150u"/3.81u TIN	SQ	
-012	2 X 10		1.28/32.5	1.22/31.0	.900/22.86	.675/17.15	150u"/3.81u TIN	SQ	
-013	2 X 13		1.58/40.1	1.52/38.6	1.200/30.48	.105/2.67	30u"/0.76u Au OVER 50u"/1.27u Ni	RD	
-014						.150/3.81	30u"/0.76u Au OVER 50u"/1.27u Ni	RD	
-015						.675/17.15	30u"/0.76u Au OVER 50u"/1.27u Ni	SQ	
-016						.105/2.67	150u"/3.81u TIN	SQ	
-017						.150/3.81	150u"/3.81u TIN	SQ	
-018	2 X 13		1.58/40.1	1.52/38.6	1.200/30.48	.675/17.15	150u"/3.81u TIN	SQ	
-019	2 X 17		1.98/50.3	1.92/48.8	1.600/40.64	.105/2.67	30u"/0.76u Au OVER 50u"/1.27u Ni	RD	
-020						.150/3.81	30u"/0.76u Au OVER 50u"/1.27u Ni	RD	
-021						.675/17.15	30u"/0.76u Au OVER 50u"/1.27u Ni	SQ	
-022						.105/2.67	150u"/3.81u TIN	SQ	
-023						.150/3.81	150u"/3.81u TIN	SQ	
-024	2 X 17		1.98/50.3	1.92/48.8	1.600/40.64	.675/17.15	150u"/3.81u TIN	SQ	
-025	2 X 20		2.28/57.9	2.22/56.4	1.900/48.26	.105/2.67	30u"/0.76u Au OVER 50u"/1.27u Ni	RD	
-026						.150/3.81	30u"/0.76u Au OVER 50u"/1.27u Ni	RD	
-027						.675/17.15	30u"/0.76u Au OVER 50u"/1.27u Ni	SQ	
-028						.105/2.67	150u"/3.81u TIN	SQ	
-029						.150/3.81	150u"/3.81u TIN	SQ	
-030	2 X 20		2.28/57.9	2.22/56.4	1.900/48.26	.675/17.15	150u"/3.81u TIN	SQ	
-031	2 X 25		2.78/70.6	2.72/69.1	2.400/60.96	.105/2.67	30u"/0.76u Au OVER 50u"/1.27u Ni	RD	
-032						.150/3.81	30u"/0.76u Au OVER 50u"/1.27u Ni	RD	
-033						.675/17.15	30u"/0.76u Au OVER 50u"/1.27u Ni	SQ	
-034						.105/2.67	150u"/3.81u TIN	SQ	
88880-035	2 X 25	D	2.78/70.6	2.72/69.1	2.400/60.96	.150/3.81	150u"/3.81u TIN	SQ	NOTE 2

mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY		FCI www.fciconnect.com	
ltr	ecr no	dr	date	.XX±.01/X.XX±0.25		projection		title	
J				.XXX±.005/X.XXX±0.13		INCH/MM		HEADER, QUICKIE, SLIM LINE	
				.XXXX±.0020/X.XXXX±0.051		scale		VERTICAL, 4-WALL	
				angles 0° ±2°		1:1		product family QKE. HDR.	
				dr	M. CLOUSER	7/11/90	size		code
				enr	M. SMYK	7/11/90	88880		sheet
				chr	M. SMYK	8/21/91	3 of		
				appd	M. SMYK	8/21/91			
sheet index	revision sheet								



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.  
Property of ©FCI

Tous droits strictement réservés. Reproduction ou communication à des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire.  
Droits de reproduction ©FCI.

PRODUCT NO.	SIZE	STYLE	DIM A	DIM B	DIM C	DIM J	PIN PLATING NOTE 13	PIN TYPE	PLASTIC MATERIAL
88880-036	2 X 25	D	2.78/70.6	2.72/69.1	2.400/60.96	.675/17.15	150u"/3.81u TIN	SQ	NOTE 2
-037	2 X 7	C	.98/24.9	.92/23.4	.600/15.24	.105/2.67	30u"/0.76u Au OVER 50u"/1.27u Ni	RD	
-038						.150/3.81	30u"/0.76u Au OVER 50u"/1.27u Ni	RD	
-039						.675/17.15	30u"/0.76u Au OVER 50u"/1.27u Ni	SQ	
-040						.105/2.67	150u"/3.81u TIN	SQ	
-041						.150/3.81	150u"/3.81u TIN	SQ	
-042	2 X 7	C	.98/24.9	.92/23.4	.600/15.24	.675/17.15	150u"/3.81u TIN	SQ	
-043	2 X 8	D	1.08/27.4	1.02/25.9	.700/17.78	.105/2.67	30u"/0.76u Au OVER 50u"/1.27u Ni	RD	
-044						.150/3.81	30u"/0.76u Au OVER 50u"/1.27u Ni	RD	
-045						.675/17.15	30u"/0.76u Au OVER 50u"/1.27u Ni	SQ	
-046						.105/2.67	150u"/3.81u TIN	SQ	
-047						.150/3.81	150u"/3.81u TIN	SQ	
-048	2 X 8	D	1.08/27.4	1.02/25.9	.700/17.78	.675/17.15	150u"/3.81u TIN	SQ	
-049	2 X 5	A	.78/19.8	.72/18.3	.400/10.16	.150/3.81	30u"/0.76u GXT WITH GOLD FLASH	RD	
-050	2 X 10	D	1.28/32.5	1.22/31.0	.900/22.86				
-051	2 X 13		1.58/40.1	1.52/38.6	1.200/30.48				
-052	2 X 17		1.98/50.3	1.92/48.8	1.600/40.64				
-053	2 X 20		2.28/57.9	2.22/56.4	1.900/48.26				
-054	2 X 25	D	2.78/70.6	2.72/69.1	2.400/60.96				
-055	2 X 7	C	.98/24.9	.92/23.4	.600/15.24				
-056	2 X 8	D	1.08/27.4	1.02/25.9	.700/17.78	.150/3.81	30u"/0.76u GXT WITH GOLD FLASH		
-057	2 X 30		3.28/83.3	3.22/81.8	2.900/73.66	.105/2.67	30u"/0.76u Au OVER 50u"/1.27u Ni		
-058						.150/3.81	30u"/0.76u Au OVER 50u"/1.27u Ni	RD	
-059						.675/17.15	30u"/0.76u Au OVER 50u"/1.27u Ni	SQ	
-060						.105/2.67	150u"/3.81u TIN	SQ	
-061						.150/3.81	150u"/3.81u TIN	SQ	
-062						.675/17.15	150u"/3.81u TIN	SQ	
-063						.105/2.67	30u"/0.76u GXT WITH GOLD FLASH	RD	
-064						.150/3.81		RD	
-065	2 X 30	D	3.28/83.3	3.22/81.8	2.900/73.66	.675/17.15		SQ	
-066	2 X 5	A	.78/19.8	.72/18.3	.400/10.16	.105/2.67		RD	
-067	2 X 5	A	.78/19.8	.72/18.3	.400/10.16	.675/17.15		SQ	
-068	2 X 7	C	.98/24.9	.92/23.4	.600/15.24	.105/2.67		RD	
-069	2 X 7	C	.98/24.9	.92/23.4	.600/15.24	.675/17.15		SQ	
88880-070	2 X 8	D	1.08/27.4	1.02/25.9	.700/17.78	.105/2.67	30u"/0.76u GXT WITH GOLD FLASH	RD	NOTE 2

mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY			
ltr	ecn no	dr	date	linear	.XX±.01/X.XX±0.25	projection	title		
J					.XXX±.005/X.XXX±0.13		HEADER, QUICKIE, SLIM LINE		
				angles	.xxx±.0020/X.xxxx±0.051	INCH/MM	VERTICAL, 4-WALL		
				dr	0° ±2°	scale	product family	QKE. HDR.	code
				enr	M. CLOUSER 7/11/90	1:1	size	dwg no	sheet
				chr	M. SMYK 7/11/90		A	88880	4 of
				appd	M. SMYK 8/21/91				
sheet index	revision sheet								

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire.  
Droits de reproduction FCI.  
Propriété de ©FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.  
Copyright FCI.

PRODUCT NO.	SIZE	STYLE	DIM A	DIM B	DIM C	DIM J	PIN PLATING NOTE 13	PIN TYPE	PLASTIC MATERIAL
88880-071	2 X 8	D	1.08/27.4	1.02/25.9	.700/17.78	.675/17.15	30u"/0.76u GXT WITH GOLD FLASH	SQ	NOTE 2
-072	2 X 10		1.28/32.5	1.22/31.0	.900/22.86	.105/2.67		RD	
-073	2 X 10		1.28/32.5	1.22/31.0	.900/22.86	.675/17.15		SQ	
-074	2 X 13		1.58/40.1	1.52/38.6	1.200/30.48	.105/2.67		RD	
-075	2 X 13		1.58/40.1	1.52/38.6	1.200/30.48	.675/17.15		SQ	
-076	2 X 17		1.98/50.3	1.92/48.8	1.600/40.64	.105/2.67		RD	
-077	2 X 17		1.98/50.3	1.92/48.8	1.600/40.64	.675/17.15		SQ	
-078	2 X 20		2.28/57.9	2.22/56.4	1.900/48.26	.105/2.67		RD	
-079	2 X 20		2.28/57.9	2.22/56.4	1.900/48.26	.675/17.15		SQ	
-080	2 X 25		2.78/70.6	2.72/69.1	2.400/60.96	.105/2.67		RD	
-081	2 X 25	D	2.78/70.6	2.72/69.1	2.400/60.96	.675/17.15	30u"/0.76u GXT WITH GOLD FLASH	SQ	
-082	2 X 5	A	.78/19.8	.72/18.3	.400/10.16	.105/2.67	15u"/0.38u Au OVER 50u"/1.27u Ni	RD	
-083	2 X 5	A	.78/19.8	.72/18.3	.400/10.16	.150/3.81		RD	
-084	2 X 5	A	.78/19.8	.72/18.3	.400/10.16	.675/17.15		SQ	
-085	2 X 7	C	.98/24.9	.92/23.4	.600/15.24	.105/2.67		RD	
-086	2 X 7	C	.98/24.9	.92/23.4	.600/15.24	.150/3.81		RD	
-087	2 X 7	C	.98/24.9	.92/23.4	.600/15.24	.675/17.15		SQ	
-088	2 X 8	D	1.08/27.4	1.02/25.9	.700/17.78	.105/2.67		RD	
-089	2 X 8		1.08/27.4	1.02/25.9	.700/17.78	.150/3.81		RD	
-090	2 X 8		1.08/27.4	1.02/25.9	.700/17.78	.675/17.15		SQ	
-091	2 X 10		1.28/32.5	1.22/31.0	.900/22.86	.105/2.67		RD	
-092	2 X 10		1.28/32.5	1.22/31.0	.900/22.86	.150/3.81		RD	
-093	2 X 10		1.28/32.5	1.22/31.0	.900/22.86	.675/17.15		SQ	
-094	2 X 13		1.58/40.1	1.52/38.6	1.200/30.48	.105/2.67		RD	
-095	2 X 13		1.58/40.1	1.52/38.6	1.200/30.48	.150/3.81		RD	
-096	2 X 13		1.58/40.1	1.52/38.6	1.200/30.48	.675/17.15		SQ	
-097	2 X 17		1.98/50.3	1.92/48.8	1.600/40.64	.105/2.67		RD	
-098	2 X 17		1.98/50.3	1.92/48.8	1.600/40.64	.150/3.81		RD	
-099	2 X 17		1.98/50.3	1.92/48.8	1.600/40.64	.675/17.15		SQ	
-100	2 X 20		2.28/57.9	2.22/56.4	1.900/48.26	.105/2.67		RD	
-101	2 X 20		2.28/57.9	2.22/56.4	1.900/48.26	.150/3.81		RD	
-102	2 X 20		2.28/57.9	2.22/56.4	1.900/48.26	.675/17.15		SQ	
-103	2 X 25		2.78/70.6	2.72/69.1	2.400/60.96	.105/2.67		RD	
-104	2 X 25		2.78/70.6	2.72/69.1	2.400/60.96	.150/3.81		RD	
88880-105	2 X 25	D	2.78/70.6	2.72/69.1	2.400/60.96	.675/17.15	15u"/0.38u Au OVER 50u"/1.27u Ni	SQ	NOTE 2

mat'l. code		tolerances unless otherwise specified		CUSTOMER COPY		FCI www.fciconnect.com	
ltr	ecn no	dr	date	linear	projection	title	
J				.XX±.01/X.XX±0.25	⊕	HEADER, QUICKIE, SLIM LINE	
				.XXX±.005/X.XXX±0.13	⊖	VERTICAL, 4-WALL	
				.xxxx±.0020/X.xxxx±0.051	INCH/MM	product family QKE. HDR.	
				angles 0° ±2°	scale	size dwg no	
				dr M. CLOUSER 7/11/90	1:1	A 88880	
				enr M. SMYK 7/11/90		sheet 5 of	
				chr M. SMYK 8/21/91			
				appd M. SMYK 8/21/91			
sheet index	revision sheet						

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du proprietaire. Propriete de FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Copyright FCI.

PRODUCT NO. NOTE 8 & 9	SIZE	STYLE	DIM A	DIM B	DIM C	DIM J	PIN PLATING NOTE 13	PIN TYPE	PLASTIC MATERIAL
88880-106	2 X 30	D	3.28/83.3	3.22/81.8	2.900/73.66	.105/2.67	15u"/0.38u Au OVER 50u"/1.27u Ni	RD	NOTE 2
-107	2 X 30	D	3.28/83.3	3.22/81.8	2.900/73.66	.150/3.81	15u"/0.38u Au OVER 50u"/1.27u Ni	RD	
-108	2 X 30	D	3.28/83.3	3.22/81.8	2.900/73.66	.675/17.15	15u"/0.38u Au OVER 50u"/1.27u Ni	SQ	
-109	2 X 5	B	.78/19.8	.72/18.3	.400/10.16	.105/2.67	30u"/0.76u Au OVER 50u"/1.27u Ni	RD	
-110						.150/3.81	30u"/0.76u Au OVER 50u"/1.27u Ni	RD	
-111						.675/17.15	30u"/0.76u Au OVER 50u"/1.27u Ni	SQ	
-112						.105/2.67	150u"/3.81u TIN	SQ	
-113						.150/3.81	150u"/3.81u TIN	SQ	
-114						.675/17.15	150u"/3.81u TIN	SQ	
-115						.105/2.67	15u"/0.38u Au OVER 50u"/1.27u Ni	RD	
-116						.150/3.81	15u"/0.38u Au OVER 50u"/1.27u Ni	RD	
-117						.675/17.15	15u"/0.38u Au OVER 50u"/1.27u Ni	SQ	
-118						.105/2.67	30u"/0.76u GXT WITH GOLD FLASH	RD	
-119						.150/3.81	30u"/0.76u GXT WITH GOLD FLASH	RD	
88880-120	2 X 5	B	.78/19.8	.72/18.3	.400/10.16	.675/17.15	30u"/0.76u GXT WITH GOLD FLASH	SQ	NOTE 2
88880-121	DISCONTINUED								
THRU	DISCONTINUED								
88880-216	DISCONTINUED								
88880-217	2 X 12	D	1.48/37.6	1.42/36.1	1.100/27.94	.105/2.67	15u"/0.38u Au OVER 50u"/1.27u Ni	RD	NOTE 2
-218							30u"/0.76u Au OVER 50u"/1.27u Ni	RD	
-219							30u"/0.76u GXT WITH GOLD FLASH	RD	
-220						.105/2.67	150u"/3.81u TIN	SQ	
-221						.150/3.81	15u"/0.38u Au OVER 50u"/1.27u Ni	RD	
-222							30u"/0.76u Au OVER 50u"/1.27u Ni	RD	
-223							30u"/0.76u GXT WITH GOLD FLASH	RD	
-224						.150/3.81	150u"/3.81u TIN	SQ	
-225						.675/17.15	15u"/0.38u Au OVER 50u"/1.27u Ni	SQ	
-226							30u"/0.76u Au OVER 50u"/1.27u Ni	SQ	
-227							30u"/0.76u GXT WITH GOLD FLASH	SQ	
-228	2 X 12		1.48/37.6	1.42/36.1	1.100/27.94	.675/17.15	150u"/3.81u TIN	SQ	
-229	2 X 15		1.78/45.2	1.72/43.7	1.400/35.56	.105/2.67	15u"/0.38u Au OVER 50u"/1.27u Ni	RD	
-230							30u"/0.76u Au OVER 50u"/1.27u Ni	RD	
-231							30u"/0.76u GXT WITH GOLD FLASH	RD	
-232						.105/2.67	150u"/3.81u TIN	SQ	
88880-233	2 X 15	D	1.78/45.2	1.72/43.7	1.400/35.56	.150/3.81	15u"/0.38u Au OVER 50u"/1.27u Ni	RD	NOTE 2

mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY		FCI www.fciconnect.com	
ltr	ecn no	dr	date	linear	.XX±.01/X.XX±0.25	projection	title HEADER, QUICKIE, SLIM LINE VERTICAL, 4-WALL		
J					.XXX±.005/X.XXX±0.13		product family QKE. HDR. code		
				angles	.xxx±.0020/X.xxxx±0.051	INCH/MM	size dwg no		
					0° ±2°	scale	A 88880 sheet 6 of		
				dr	M. CLOUSER 7/11/90	1:1			
				enr	M. SMYK 7/11/90				
				chr	M. SMYK 8/21/91				
				appd	M. SMYK 8/21/91				
sheet index	revision sheet								

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire.  
Droits de reproduction FCI.  
Propriete de ©FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.  
Copyright FCI.

PRODUCT NO.	SIZE	STYLE	DIM A	DIM B	DIM C	DIM J	PIN PLATING NOTE 13	PIN TYPE	PLASTIC MATERIAL
NOTE 8 & 9									
88880-234	2 X 15	D	1.78/45.2	1.72/43.7	1.400/35.56	.150/3.81	30u"/0.76u Au OVER 50u"/1.27u Ni	RD	NOTE 2
-235						.150/3.81	30u"/0.76u GXT WITH GOLD FLASH	RD	
-236						.150/3.81	150u"/3.81u TIN	SQ	
-237						.675/17.15	15u"/0.38u Au OVER 50u"/1.27u Ni		
-238							30u"/0.76u Au OVER 50u"/1.27u Ni		
-239							30u"/0.76u GXT WITH GOLD FLASH		
-240	2 X 15		1.78/45.2	1.72/43.7	1.400/35.56	.675/17.15	150u"/3.81u TIN	SQ	
-241	2 X 22		2.48/63.0	2.42/61.5	2.100/53.34	.105/2.67	15u"/0.38u Au OVER 50u"/1.27u Ni	RD	
-242							30u"/0.76u Au OVER 50u"/1.27u Ni	RD	
-243							30u"/0.76u GXT WITH GOLD FLASH	RD	
-244						.105/2.67	150u"/3.81u TIN	SQ	
-245						.150/3.81	15u"/0.38u Au OVER 50u"/1.27u Ni	RD	
-246							30u"/0.76u Au OVER 50u"/1.27u Ni	RD	
-247							30u"/0.76u GXT WITH GOLD FLASH	RD	
-248						.150/3.81	150u"/3.81u TIN	SQ	
-249						.675/17.15	15u"/0.38u Au OVER 50u"/1.27u Ni		
-250							30u"/0.76u Au OVER 50u"/1.27u Ni		
-251							30u"/0.76u GXT WITH GOLD FLASH		
-252	2 X 22		2.48/63.0	2.42/61.5	2.100/53.34	.675/17.15	150u"/3.81u TIN	SQ	
88880-253	2 X 17	D	1.98/50.3	1.92/48.8	1.600/40.64	.105/2.67	15u"/0.38u Au OVER 50u"/1.27u Ni	SQ	NOTE 2
88880-254	UNAVAILABLE								
THRU									
88880-279	UNAVAILABLE								
88880-280	2 X 10	D	1.28/32.5	1.22/31.0	.900/22.86	.105/2.67	150u"/3.81u TIN	SQ	NOTE 2
88880-281	UNAVAILABLE								
THRU									
88880-306	UNAVAILABLE								

mat'l. code				tolerances unless otherwise specified			CUSTOMER COPY		FCI www.fciconnect.com	
ltr	ecn no	dr	date	.XX±.01/X.XX±0.25			projection		title	
J				linear .XXX±.005/X.XXX±0.13			INCH/MM		HEADER, QUICKIE, SLIM LINE	
				.xxx±.0020/X.xxx±0.051			scale		VERTICAL, 4-WALL	
				angles 0° ±2°			1:1		product family QKE. HDR.	
				dr	M. CLOUSER	7/11/90	A		code	
				enr	M. SMYK	7/11/90	88880		sheet	
				chr	M. SMYK	8/21/91			7 of	
				appd	M. SMYK	8/21/91				
sheet index	revision sheet									

Tous droits strictement réservés. Reproduction ou communication o des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire.  
Droits de reproduction FCI.  
Propriété de ©FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.  
Copyright FCI.

PRODUCT NO. NOTE 8 & 9	SIZE	STYLE	DIM A	DIM B	DIM C	DIM J	PIN PLATING NOTE 13	PIN TYPE	PLASTIC MATERIAL
88880-307	2 X 5	A	.78/19.8	.72/18.3	.400/10.16	.097/2.46	30u"/0.76u GXT WITH GOLD FLASH	SQ	NOTE 2
-308	2 X 5	B	.78/19.8	.72/18.3	.400/10.16				
-309	2 X 7	C	.98/24.9	.92/23.4	.600/15.24				
-310	2 X 8	D	1.08/27.4	1.02/25.9	.700/17.78				
-311	2 X 10		1.28/32.5	1.22/31.0	.900/22.86				
-312	2 X 12		1.48/37.6	1.42/36.1	1.100/27.94				
-313	2 X 13		1.58/40.1	1.52/38.6	1.200/30.48				
-314	2 X 15		1.78/45.2	1.72/43.7	1.400/35.56				
-315	2 X 17		1.98/50.3	1.92/48.8	1.600/40.64				
-316	2 X 20		2.28/57.9	2.22/56.4	1.900/48.26				
-317	2 X 22		2.48/63.0	2.42/61.5	2.100/53.34				
-318	2 X 25		2.78/70.6	2.72/69.1	2.400/60.96				
-319	2 X 30		3.28/83.3	3.22/81.8	2.900/73.66	.097/2.46	30u"/0.76u GXT WITH GOLD FLASH		
-320	2 X 8		1.08/27.4	1.02/25.9	.700/17.78	.105/2.67	30u"/0.76u Au OVER 50u"/1.27u Ni		
-321	2 X 25		2.78/70.6	2.72/69.1	2.400/60.96		30u"/0.76u Au OVER 50u"/1.27u Ni		
-322	2 X 8		1.08/27.4	1.02/25.9	.700/17.78		50u"/1.27u Au OVER 50u"/1.27u Ni		
-323	2 X 17		1.98/50.3	1.92/48.8	1.600/40.64	.105/2.67	50u"/1.27u Au OVER 50u"/1.27u Ni		NOTE 2
-324	2 X 25		2.78/70.6	2.72/69.1	2.400/60.96	.120/3.05	15u"/0.38u GXT WITH GOLD FLASH		NOTE 6
-325	2 X 25		2.78/70.6	2.72/69.1	2.400/60.96	.150/3.81	30u"/0.76u GXT WITH GOLD FLASH		NOTE 2
-326	2 X 10		1.28/32.5	1.22/31.0	.900/22.86	.120/3.05	15u"/0.38u GXT WITH GOLD FLASH		NOTE 7
-327	2 X 17		1.98/50.3	1.92/48.8	1.600/40.64	.120/3.05	15u"/0.38u GXT WITH GOLD FLASH		NOTE 7
-328	2 X 25		2.78/70.6	2.72/69.1	2.400/60.96	.120/3.05	15u"/0.38u GXT WITH GOLD FLASH		NOTE 7
-329	2 X 13		1.58/40.1	1.52/38.6	1.200/30.48	.150/3.81	15u"/0.38u Au OVER 50u"/1.27u Ni		NOTE 2
-330	2 X 25		2.78/70.6	2.72/69.1	2.400/60.96		15u"/0.38u Au OVER 50u"/1.27u Ni		
-331	2 X 30		3.28/83.3	3.22/81.8	2.900/73.66		15u"/0.38u Au OVER 50u"/1.27u Ni		
-332	2 X 17		1.98/50.3	1.92/48.8	1.600/40.64		15u"/0.38u Au OVER 50u"/1.27u Ni		
-333	2 X 20		2.28/57.9	2.22/56.4	1.900/48.26	.150/3.81	30u"/0.76u GXT WITH GOLD FLASH	SQ	
-334	2 X 10		1.28/32.5	1.22/31.0	.900/22.86	.105/2.67	15u"/0.38u GXT WITH GOLD FLASH	RD	NOTE 2
-335	2 X 20		2.28/57.9	2.22/56.4	1.900/48.26	.105/2.67	30u"/0.76u GXT WITH GOLD FLASH	RD	NOTE 6
-336	2 X 22	D	2.48/63.0	2.42/61.5	2.100/53.34	.105/2.67	30u"/0.76u GXT WITH GOLD FLASH	RD	NOTE 6
-337	2 X 12	D	1.48/37.6	1.42/36.1	1.100/27.94	.150/3.81	15u"/0.38u Au OVER 50u"/1.27u Ni	SQ	NOTE 2
-338	2 X 5	A	.78/19.8	.72/18.3	.400/10.16	.150/3.81	15u"/0.38u Au OVER 50u"/1.27u Ni	SQ	NOTE 2
-339	2 X 4	A	.68/17.2	.62/15.7	.300/7.62	.105/2.67	15u"/0.38u GXT WITH GOLD FLASH	SQ	NOTE 2
88880-340	2 X 10	D	1.28/32.5	1.22/31.0	.900/22.86	.150/3.81	30u"/0.76u Au OVER 50u"/1.27u Ni	SQ	NOTE 2

mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY		FCI www.fciconnect.com	
ltr	ecn no	dr	date	linear	.XX±.01/X.XX±0.25	projection	title		
J					.XXX±.005/X.XXX±0.13		HEADER, QUICKIE, SLIM LINE		
				angles	.xxx±.0020/X.xxxx±0.051		VERTICAL, 4-WALL		
				dr	0° ±2°	INCH/MM	product family	QKE. HDR.	code
				enr	M. CLOUSER 7/11/90	←	size	dwg no	sheet
				chr	M. SMYK 7/11/90	scale	A	88880	8 of
				appd	M. SMYK 8/21/91	1:1			
sheet index	revision sheet								



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.  
Property of ©FCI  
Copyright FCI.



Tous droits strictement réservés. Reproduction ou communication à des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire.  
Propriété de ©FCI.  
Droits de reproduction FCI.

PRODUCT NO.	SIZE	STYLE	DIM A	DIM B	DIM C	DIM J	PIN PLATING NOTE 13	PIN TYPE	PLASTIC MATERIAL
88880-341	2 X 17	D	1.98/50.3	1.92/48.8	1.600/40.64	.150/3.81	30u"/0.76u Au OVER 50u"/1.27u Ni	SQ	NOTE 2
-342	2 X 10	D	1.28/32.5	1.22/31.0	.900/22.86	.150/3.81	15u"/0.38u GXT WITH GOLD FLASH	SQ	NOTE 2
-343	2 X 17	D	1.98/50.3	1.92/48.8	1.600/40.64	.150/3.81	15u"/0.38u GXT WITH GOLD FLASH	SQ	NOTE 2
-344	U N A S S I G N E D								
-345	2 X 20	D	2.28/57.9	2.22/56.4	1.900/48.26	.120/3.05	15u"/0.38u GXT WITH GOLD FLASH	SQ	NOTE 7
-346	U N A S S I G N E D								
-347	U N A S S I G N E D								
-348	2 X 5	A	.78/19.8	.72/18.3	.400/10.16	.105/2.67	15u"/0.38u GXT WITH GOLD FLASH	SQ	NOTE 2
-349	2 X 7	C	.98/24.9	.92/23.4	.600/15.24				
-350	2 X 8	D	1.08/27.4	1.02/25.9	.700/17.78				
-351	2 X 10		1.28/32.5	1.22/31.0	.900/22.86				
-352	2 X 13		1.58/40.1	1.52/38.6	1.200/30.48				
-353	2 X 17		1.98/50.3	1.92/48.8	1.600/40.64				
-354	2 X 20		2.28/57.9	2.22/56.4	1.900/48.26				
-355	2 X 22		2.48/63.0	2.42/61.5	2.100/53.34				
-356	2 X 25		2.78/70.6	2.72/69.1	2.400/60.96				
-357	2 X 30		3.28/83.3	3.22/81.8	2.900/73.66	.105/2.67	15u"/0.38u GXT WITH GOLD FLASH		
-358	2 X 10		1.28/32.5	1.22/31.0	.900/22.86	.150/3.81	30u"/0.76u Au OVER 50u"/1.27u Ni		
-359	2 X 17		1.98/50.3	1.92/48.8	1.600/40.64	.150/3.81	30u"/0.76u Au OVER 50u"/1.27u Ni		NOTE 2
-360	2 X 12	D	1.48/37.6	1.42/36.1	1.100/27.94	.295/7.49	15u"/0.38u GXT WITH GOLD FLASH	SQ	NOTE 7
-361	U N A S S I G N E D								
-362	2 X 5	A	.78/19.8	.72/18.3	.400/10.16	.105/2.67	30u"/0.76u GXT WITH GOLD FLASH	SQ	NOTE 2
-363	2 X 8	D	1.08/27.4	1.02/25.9	.700/17.78				
-364	2 X 10	D	1.28/32.5	1.22/31.0	.900/22.86				
-365	2 X 15	D	1.78/45.2	1.72/43.7	1.400/35.56				
-366	2 X 17	D	1.98/50.3	1.92/48.8	1.600/40.64	.105/2.67			
-367	2 X 5	A	.78/19.8	.72/18.3	.400/10.16	.150/3.81			
-368	2 X 17	D	1.98/50.3	1.92/48.8	1.600/40.64	.150/3.81			
88880-369	2 X 25	D	2.78/70.6	2.72/69.1	2.400/60.96	.150/3.81	30u"/0.76u GXT WITH GOLD FLASH	SQ	NOTE 2

mat'l. code		tolerances unless otherwise specified		CUSTOMER COPY		FCI www.fciconnect.com	
ltr	ecn no	dr	date	linear	.XX±.01/X.XX±0.25	projection	title
J					.XXX±.005/X.XXX±0.13		HEADER, QUICKIE, SLIM LINE VERTICAL, 4-WALL
				angles	.XXX±.0020/X.XXX±0.051		
				dr	M. CLOUSER 7/11/90		product family QKE. HDR. code size dwg no
				enr	M. SMYK 7/11/90		
				chr	M. SMYK 8/21/91	scale 1:1	A 88880 sheet 9 of
				appd	M. SMYK 8/21/91		
sheet index	revision sheet						



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.  
Property of ©FCI

Tous droits strictement réservés. Reproduction ou communication à des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire.  
Propriété de ©FCI.

PRODUCT NO. NOTE 8 & 9	SIZE	STYLE	DIM A	DIM B	DIM C	DIM J	PIN PLATING NOTE 13	PIN TYPE	PLASTIC MATERIAL	POLARIZED PIN
88880-404	2 X 20	D	2.28/57.9	2.22/56.4	1.900/48.26	.120/3.05	15μ/0.38μm GXT WITH GOLD FLASH	SQ	NOTE 2,BLUE	20
-410	2 X 25		2.78/70.6	2.72/69.1	2.400/60.96					-
-418	2 X 10		1.28/32.5	1.22/31.0	.900/22.86					14
-423	2 X 25		2.78/70.6	2.72/69.1	2.400/60.96					25
-426	2 X 17	D	1.98/50.3	1.92/48.8	1.600/40.64					3
88880-427	2 X 5	A	.78/19.8	.72/18.3	.400/10.16	.120/3.05	15μ/0.38μm GXT WITH GOLD FLASH	SQ	NOTE 2,BLUE	1
88880-428	2 X 5	A	.78/19.8	.72/18.3	.400/10.16	.150/3.81	30μ/0.76μm GXT WITH GOLD FLASH	RD	NOTE 2,BLUE	10

mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY		www.fciconnect.com	
ltr	ecn no	dr	date	linear	.XX±.01/X.XX±0.25	projection	title		
H					.XXX±.005/X.XXX±0.13		HEADER, QUICKIE, SLIM LINE		
				angles	.XXX±.0020/X.XXX±0.051	INCH/MM	VERTICAL, 4-WALL		
				dr	E KROPIEWNICKI 4/26/96	scale	product family	QKE. HDR.	code
				enr	L. FYE 4/26/96	1:1	size	dwg no	sheet
				chr	L. FYE 4/26/96		A	88880	10 of
				appd	L. FYE 4/26/96				
sheet index	revision sheet								

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Headers & Wire Housings](#) category:*

*Click to view products by [Amphenol](#) manufacturer:*

Other Similar products are found below :

[95000-104TRLF](#) [10135584-644402LF](#) [DF62W-EP2022PCA](#) [95000-106TRLF](#) [DF62W-2022SCA](#) [DF62W-EP2022PC](#) [2203348](#) [DF62W-2022SC](#) [1084018](#) [1029039](#) [1084017](#) [802-10-012-10-002000](#) [1112640](#) [1112639](#) [891-007-9SS-BST1T](#) [000-34000](#) [0008550134](#) [0009482033](#) [0009507031](#) [57102-F02-18ULF](#) [57102-S06-03LF](#) [57202-S52-04LF](#) [PCN6-15S-2.5E](#) [0039019024](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [0009508121](#) [0022285053](#) [0050291907](#) [018731A](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#) [60101931](#) [60598-1 \(Cut Strip\)](#) [M1625-3R/100](#) [61062-3](#) [61082-181009](#) [CSU011177004](#) [636-1427](#) [638009-1](#) [641938-9](#) [641991-4](#) [644168-1](#) [644827-2](#) [647662-1](#) [65039-019ELF](#) [65692-001LF](#) [65781-018](#) [65781-047](#)