


267251-1

**I/O Gaskets - "D"**

= 487648


**Product Facts**

- Three thickness styles:
  - die-cut non-woven fabric
  - .040" thick woven fabric around neoprene
  - .070" thick woven fabric around neoprene
- Each style available in D connector shell sizes 1-5 (9,15,25,37,50 position)
- Provides superior Shielding Effectiveness (SE) of 70 dB at between 1 MHz to 18 GHz
- Lightweight
- Recognized under the Component Program of Underwriters Laboratories, Inc. File No. E176362



AMP offers a complete line of standard and custom I/O connector Electromagnetic Shielding Gaskets. I/O gaskets are flat gaskets used to provide a ground contact between a metal connector and the electronic enclosure or mating connector. They insure that the shield remains continuous from the input/output cable to the electronic enclosure.

# I/O Gaskets - "D"



Shell Size	Thickness	Dimensions					Fabric Type	Part Numbers
		A	B	C	D	E		
1	0.012 [0.30]						Non woven	267250-1
	0.040 [1.02]	0.746 [18.95]	1.213 [30.81]	0.984 [24.99]	0.400 [10.16]	0.750 [19.05]	Woven	267251-1
	0.070 [1.78]						Woven	267251-2
2	0.012 [0.30]						Non woven	267250-2
	0.040 [1.02]	1.074 [27.28]	1.541 [39.14]	1.312 [33.32]	0.400 [10.16]	0.750 [19.05]	Woven	267252-1
	0.070 [1.78]						Woven	267252-2
3	0.012 [0.30]						Non woven	267250-3
	0.040 [1.02]	1.614 [41.00]	2.088 [53.04]	1.852 [47.04]	0.400 [10.16]	0.750 [19.05]	Woven	267253-1
	0.070 [1.78]						Woven	267253-2
4	0.012 [0.30]						Non woven	267250-4
	0.040 [1.02]	2.266 [57.56]	2.720 [69.09]	2.500 [63.50]	0.400 [10.16]	0.750 [19.05]	Woven	267254-1
	0.070 [1.78]						Woven	267254-2
5	0.012 [0.30]						Non woven	267250-5
	0.040 [1.02]	2.158 [54.81]	2.63 [66.80]	2.406 [61.11]	0.500 [12.70]	0.850 [21.59]	Woven	267255-1
	0.070 [1.78]						Woven	267255-2

For drawings, technical data or samples, contact your AMP sales engineer or call the AMP Product Information Center: 1-800-522-6752. Dimensions are in inches and millimeters unless otherwise specified. Values in brackets are metric equivalents. Specifications subject to change. Consult AMP for latest specifications.

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [D-Sub Tools & Hardware](#) category:*

*Click to view products by [Api Technologies](#) manufacturer:*

Other Similar products are found below :

[173112-0667](#) [173112-0759](#) [173112-0967](#) [173112-0291](#) [173112-0456](#) [000-01-09-132](#) [000-01-21-132](#) [000-01-31-162](#) [572019-00105-70](#)  
[000-01-37-162](#) [621-250-113-115](#) [D20418-2R](#) [D20418-J3F](#) [70521CLF](#) [70524BLF](#) [70527BLF](#) [70527CLF](#) [F1042-1PLAH](#) [750643-1](#) [780-010-06G4-00C](#) [780-518-50SG6-WS](#) [863004ATLF](#) [86552009](#) [86553115TLF](#) [86553117TLF](#) [86553156LF](#) [FSGK1/5](#) [980-8554-000](#) [980-8555-000](#)  
[980-8557-000](#) [980-8558-000](#) [1230032-1](#) [1-5021101-2](#) [15-000050](#) [1589283-4](#) [160-000-005R031](#) [16-000230](#) [160-020-109R000](#) [160-025-004R031](#) [160-015-003R031](#) [160-020-209R000](#) [160X10909X](#) [164C03939A](#) [177-505-A-2-2](#) [177-505-C-4-4](#) [179-013-1H](#) [1-966830-8](#) [21018-621028-3](#) [213622-5](#)