

WHITE

www.mkelectric.co.uk

Steel Boxes

16mm
PLASTERDEPTH
FLUSH



3995 ZIC
FOR 1, 2 AND
3 GANG
PLATESWITCHES

10

With earth terminal and
adjustable lug
DIMENSIONS:
72 x 72mm
FIXING CENTRES:
60.3mm
BS.4662: 1970

25mm
FLUSH



861 ZIC
1 GANG
ONE ADJUSTABLE LUG

10

862 ZIC
2 GANG
ONE ADJUSTABLE LUG

5

With earth terminal, and
adjustable lug
DIMENSIONS:
1 gang: 75 x 75mm
2 gang: 75 x 135mm
FIXING CENTRES:
1 gang: 60.3mm
2 gang: 120.6mm
KNOCKOUTS:
1 gang: 12 x 20mm
2 gang: 16 x 20mm
BS.4662: 1970

25mm
FLUSH



K863
FOR 3 GANG
K2737 LOGIC PLUS
SWITCHSOCKET

5

Fitted with two earth terminals.
Two adjustable lugs.
DIMENSIONS: 203 x 75mm
FIXING CENTRES: 180.9mm
KNOCKOUTS:
20 x 20mm
BS.5733: 1995

35mm
47mm
FLUSH



K14201
35mm FOR EDGE IN-LINE
COMBINATION PLATE K14200

1

K14202
47mm FOR EDGE IN-LINE
COMBINATION PLATE K14200

1

Fitted with two earth terminals.
Two adjustable lugs.
DIMENSIONS: 430 x 75mm
FIXING CENTRES: 417.4mm
KNOCKOUTS:
35mm Middle Box: 6 x 20mm, 2 x 25mm
35mm End Boxes: 15 x 20mm, 5 x 25mm
47mm Middle Box: 4 x 20mm, 4 x 25mm
47mm End Boxes: 10 x 20mm, 10 x 25mm
BS.5733: 1995

K14206
35mm FOR EDGE IN-LINE
COMBINATION PLATE K14205

1

K14207
47mm FOR EDGE IN-LINE
COMBINATION PLATE K14205

1

Fitted with two earth terminals.
Two adjustable lugs.
DIMENSIONS: 392 x 75mm
FIXING CENTRES: 382.5mm
KNOCKOUTS:
35mm Left 2G Box: 7 x 20mm, 3 x 25mm
35mm Middle Boxes: 4 x 20mm
35mm Right Box: 6 x 20mm
47mm Left 2G Box: 4 x 20mm, 6 x 25mm
47mm Middle Boxes: 2 x 20mm, 1 x 25mm
47mm Right Box: 4 x 20mm, 1 x 25mm
BS.5733: 1995

Flush and surface mounted metal boxes and frames, surface PVC and moulded urea boxes, frames and accessories.

All MK flush metal boxes are manufactured from superior materials and are fitted with earth terminals, an adjustable lug for out of square alignment and include more than an adequate number of knockouts.

Steel Boxes

35mm
FLUSH

46mm
47mm
FLUSH



866 ZIC
1 GANG
ONE ADJUSTABLE LUG

10

886 ZIC
2 GANG
ONE ADJUSTABLE LUG

5

DIMENSIONS:
1 gang: 75 x 75mm
2 gang: 75 x 135mm
FIXING CENTRES:
1 gang: 60.3mm
2 gang: 120.6mm
KNOCKOUTS:
1 gang: 11 x 20mm
2 gang: 12 x 20mm
3 x 25mm
BS.4662: 1970

877 ZIC
1 GANG
46MM DEEP

10

878 ZIC
2 GANG
47MM DEEP
ONE ADJUSTABLE LUG

5

DIMENSIONS:
1 gang: 75 x 75mm
2 gang: 75 x 135mm
FIXING CENTRES:
1 gang: 60.3mm
2 gang: 120.6mm
KNOCKOUTS:
877: 1 x 25mm
9 x 20mm
878: 6 x 25mm
10 x 20mm
BS.4662: 1970



MOUNTING BOX ACCESSORIES see page 58

TECHNICAL HOTLINE +44 (0)1268 563720

WHITE

35mm
47mm
FLUSH

41mm
SURFACE FOR USE WITH LOGIC PLUS



K14101 1
35mm FOR EDGE STACKED
COMBINATION PLATE K14100

K14102 1
47mm FOR EDGE STACKED
COMBINATION PLATE K14100

Fitted with two earth terminals.
Two adjustable lugs.
DIMENSIONS: 279.6 x 159.5mm
FIXING CENTRES: 268.2mm / 87.3mm
KNOCKOUTS: 35mm 18 x 20mm, 6 x 25mm
47mm 12 x 20mm, 12 x 25mm
BS.5733: 1995

K2211 ALM 5
1 GANG
WITHOUT KNOCKOUTS

K2212 ALM 5
2 GANG
WITHOUT KNOCKOUTS

All boxes are fitted with an earth terminal.
DIMENSIONS:
1 gang: 86 x 86mm
2 gang: 86 x 146mm
FIXING CENTRES:
1 gang: 60.3mm
2 gang: 120.6mm
BS.5733: 1995

K2213 ALM 5
1 GANG
5 X 20MM KNOCKOUTS

K2214 ALM 5
2 GANG
7 X 20MM KNOCKOUTS

2211 ALM 5
1 GANG
WITHOUT KNOCKOUTS

2212 ALM 5
2 GANG
WITHOUT KNOCKOUTS

All boxes are fitted with an earth terminal.
DIMENSIONS:
1 gang: 86 x 86mm
2 gang: 86 x 146mm
FIXING CENTRES:
1 gang: 60.3mm
2 gang: 120.6mm
BS.5733: 1995

2213 ALM 5
1 GANG
5 X 20MM KNOCKOUTS

2214 ALM 5
2 GANG
7 X 20MM KNOCKOUTS

41mm
SURFACE

48mm
SURFACE

55mm
FLUSH

65mm
SURFACE

40mm
SPARE BOXES



2001 ALM 5
1 GANG
WITHOUT KNOCKOUTS

2002 ALM 5
2 GANG
WITHOUT KNOCKOUTS

All boxes are fitted with an earth terminal.
DIMENSIONS:
1 gang: 86 x 86mm
2 gang: 86 x 146mm
FIXING CENTRES:
1 gang: 60.3mm
2 gang: 120.6mm
BS.5733: 1995

2003 ALM 5
1 GANG
5 X 20MM KNOCKOUTS

2004 ALM 5
2 GANG
7 X 20MM KNOCKOUTS

K5400 WHI 1
2 GANG
4 X 20MM KNOCKOUTS
4 X 25MM KNOCKOUTS

DIMENSIONS:
86 x 146mm
FIXING CENTRES:
120.6mm
BS.5733: 1995

5120 ALM 1
FOR FLUSH
COOKER CONTROL UNIT
K5011 WHI

Fitted with two earth terminals.
DIMENSIONS:
152 x 140 x 55mm
KNOCKOUTS: 5 x 25mm.
Two in each of the top & bottom, one in the back.
BS.4177: 1992

5268 ALM 1
FOR 32 AMP
TP & N SWITCHES
5114 WHI

Fitted with 2 earth terminals
DIMENSIONS:
178 x 114 x 65mm
KNOCKOUTS:
5 x 25mm.
Two in each of the top and bottom, one in the back.
BS.5733: 1995

K829 ALM 10
1 GANG
WITHOUT KNOCKOUTS

K830 ALM 5
2 GANG
WITHOUT KNOCKOUTS

K899 ALM 10
1 GANG
5 X 20MM KNOCKOUTS


K897 ALM 5
2 GANG
8 X 20MM KNOCKOUTS

Spares or replacements for the surface Metalclad Plus range. All boxes are fitted with an earth terminal.
BS.5733: 1995

WHITE

www.mkelectric.co.uk

Steel Boxes

ARCHITRAVE
FLUSH**3921 ZIC**


1 GANG

10**3922 ZIC**

2 GANG

5DUAL
FLUSH**887 ZIC**

DUAL BOX

5**888 ZIC**DIVIDING SCREEN
FOR DUAL BOX**10**Metal
Frames For
Panel
Mounting**K2200**

1 GANG

10**K2202**

2 GANG

5

PVC Boxes

19mm
SURFACE**2120 WHI**FOR 1, 2 AND
3 GANG
PLATESWITCHES**10**32mm
SURFACE**2180 WHI**

1 GANG

10**2181 WHI**

1 GANG

10**2182 WHI**

2 GANG

5**2183 WHI**

2 GANG

5

DIMENSIONS:

1 gang: 75 x 27 x 27mm
2 gang: 136 x 27 x 27mmFIXING CENTRES:
1 gang: 60.3mm
2 gang: 120.6mm

KNOCKOUTS:

1 gang: 3 x 16mm
2 gang: 4 x 16mm

BS.4662: 1970

Dual box 887 ZIC will accept any two flush accessories with 86mm square plates and two M3.5 fixing holes on 60.3mm centres.

DIMENSIONS:

75 x 161 x 35mm

KNOCKOUTS: 16 x 20mm

BS.4662: 1970

FIXING CENTRES:

1 gang: 60.3mm
2 gang: 120.6mm

BS.5733: 1995

With earth terminal

DIMENSIONS: 87 x 87mm

FIXING CENTRES: 60.3mm

KNOCKOUTS 'Cut-out' provided in top and bottom for 16mm oval PVC conduit. 20mm round 'push-out' type knockout in base for cable entry. Fixing holes are also provided for mounting to wall or over BS.4568 Pt. 2 small circular boxes. BS.5733: 1995

DIMENSIONS: 87 x 87mm

FIXING CENTRES: 60.3mm

KNOCKOUTS:

2180: One 'push-out' for 20mm oval conduit in top, one 'cut-out' for 20mm or 25mm oval conduit and one 20mm round 'push-out' in the base.**2181:** One 'push-out' for 20mm round conduit in top and one 20mm round 'push-out' in base. BS.5733: 1995

DIMENSIONS: 87 x 148mm

FIXING CENTRES: 120.6mm

KNOCKOUTS:

2182: Two 'push-outs' for 20mm oval conduit in top, two 'cut-outs' for 20mm or 25mm oval conduit and one 20mm round 'push-out' in base**2183:** One 'push-out' for 20mm round conduit in top and one 20mm round 'push-out' in base. BS.5733: 1995Blank
Plates

METALCLAD PLUS

**K3390 ALM**FOR 1 GANG
SURFACE BOXES
K899 & K829**5****K3369 ALM**FOR 2 GANG
SURFACE BOXES
K830 & K897**5**

DIMENSIONS:

K3390: 86 x 86mm
K3369: 86 x 147mm

FIXING CENTRES:

K3390: 60.3mm
K3369: 120.6mm

BS.5733: 1995

3390 ALMFOR 1 GANG SURFACE
BOXES 899 & 829**10****3370 ALM**FOR 1 GANG SURFACE
BOXES 891 & 821**10****3369 ALM**FOR 2 GANG SURFACE
BOXES 892 & 822**5**

DIMENSIONS:

3390: 81 x 81mm
3370: 76 x 76mm
3369: 76 x 136mm

FIXING CENTRES:

1 gang: 60.3mm
2 gang: 120.6mm

PVC Boxes

32mm
SURFACE**K2181 WHI**

FOR 1 GANG LOGIC PLUS POWER ACCESSORIES

10**K2183 WHI**

FOR 2 GANG LOGIC PLUS POWER ACCESSORIES

5**K2185 WHI**

FOR 3 GANG LOGIC PLUS POWER ACCESSORIES

5

KNOCKOUTS:

K2181: One 'cut-out' for 20mm round conduit in top face, one 'cut-out' for 20mm or 25mm oval conduit in lower face and one 20mm round 'push-out' in the base.**K2183 and K2185:** One 'cut-out' for 20mm round conduit in top face, two 'cut-outs' for 20mm or 25mm oval conduit in lower face and one 20mm round 'push-out' in the base. Both boxes are suitable for fitting over 1 gang and 2 gang BS.4662 flush steel boxes respectively

DIMENSIONS:

1 gang: 87 x 87mm
2 gang: 87 x 148mm
3 gang: 87 x 208mm

FIXING CENTRES:

1 gang: 60.3mm
2 gang: 120.6mm
3 gang: 180.9mmBS.4662: 1970
where applicableGuardian
Socket
Cover**GWR/1**

1 GANG

1

Accessories not supplied with unit.

FIXING CENTRES:
60.3mm

TECHNICAL HOTLINE +44 (0)1268 563720

WHITE

Moulded Boxes

**ARCHITRAVE
SURFACE**



K2151 WHI 10
1 GANG
ARCHITRAVE BOX

K2152 WHI 5
2 GANG
ARCHITRAVE BOX

Earth terminal fitted in base of boxes.

DIMENSIONS:
1 gang: 87 x 33 x 16mm
2 gang: 148 x 33 x 16mm
FIXING CENTRES:
1 gang: 60.3mm
2 gang: 120.6mm
BS.5733: 1995

**16mm
SURFACE**



K2160 WHI 10
FOR 1, 2 AND
3 GANG LOGIC PLUS
PLATESWITCHES

K2161 WHI 5
FOR 4 AND 6 GANG
LOGIC PLUS
PLATESWITCHES

Earth terminal fitted in base of boxes. Knockouts provided in sides and bases.

DIMENSIONS:
1 gang: 87 x 87mm
2 gang: 87 x 148mm
FIXING CENTRES:
1 gang: 60.3mm
2 gang: 120.6mm
BS.5733: 1995

**30mm
SURFACE**



K2140 WHI 10
FOR 1 GANG
LOGIC PLUS
POWER ACCESSORIES

K2142 WHI 5
FOR 2 GANG
LOGIC PLUS
POWER ACCESSORIES

Knockouts in base and sides for cable entry

K2142 and K2153 are suitable for fitting over 1 gang and 2 gang BS.4662 flush steel boxes respectively

K2153 WHI 5
FOR 3 GANG
LOGIC PLUS
POWER ACCESSORIES

DIMENSIONS:
1 gang: 87 x 87mm
2 gang: 87 x 148mm
3 gang: 87 x 208mm
FIXING CENTRES:
1 gang: 60.3mm
2 gang: 120.6mm
3 gang: 180.9mm
BS.5733: 1995

**32mm
SURFACE**



2140 WHI 10
FOR 1 GANG
POWER ACCESSORIES
SQUARE CORNERS

Knockouts are provided in base and sides for cable entry

DIMENSIONS:
1 gang: 87 x 87mm
2 gang: 87 x 148mm
FIXING CENTRES:
1 gang: 60.3mm
2 gang: 120.6mm
BS.5733: 1995

**44mm
SURFACE**



2031 WHI 10
FOR 1 GANG
POWER ACCESSORIES

Knockouts in base and sides for cable entry.

DIMENSIONS:
87 x 87mm
FIXING CENTRES:
60.3mm
BS.5733: 1995

Moulded Boxes

**DRY LINING
35mm
FLUSH**



QFB/1 WHI 20
1 GANG

QFB/2 WHI 10
2 GANG

All round flange for flush fit. One piece moulded lug automatically snaps into place. No rear projections. Clamp device on cable entry. Will accommodate partition thicknesses between 6mm and 16mm. Earth terminal facility.
BS.4662: 1970 where applicable

**MI CABLE BOXES
37mm
SURFACE**



K2131 WHI 5
1 GANG
10 CLAMPS

K2132 WHI 5
2 GANG
12 CLAMPS

Clamps accept 20mm sealing pots.
DIMENSIONS:
1 gang: 92 x 92mm
2 gang: 92 x 152mm
FIXING CENTRES:
1 gang: 60.3mm
2 gang: 120.6mm
BS.5733: 1995

**DUAL BOX
38mm
SURFACE**



K2025 WHI 5
FOR MOUNTING
TWO X 1 GANG
LOGIC PLUS
ACCESSORIES

This box has two slots in base with 60.3mm and 120.6mm fixing centres for fitting over BS.4226 flush boxes. Knockouts provided for cable entry.
Includes integral dividing fillet.
DIMENSIONS: 86 x 172 mm
BS.5733: 1995

**40mm
SURFACE**



K2031 WHI 10
FOR 1 GANG
LOGIC PLUS
POWER ACCESSORIES

K2172 WHI 5
FOR 2 GANG
LOGIC PLUS 45 AMP
DP SWITCHES

Knockouts provided in sides and base.
K2172: Earth terminal fitted in base of box.
DIMENSIONS:
K2031: 87 x 87mm
K2172: 87 x 148mm
FIXING CENTRES:
K2031: 60.3mm
K2172: 120.6mm
BS.5733: 1995

**FLANGE BOXES
45mm
FLUSH**




K2061 WHI 5
1 GANG

K2062 WHI 5
2 GANG

DIMENSIONS:
K2061: 88 x 88mm
K2062: 88 x 148mm
FIXING CENTRES:
K2061: 60.3mm
K2062: 120.6mm
BS.5733: 1995

Mounting Frames For Trunking



K2133 WHI 10
2 GANG 20MM DEEP
FOR LOGIC PLUS
ACCESSORIES

K2134 WHI 10
1 GANG 20MM DEEP
FOR LOGIC PLUS
ACCESSORIES

FIXING CENTRES:
1 gang: 60.3mm
2 gang: 120.6mm
BS.5733: 1995

WHITE

www.mkelectric.co.uk

LOGIC PLUS ACCESSORIES/BOX COMPATIBILITY CHART

SURFACE MOUNTING	Depth: (mm)								55
	16 Moulded	30 Moulded	32* PVC	38 Moulded	40 Moulded	41 Steel	41* Steel	48* Steel	
Moulded									
1 gang Sockets (13A)		K2140	K2181	K2025	K2031	K2211 ALM	K2213 ALM		
2 gang Sockets		K2142	K2183		K2172	K2212 ALM	K2214 ALM	K5400	
3 gang Sockets		K2153	K2185						
RCD Sockets					K2172	K2212 ALM	K2214 ALM	K5400	
Filtered Sockets					K2172	K2212 ALM	K2214 ALM	K5400	
Connection Units		K2140	K2181	K2025	K2031	K2211 ALM	K2213 ALM		
20A DP Switches		K2140	K2181	K2025	K2031	K2211 ALM	K2213 ALM		
K5105 32A DP Switch		K2140	K2181	K2025	K2031	K2211 ALM	K2213 ALM		
K5205, K5215 (CK & SH)					K2172	K2212 ALM	K2214 ALM		
K5230								K5400	
K5060, K5061					K2212	K2214 ALM		K5400	
K5040, K5041									
K5001									
K700		K2140	K2181	K2025		K2211 ALM	K2213 ALM		
K701					K2172				
1, 2 & 3 gang Switches	K2160	K2140	K2181	K2025	K2031	K2211 ALM	K2213 ALM		
4 & 6 gang Switches	K2161	K2142	K2183		K2172	K2212 ALM	K2214 ALM	K5400	
1 gang Architrave Switch	K2151								
2 gang Architrave Switch	K2152								
Dimmers using Pattress									
K1501, K1511, K1531, K1532	K2160								
K1521, K1534, K1533, K1535	K2160								
Dimmers not using Pattress									
K1501, K1511, K1531, K1532		K2140	K2181	K2025	K2031				
K1521, K1534, K1533, K1535		K2140	K2181	K2025		K2211 ALM	K2213 ALM		
K191 & K192		K2140	K2181	K2025		K2211 ALM	K2213 ALM		
K193 & K194		K2142	K2183			K2212 ALM	K2214 ALM	K5400	
Data/Telecom Plates	K2160	K2140	K2181	K2025		K2211 ALM	K2213 ALM		

FLUSH MOUNTING	Depth: (mm)							
	16	25*	27*	35*	45	46*	47*	55
1 gang Sockets (13A)		861 ZIC		866 ZIC	K2061	877 ZIC		
2 gang Sockets		862 ZIC		886 ZIC	K2062		878 ZIC	
3 gang Sockets		K863						
RCD Sockets				886 ZIC	K2062		878 ZIC	
Filtered Sockets				886 ZIC	K2062		878 ZIC	
Connection Units				866 ZIC	K2061	877 ZIC		
20A DP Switches				866 ZIC	K2061	877 ZIC		
K5105 32A DP Switch				866 ZIC		877 ZIC		
K5205, K5215 (CK & SH)				886 ZIC	K2062		878 ZIC	
K5012								K5120 ALM
K5045					K2061	877 ZIC		
K5060, K5061				886 ZIC	K2061		878 ZIC	
K5011								K5120 ALM
K700		861 ZIC		866 ZIC	K2061	877 ZIC		
K701							878 ZIC	
1, 2 & 3 gang Switches	3995 ZIC	861 ZIC		866 ZIC	K2061	877 ZIC		
4 & 6 gang Switches		862 ZIC		886 ZIC	K2062			
1 gang Architrave Switch			3921 ZIC					
2 gang Architrave Switch			3922 ZIC					
Dimmers using Pattress								
K1501, K1511, K1531, K1532	3995 ZIC							
K1521, K1534, K1533, K1535	3995 ZIC						878 ZIC	
Dimmers not using Pattress								
K1501, K1511, K1531, K1532		861 ZIC		866 ZIC	K2061	877 ZIC		
K1521, K1534, K1533, K1535		861 ZIC			K2062	877 ZIC		
K191 & K192		861 ZIC		866 ZIC	K2061	877 ZIC		
K193 & K194		862 ZIC		886 ZIC	K2062		878 ZIC	
Data/Telecom Plates		861 ZIC		866 ZIC	K2061	877 ZIC		

 Box supplied with accessory

 Dependent upon modules used

* With conduit entry knockouts

NOTE: the size of cable should be taken into consideration when choosing box depth

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [mk manufacturer](#):

Other Similar products are found below :

[K3703](#) [K3520WHI](#) [MKEV016GIB-OY500](#) [K14182 BSS](#) [K9133BLU](#) [866ZIC](#) [K3828WHI](#) [K9201BLU](#) [K4878PWHI](#) [K9015 RED](#)
[K9014BLU](#) [K2142WHI](#) [MKSDSOCKET-Pinboard V1](#) [K182WHI](#) [K9033BLU](#) [K3827WHI](#) [VTS/7035 WHI](#) [K9001BLU](#) [K9701BLU](#)
[K2172WHI](#) [VTS/6035 WHI](#) [K850ALM](#) [MKRD3B25616HG13AB](#) [MKSD-Pinboard](#) [MKEV008GCB-SS510](#) [MKDV1GIL-AS](#) [MKDV2GIL-AS](#) [MKDV8GIL-AS](#) [MKDV4GIL-AS](#)