

ÖLFON® PTFE

FIO Catalogue Description: **Lapp Olflon PTFE High Temperature Cables**

ÖLFON® PTFE are heat resistant insulated wires for use for wiring and connections in switch cabinets. Additional to the excellent mechanical and physical properties ÖLFON® PTFE single cores are marked through excellent electrical values, excellent oil-, weathering resistance and UV protection, high elongation and tensile strength and not flammable. ÖLFON® PTFE are resistant against water, acids, caustics solutions, synthetic liquids and oils.

Design

Conductor	silver plated copper, fine wire strand
Design	in support to MIL-W 16878/4A: Type E MIL-W 16878/5A: Type EE
Core insulation	PTFE compound 5YI1 in accordance to VDE 0207 part 6

Electrical properties at 20°C

Nominal voltage	Typ E:	600 V
	Typ EE:	1000 V
Test voltage	Typ E:	3400 V

Mechanical and thermal properties

Temp. range	-190°C up to +260°C max. conductor temperature Short time: +300°C
Min. bending radius	10 x cable diameter
Flame retardant	in acc. to IEC 60 332.1 resp. VDE 0482 part 265-2-1
Tests	in acc. to VDE 0472 and IEC 811-x.x that is VDE 0473
EC directive	This cable confirms to ECD 73/23/EEC (low voltage directive).

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Specialised Cables category](#):

Click to view products by [Lapp Kabel manufacturer](#):

Other Similar products are found below :

[GP-IE515546DS-002](#) [96CB-L2020PIB2](#) [1200740161](#) [R88ACAKA0015SRE](#) [R88ACAWL005SDE](#) [1300660042](#) [1300660201](#) [1971465-2](#)
[22733-8](#) [2R7004A20F060](#) [SSL009PC2DC012N](#) [FC2A-KC6C](#) [CCSFCBF2](#) [R7ACAB005S](#) [XS2WM12PUR4SA10M](#)
[XS2WM12PVC4SA10M](#) [05AU05](#) [UCABLE](#) [10114734-2010LF](#) [XW2Z010H3](#) [XW2Z010H1](#) [5-1589827-8](#) [5-1589827-4](#) [861084-1](#)
[XW2Z200JB24](#) [5-1589956-8](#) [CR4000A76M020](#) [1201140211](#) [1300140039](#) [CR4000A76M005](#) [CR4006A76M005](#) [10077488-N0550FDLF](#)
[XW2ZRY150C](#) [I4JPBJLUXX100](#) [I4JPBJLUXX50](#) [CM06](#) [CM06W](#) [POE004](#) [0243 009 05](#) [0243 009 20](#) [0243 009 36](#) [0243 009 26](#) [0243 009](#)
[23](#) [0243 009 01](#) [0243 009 30](#) [0243 008 05](#) [0243 008 20](#) [0243 008 36](#) [0243 008 23](#) [0243 008 01](#)