



Overview

Countersunk Head 60 Screws - PoziDriv®

Three-lobed threadform

Imperial dimensions

Materials and Finishes

Hardened steel/Zinc & clear de-embrittled

Stainless Steel/Self colour

Please note: Not all sizes stated are available from stock, please enquire for availability.

Note: Due to the fact that fastening applications differ greatly, the below information is for guidance only and is correct to the best of our knowledge. The customer must satisfy themselves with the performance of the fastener and validity of the data. TR Fastenings will not be held responsible for any failure that may occur from the use of this information

Dimension Data

Size	No.2 (28)	No.4 (20)	No.6 (19)	No.8 (16)	No.10 (14)
D dia	0.089	0.123	0.143	0.179	0.208
C dia	0.092	0.127	0.147	0.185	0.212
d1	0.172	0.225	0.279	0.332	0.385
K	0.051	0.067	0.083	0.1	0.116
Recess No.	1	1	2	2	2

C dimension measured with a tri-fluted micrometer

D diameter measured with a standard micrometer

Values in () denote threads per inch

Stainless Steel - all sizes non-preferred - Please enquire for availability

Part number	Finish	Length	Material	Thread
W/N6/0.375/KRST60/TC1D	Zinc Trivalent Clear De-embrittled	9.5mm (3/8")	Steel	3.5mm (No.6)

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [tr fastenings manufacturer](#):

Other Similar products are found below :

[3.030PRST30TC1D](#) [5.020PRST30TC1D](#) [N80.750 PRA2ABS100-](#) [M840 KHHTMCS50-](#) [M830 SOHTCSZ50-](#) [M660 SOHTCSS100-](#) [M620 SOHTCSS100-](#) [M612 KHHTMCZ50-](#) [M610 HHA2SCS100-](#) [M620 KHA2MCS50-](#) [M540 PSSTMCZ100-](#) [M516 PSSTMCZ100-](#) [M525 SOHTCSZ100-](#) [M520 PSSTMCZ100-](#) [M510 KHHTMCZ50-](#) [M4- FABRWAN100-](#) [M440 SOA2CSS50-](#) [M430 SOHTCSZ100-](#) [M3- DNST-Z100-](#) [M26 HSHTPCS25-](#) [M1025 SOHTCSZ50-](#) [TRRLCBSR-7-01](#) [TRLCBS-8-01](#) [M46PTSTMCZ100-](#) [M412PSSTM CB100-](#) [M6 40 HH88BL Z100](#) [M4 25 M4A2MC S50 BUT T20](#) [M6 16 M4A2MC S50 BUT T30](#) [H0.250 25 M4STPB SF T25](#) [H0.250 M7STPB SF HEX 4.0 W/M8/REDE/OE/ST/KG](#) [W/M6/REDE/OE/ST/PG](#) [W/M5/FLG/CE/ST/KG](#) [N61.250 PRA2ABS100-](#) [M8 8 HSHTKC SF -](#) [N81.250 PRA2ABS100-](#) [TRFAKIT0009](#) [M830 SOHTCSS100-](#) [M820 SOHTCSS100-](#) [M6- N5A4-S50-](#) [M680 SOHTCSS100-](#) [M6- DNST-Z100-](#) [M620 PRSTM CB100-](#) [M550 PSSTMCZ100-](#) [M516 PRA2MCS100-](#) [M512 BHHTMCS100-](#) [M530 SOHTCSZ100-](#) [M520 HHHTSCZ100-](#) [M4- DNST-Z100-](#) [M425 PSSTMCZ100-](#)