

Crimping tools

PZ 4 • PZ 6/5 Crimping tools for ferrules

- Ferrule insertion from the side
- Ratchet for precise crimping
- Ratchet release option in case of incorrect operation



PZ 4

Crimping tool for ferrules according to DIN 46228 part 1 and 4 with and without plastic collars from 0.5...4 mm² (~ AWG 20...12)

- Only one crimping profile for the entire cross-section range



PZ 6/5

Crimping tool for ferrules according to DIN 46228 part 1 and 4 with and without plastic collars from 0.25...6 mm² (~ AWG 24...10)

- Crimp conforms to EN 60947-1
- Five crimping profiles for the rated conductor cross-sections
- Registration in accordance with VG 95211 (Military designation VG 95236 T 14 A 0001)

PZ 3 Crimping tool for ferrules



PZ 3

Crimping tool for ferrules according to DIN 46228 part 1 and 4 with and without plastic collars from 0.5...6 mm² (~ AWG 20...10)

- Ratchet for precise crimping
- Ratchet release option in case of incorrect operation
- Only one profile for entire wire range
- Ferrule insertion from the front

Technical data	
Length	200 mm
Weight	448 g

Ordering data	
Type	Cat. No.
PZ 4	9012500000

Accessories	
Ferrules see pages 74 - 79	

Technical data	
Length	200 mm
Weight	423 g


Ordering data	
Type	Cat. No.
PZ 6/5	9011460000

Accessories	
Ferrules see pages 74 - 79	


Technical data	
Length	200 mm
Weight	426 g

Ordering data	
Type	Cat. No.
PZ 3	0567300000

Accessories	
Ferrules see pages 74 - 79	



PZ 6 roto
Crimping tools
for ferrules



PZ 16 • PZ ZH 16
Crimping tools for ferrules

- Ratchet for precise crimping
- Ratchet release option in case of incorrect operation
- Ferrule insertion from the side



PZ 6 roto

Crimping tool for ferrules according to DIN 46228 parts 1 and 4 with and without plastic collars from 0.14 ... 6 mm² (~ AWG 26 ... 10)

- Ratchet for precise crimping
- Ratchet release option in case of incorrect operation
- Only one profile for entire wire range
- Rotatable crimp die for ferrule insertion from the front or the side



PZ 16

Crimping tool for ferrules according to DIN 46228 parts 1 and 4 with and without plastic collars from 6...16 mm² (~ AWG 10 ... 6)

- Three crimping profiles for rated conductor cross-sections
- Crimp conforms to EN 60947-1
- Registration in accordance with VG 95211 (Military designation VG 95236 T 14 B 002)



PZ ZH 16

Crimping tool for twin ferrules (requirement similar to DIN 46228 T.4) with plastic collars from 6...16 mm² (~AWG 10 ... 6)

- Three crimping profiles for rated conductor cross-sections
- Crimp conforms to EN 60947-1

Technical data	
Length	200 mm
Weight	428 g

Ordering data	
Type	Cat. No.
PZ 6 roto	9014350000

Accessories	
Ferrules see pages 74 - 79	

Technical data	
Length	200 mm
Weight	418 g

Ordering data	
Type	Cat. No.
PZ 16	9012600000

Accessories	
Ferrules see pages 74 - 79	

Technical data	
Length	260 mm
Weight	700 g

Ordering data	
Type	Cat. No.
PZ ZH 16	9013600000

Accessories	
Ferrules see pages 74 - 79	

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [weidmuller](#) manufacturer:

Other Similar products are found below :

[56956](#) [0133660000](#) [68676](#) [69718](#) [EXO24CH](#) [7940000218](#) [8005181001](#) [8008180000](#) [8432240000](#) [8463580000](#) [8545830000](#) [8689870000](#)
[8705640000](#) [9001080000](#) [9003720000](#) [9004250000](#) [9004780000](#) [9013260000](#) [9014100000](#) [9019040000](#) [9026010000](#) [9028630000](#) [903708](#)
[9037350000](#) [9046290000](#) [9129643500](#) [913155](#) [919656](#) [919764](#) [9202230000](#) [9202850000](#) [9204260000](#) [9456750000](#) [9457913000](#) [980811](#)
[980826](#) [9912800003](#) [9916080000](#) [9916280012](#) [9918380000](#) [9919371224](#) [9925710000](#) [9926252005](#) [9927480024](#) [1166660000](#) [11751](#)
[1222550000](#) [ACT20X-2HDI-2SDO-RNC-S](#) [ACT20X-HUI-SAO-S](#) [ACT20X-SAI-HAO-S](#)