



## Features:

- Flexible
- Wrap around - side entry
- Zero halogen
- High resistance to abrasion
- Fluid and chemical resistant
- Operating temperature : -50°C to 150°C
- Tensile strength : 650 N / m<sup>2</sup>
- Flammability : ASTM D 2671

Retrofit is a woven PET wrap around sleeve designed for protecting wire harnesses and cables. The spring wrap action enables application after termination of wires and cables. Installation is efficient as breakouts are quickly produced during harnesses building

## Specification Table

Description	Nominal Inner Diameter (mm)	Length (m)	Part Number
Braid, Retrofit, Black, 5 mm, 100 m	5	100	KPT WRAP 5MM BLK
Braid, Retrofit, Black, 10 mm, 100 m	10		KPT WRAP 10MM BLK
Braid, Retrofit, Black, 13 mm, 50 m	13	50	KPT WRAP 13MM BLK
Braid, Retrofit, Black, 19 mm, 25 m	19	50	KPT WRAP 19MM BLK
Braid, Retrofit, Black, 25 mm, 25 m	25		KPT WRAP 25MM BLK
Braid, Retrofit, Black, 30 mm, 25 m	30		KPT WRAP 30MM BLK
Braid, Retrofit, Black, 38 mm, 25 m	38		KPT WRAP 38MM BLK
Braid, Retrofit, Black, 50 mm, 25 m	50		KPT WRAP 50MM BLK

**Important Notice :** This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Pro-POWER is the registered trademark of the Group. © Premier Farnell plc 2012.

# X-ON Electronics

Authorized Distributor

*Click to view similar products for [Wire Identification](#) category.*

*Click to view products by [Pro Power](#) manufacturer.*

Other Similar products are found below :

[PCM39](#) [M200X042FPT](#) [M200X042UPT](#) [M200X050ACT](#) [M200X050AGT](#)

[M200X080FQT](#) [M200X080UPT](#) [M200X100ACT](#) [M200X100AFT](#) [M200X100AIT](#)

[M300X050ACT](#) [M300X050AET](#) [M300X050AFT](#) [M300X100ACT](#) [M300X100AET](#)

[PDP6](#) [PRL100BY18KIT](#) [PS10002WT](#) [H050X025H1TB](#) [H050X034H1T](#)

[H050X034H1TB](#) [H050X044H1T](#) [H050X044H2T](#) [H050X044H3T](#) [H050X064H2T](#)