

PRODUCT SPECIFICATION

| | |
|-------------------------|-------------------|
| Brand | Kasp |
| Product Range | Laminated Padlock |
| Catalogue number | 130 |
| Date | 16/09/2009 |

Range Description
Laminated padlocks

Features

- Hardened steel shackle – extra protection against hacksaw and cropping attacks
- Double bolted locking mechanism – extra strength to resist torsion and pull attacks
- Zinc plated steel laminated body extra strength and resistance to corrosion
- 8 Steel countersunk rivets (4 on 30mm) – extra strength over traditional locks
- 5 Pin cylinder with anti pick mushroom pins (4 pin on 60mm) – extra protection against picking
- Paracentric keyway extra protection against manipulation

These padlocks are supplied display packed in sealed blisters and individually boxed

2 keys are supplied with each lock



| Item Number | Item Description | EAN No | Commodity code | Carton Qty |
|-------------|---|---------------|----------------|------------|
| K13030D | Laminated padlock 30mm – display packed | 5013969900897 | 83011000 | 6 |
| K13030A1 | Laminated padlock 30mm KA303001 – boxed | 5013969900880 | 83011000 | 12 |
| K13040 | Laminated padlock 40mm – boxed | 5013969900903 | 83011000 | 12 |
| K13040D | Laminated padlock 40mm – display packed | 5013969900934 | 83011000 | 6 |
| K13040D2 | Laminated padlock 40mm Twin pack – | 5013969901870 | 83011000 | 6 |

| | | | | |
|-------------|--|---------------|----------|----|
| | display packed | | | |
| K13040A1 | Laminated padlock 40mm KA304001 – boxed | 5013969900910 | 83011000 | 12 |
| K13040A2 | Laminated padlock 40mm KA304002 – boxed | 5013969900927 | 83011000 | 12 |
| K13040L40D | Laminated padlock 40mm long shackle – display packed | 5013969900941 | 83011000 | 6 |
| K13050 | Laminated padlock 50mm – boxed | 5013969900958 | 83011000 | 6 |
| K13050D | Laminated padlock 50mm – display packed | 5013969900989 | 83011000 | 6 |
| K13050D2 | Laminated padlock 50mm Twin pack – display packed | 5013969901887 | 83011000 | 4 |
| K13050A1 | Laminated padlock 50mm KA305001 – boxed | 5013969900965 | 83011000 | 6 |
| K13050A2 | Laminated padlock 50mm KA305002 – boxed | 5013969900972 | 83011000 | 6 |
| K13060D | Laminated padlock 60mm – display packed | 5013969901009 | 83011000 | 6 |
| K13060A1 | Laminated padlock 60mm KA306001 – display packed | 5013969900996 | 83011000 | 6 |
| K13050DSL | Laminated shed lock 50mm | 5013969900989 | 83011000 | 6 |
| K13050DCLIP | Laminated shed lock clip strip 6 x K13050D | 5013969902785 | 83011000 | 1 |

| <p>Technical product information</p> | <p>Body – laminated steel, zinc plated</p> <p>Shackle- Hardened alloy steel, chrome plated</p> <p>Locking mechanism:</p> <p>30/40mm - Pin tumbler cylinder type, 4 pin cylinder, Brass pins – Top pin 4 is plain, top pins 1 to 3 are mushroom type.</p> <p>50/60mm - Pin tumbler cylinder type, 5 pin cylinder, Brass pins – Top pin 5 is plain, top pins 1 to 4 are mushroom type.</p> <p>Key differs:</p> <p>30mm – 202 40mm – 420 50/60mm – 1988</p> <p>Re-keyable – No</p> <p>Security rating:</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>Item</th> <th>Security rating</th> </tr> </thead> <tbody> <tr> <td>K13030D</td> <td>4</td> </tr> <tr> <td>K13030A1</td> <td>4</td> </tr> <tr> <td>K13040</td> <td>6</td> </tr> <tr> <td>K1040D & D2</td> <td>6</td> </tr> <tr> <td>K13040A1</td> <td>6</td> </tr> <tr> <td>K13040A2</td> <td>6</td> </tr> <tr> <td>K13040L40D</td> <td>6</td> </tr> </tbody> </table> | Item | Security rating | K13030D | 4 | K13030A1 | 4 | K13040 | 6 | K1040D & D2 | 6 | K13040A1 | 6 | K13040A2 | 6 | K13040L40D | 6 |
|--------------------------------------|--|------|-----------------|---------|---|----------|---|--------|---|-------------|---|----------|---|----------|---|------------|---|
| Item | Security rating | | | | | | | | | | | | | | | | |
| K13030D | 4 | | | | | | | | | | | | | | | | |
| K13030A1 | 4 | | | | | | | | | | | | | | | | |
| K13040 | 6 | | | | | | | | | | | | | | | | |
| K1040D & D2 | 6 | | | | | | | | | | | | | | | | |
| K13040A1 | 6 | | | | | | | | | | | | | | | | |
| K13040A2 | 6 | | | | | | | | | | | | | | | | |
| K13040L40D | 6 | | | | | | | | | | | | | | | | |

| | |
|--------------|----|
| K13050 | 7 |
| K13050D & D2 | 7 |
| K13050A1 | 7 |
| K13050A2 | 7 |
| K13060D | 10 |
| K13060A1 | 10 |
| K13050DSL | 7 |

Shackle Dimensions:

| Dimensions mm | Shackle | | |
|---------------|---------|----------------|-----------------|
| | Dia | Internal width | Internal height |
| K13030D | 6 | 13 | 17 |
| K13030A1 | 6 | 13 | 17 |
| K13040 | 7 | 19 | 21 |
| K13040D & D2 | 7 | 19 | 21 |
| K13040A1 | 7 | 19 | 21 |
| K13040A2 | 7 | 19 | 21 |
| K13040L40D | 7 | 19 | 38 |
| K13050 | 9 | 23 | 29 |
| K13050D & D2 | 9 | 23 | 29 |
| K13050A1 | 9 | 23 | 29 |
| K13050A2 | 9 | 23 | 29 |
| K13060D | 11 | 28 | 33 |
| K13060A1 | 11 | 28 | 33 |
| K13050DSL | 9 | 23 | 29 |

Use environment- Normal outdoor use

Recommended applications- Garages, toolboxes, sheds, gates, lockers, shutters etc.

| | |
|------------------------------------|---|
| Standards compliance | None applicable |
| User health and safety information | None applicable |
| RoHS/WEEE compliance | These products do not fall within the scope of RoHS or WEEE regulations |
| Material safety data | None applicable |
| Warranty | KASP padlocks are guaranteed against defects in manufacture and/or materials for 10 years Damage caused through inappropriate use or attempted break in is not covered |
| Country of origin | China |

Dimensional details

| Item | Product only | | | | Product on primary packaging | | | |
|-------------|--------------|----------|-----------|--------------|------------------------------|----------|-----------|----------------|
| | Width mm | Depth mm | Height mm | Net weight g | Width mm | Depth mm | Height mm | Gross weight g |
| K13030D | 34 | 20 | 50 | 105 | 140 | 25 | 170 | 134 |
| K13030A1 | 34 | 20 | 50 | 105 | 38 | 23 | 55 | 110 |
| K13040 | 44 | 25 | 65 | 224 | 50 | 25 | 70 | 231 |
| K13040D | 44 | 25 | 65 | 224 | 140 | 23 | 170 | 256 |
| K13040D2 | - | - | - | - | 155 | 25 | 170 | 474 |
| K13040A1 | 44 | 25 | 65 | 224 | 50 | 25 | 70 | 231 |
| K13040A2 | 44 | 25 | 65 | 224 | 50 | 25 | 70 | 231 |
| K13040L40D | 44 | 25 | 80 | 232 | 140 | 22 | 190 | 265 |
| K13050 | 53 | 29 | 80 | 383 | 58 | 33 | 83 | 393 |
| K13050D | 53 | 29 | 80 | 383 | 140 | 30 | 170 | 411 |
| K13050D2 | - | - | - | - | 155 | 35 | 170 | 805 |
| K13050A1 | 53 | 29 | 80 | 383 | 58 | 33 | 83 | 393 |
| K13050A2 | 53 | 29 | 80 | 383 | 58 | 33 | 83 | 393 |
| K13060D | 63 | 32 | 93 | 608 | 150 | 30 | 190 | 651 |
| K13060A1 | 63 | 32 | 93 | 608 | 70 | 38 | 100 | 622 |
| K13050DSL | 53 | 29 | 80 | 383 | 140 | 30 | 170 | 411 |
| K13050DCLIP | - | - | - | - | - | - | - | - |

| Item | Shelf box (secondary packaging) | | | | Euro Pallet data Wi x Hi | |
|------------|---------------------------------|----------|-----------|----------------|-----------------------------|---------------------|
| | Width mm | Depth mm | Height mm | Gross weight g | No of cartons on base | Number of rows high |
| K13030D | 150 | 185 | 90 | 882 | | |
| K13030A1 | 80 | 155 | 55 | 1355 | | |
| K13040 | 105 | 170 | 70 | 2824 | | |
| K13040D | 150 | 185 | 100 | 1622 | | |
| K13040D2 | 165 | 240 | 85 | 2946 | | |
| K13040A1 | 105 | 170 | 70 | 2824 | | |
| K13040A2 | 105 | 170 | 70 | 2824 | | |
| K13040L40D | 145 | 230 | 95 | 1686 | | |
| K13050 | 110 | 125 | 85 | 2408 | | |
| K13050D | 145 | 215 | 110 | 2566 | | |
| K13050D2 | 145 | 215 | 100 | 3306 | | |

| | | | | | | |
|-------------|-----|-----|-----|------|--|--|
| K13050A1 | 110 | 125 | 85 | 2408 | | |
| K13050A2 | 110 | 125 | 85 | 2408 | | |
| K13060D | 160 | 250 | 120 | 4027 | | |
| K13060A1 | 125 | 145 | 100 | 3801 | | |
| K13050DSL | 145 | 215 | 110 | 2566 | | |
| K13050DCLIP | 145 | 45 | 960 | 2560 | | |

Packaging waste details

| Item | Primary Packaging | | | | Secondary packaging | | | |
|-------------|-------------------|----------|--------|---------------|---------------------|------------------|--------|-----|
| | Plastic g | Use | Card g | Use | Plastic g | Use | Card g | Use |
| K13030D | 22 | Blister | 7 | Backing card | | | 78 | Box |
| K13030A1 | | | 5 | Box | | | 35 | Box |
| K13040 | | | 7 | Box | | | 52 | Box |
| K13040D | 22 | Blister | 7 | Box | | | 86 | Box |
| K13050D2 | 20 | Blister | 7 | Backing card | | | 102 | Box |
| K13040A1 | | | 7 | Box | | | 52 | Box |
| K13040A2 | | | 7 | Box | | | 52 | Box |
| K13040L40D | 25 | Blister | 8 | Backing card | | | 96 | Box |
| K13050 | | | 10 | Box | | | 50 | Box |
| K13050D | 25 | Blister | 7 | Backing card | | | 100 | Box |
| K13050D2 | 30 | Blister | 9 | Backing card | | | 86 | Box |
| K13050A1 | | | 10 | Box | | | 50 | Box |
| K13050A2 | | | 10 | Box | | | 50 | Box |
| K13060D | 30 | Blister | 13 | Backing card | | | 121 | Box |
| K13060A1 | | | 13 | Box | | | 50 | Box |
| K13050DSL | 25 | Blister | 7 | Backing card | | | 100 | Box |
| K13050DCLIP | 132 | Blisters | 42 | Backing cards | 76 | Bag & clip strip | | |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [kasp](#) manufacturer:

Other Similar products are found below :

[K10530BLUD](#) [K14040SILD](#) [K20025](#) [K14040BLUD](#) [K12550L80](#) [K11020D](#) [K12030D](#) [K21075D](#) [K11670D](#) [K14540L50D](#) [K14550D](#)
[K14550L63D](#) [K60090D](#) [K60175D](#) [K10050D](#) [K10520YELD](#) [K14040REDD](#) [K750L180](#) [K30050](#) [K12040D4](#) [K12440BLAA1](#) [K11030D](#)
[K11040D](#) [K14040GRED](#) [K11430D](#) [K11440D](#) [K10530BLAD](#) [K10530REDD](#) [K10530PIND](#) [K12440REDA1](#) [K12030A1](#) [K12030L70BD](#)
[K12040D2](#) [K81010](#) [K20038D](#) [K14540D](#) [K13545D](#) [K12050D](#) [K230155D](#) [K10520PIND](#) [K12530](#) [K10520REDD](#) [K10530YELD](#) [K11750D](#)
[K10520BLUD](#) [K12440REDD](#) [K10520BLAD](#) [K12040L55D](#) [K12040A1](#) [K12030](#)