

# COMPUTING

## COMX-P2020

### Module based on the COM Express Form Factor

#### Data Sheet

#### *QorIQ processing power on a module for rapid deployment across diverse I/O requirements*

- Freescale QorIQ P2020 processor
- Two e500 Power Architecture cores running at 1.2 GHz
- On-board XGI Z11M Graphics Processor Unit (GPU)
- Supports up to 2GB DDR3 ECC SO-UDIMM
- 95 mm x 95 mm compact footprint
- MicroSD card slot for on-board storage


The COMX-P2020 module from Artesyn Embedded Technologies provides the performance and features of the Freescale QorIQ™ P2020 dual-core processor on a convenient plug-in mezzanine module. By incorporating and leveraging the mechanical features and dimension of the COM Express® specification, the COMX-P2020 exhibits all the best open standard attributes: allowing easy technology upgrades with future devices; competitive pricing with choice of modules; and speedy time to market.

The QorIQ P2020 processor is effectively a System-on-Chip device with a range of features including USB, PCI Express, Gigabit Ethernet, memory controller, general purpose I/O and SD/MMC flash controller. In addition, Artesyn has added a graphics controller on the COMX-P2020 module to enable LCD connection through either a local LVDS or a VGA port for those applications that need graphics output. The overall dimensions of the COMX-P2020 are 95 mm x 95 mm following the definition of a Compact COM Express module and this enables it to be fitted within a very wide range of enclosures when mounted on a customer carrier. COMX-P2020 is an off-the-shelf processor solution that is backed by one of the world's leading embedded computing companies for peace of mind and fast time to market by isolating you from the complexities of the high speed processor, memory and graphics devices. To ease the development cycle further, Artesyn supplies a development carrier card as well as a carrier designer's guide and other resources.

By combining the tried and tested Power Architecture processor core along with a considerable range of on module I/O, the COMX-P2020 is suitable for a range of applications including programmable automation controllers, security gateways, civil aeronautics, renewable energy controllers, test and measurement and other embedded devices. The COMX-P2020 is supported by a range of real time operating systems and development tools.



COMX-P2020 Block Diagram



## Hardware Specifications

### PROCESSOR

- Freescale QorIQ P2020, two cores running at 1.2 GHz

### FORM FACTOR

- 95 mm x 95 mm COM Express type module

### BOOTLOADER

- U-boot

### GRAPHICS PROCESSOR UNIT

- XGI Z11M (1280 x 1024)

### MEMORY

- Support for 2GB DDR3-667 ECC SO-UDIMM

### ON-BOARD STORAGE

- MicroSD card slot
- 2kbit I2C EEPROM
- 4MB SPI Flash

### ON-BOARD I/O

- JTAG

### I/O TO THE CONNECTOR

- Two (2) UART ports
- Three (3) Gigabit Ethernet interfaces (10/100/1000BaseT)
- Eight (8) general purpose I/O (GPIO) ports
- Four (4) USB 2.0
- PCI Express x2 and x1 interfaces
- SPI bus
- SD/MMC (optional)
- VGA
- LVDS
- Two (2) IEEE 1588 control

### POWER

- 12 V and 5 V standby (optional)

### ACCESSORIES

- Heatsink, heat spreading plate, development carrier

### POWER CONSUMPTION

- Typical 12 W; Max 15 W

### THERMAL RANGE

- 0°C to +55°C

### COMPLIANCE AND CERTIFICATION INFORMATION

- RoHS 6/6
- UL/CSA 60950-1, EN55022, FCC Class B

## Firmware and Operating System Support

### OS SUPPORT

- BSPs to be available from partners including:
  - Mentor Graphics Linux
  - Green Hills INTEGRITY
  - Wind River VxWorks 6.8

## Ordering Information

<i>Product</i>	<i>Description</i>
<b>COMX-P2020</b>	P2020 processor module
<b>COMX-P2020-HP</b>	P2020 heat spreading plate
<b>COMX-P2020-HTSNK</b>	P2020 active heatsink
<b>COMX-P2020-2G-KIT</b>	P2020 with 2GB DRAM and heatsink
<b>COMX-CAR-P1</b>	QorIQ module carrier card
<b>P2020COME-DS-PB</b>	Freescale Development System including the P2020 module, carrier, memory and driver. This kit is available from Freescale and Freescale distributors. For more information go to <a href="http://www.Freescale.com">www.Freescale.com</a>

## SOLUTION SERVICES

Artesyn Embedded Technologies provides a portfolio of solution services optimized to meet your needs throughout the product lifecycle. Design services help speed time-to-market. Deployment services include global 24x7 technical support. Renewal services enable product longevity and technology refresh.

PICMG, AdvancedTCA, ATCA and the AdvancedTCA logo are trademarks of PICMG. Service Availability is a proprietary trademark used under license. Intel and Xeon are trademarks of Intel Corporation or its subsidiaries in the United States and other countries. Microsoft and Windows are registered trademarks of Microsoft Corporation. All other product or service names are the property of their respective owners.

This document identifies products, their specifications, and their characteristics, which may be suitable for certain applications. It does not constitute an offer to sell or a commitment of present or future availability, and should not be relied upon to state the terms and conditions, including warranties and disclaimers thereof, on which Artesyn Embedded Technologies may sell products. A prospective buyer should exercise its own independent judgment to confirm the suitability of the products for particular applications. Artesyn reserves the right to make changes, without notice, to any products or information herein which will, in its sole discretion, improve reliability, function, or design. Artesyn does not assume any liability arising out of the application or use of any product or circuit described herein; neither does it convey any license under its patent or other intellectual property rights or under others. This disclaimer extends to any prospective buyer, and it includes Artesyn's licensee, licensee's transferees, and licensee's customers and users. Availability of some of the products and services described herein may be restricted in some locations.

## WORLDWIDE OFFICES

<b>Tempe, AZ U.S.A.</b>	+1 888 412 7832	<b>Shanghai, China</b>	+86 21 3395 0289
<b>Munich, Germany</b>	+49 89 9608 2552	<b>Tokyo, Japan</b>	+81 3 5403 2730
<b>Hong Kong</b>	+852 2176 3540	<b>Seoul, Korea</b>	+82 2 3483 1500



[www.artesyn.com](http://www.artesyn.com)

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Heat Sinks](#) category:*

*Click to view products by [Artesyn Embedded Technologies](#) manufacturer:*

Other Similar products are found below :

[581102B00000G](#) [630-35ABT3](#) [656-15ABPE](#) [657-20ABPNE](#) [73452PPBA](#) [7721-13NG](#) [7G0011A](#) [FI306/SE](#) [PF720G](#) [A22-4026](#) [120-1873-007](#) [HAH10L](#) [1542256-2](#) [1542026-1](#) [1542616-1](#) [HS-2506-F1](#) [HS-87M0-F2](#) [218-40CTE3](#) [25-7520](#) [188854F00000G](#) [F-QB-F1](#) [APA501-60-003](#) [253-122ABE-22](#) [PSC22CB](#) [CLP-201](#) [CLP212SG](#) [CLP-7701G](#) [HAA072](#) [HAA083](#) [HAF10L](#) [HAQ10T](#) [D10100-28](#) [TO5-002D](#) [513101B02500G](#) [BDN183CBA01](#) [531202B0000](#) [HS-56M0-C1](#) [3-21053-4](#) [TX0506-1B](#) [TX1806B](#) [336614B-00000](#) [V2004X](#) [LAE66A3CB](#) [WA-DT2-101E](#) [511-3U](#) [017177](#) [530510B00000G](#) [6110BG](#) [73381PPBA](#) [73403PPBA](#)