
## **TELEPHONIC** UK

UNIT 4 WIMBLEDON STADIUM BUSINESS CENTRE, RIVERSIDE ROAD, LONDON SW17 OBA, UK TEL: London (081) 946 6688 FAX: London (081) 879 7410

107 - 214 + 73مستعديهم ورابع الالاستان المتعارية المعالية المحاصية المحاصية ومحاصية المحامية المحام المحاصية المحاصية المحام المحافة PRODUCT 12784/3: Socket Surface 6/4 Way. PRODUCT 12786/3: Socket Surface 6/6 Way. PRODUCT 12788/3: Socket Surface 8/8 Way. PRODUCT 127K8/3: Socket Surface 8/8 Key. PHYSICAL CHARACTERISTICS Housing Material : ABS/Polycarbonate Size : 57mm x 50mm x 21mm (6/4, 6/6, 8/8) 51mm x 51mm x 24mm (6/8 Keyed) Spring Wire Material : Phosphorous Bronze Alloy Plating : Hard Gold over Nickel Lead Wire Wire Size : 26Aws 7 Strand insulation : PVC Screw Steel or Brass Plating : Nickel or Zinc ELECTRICAL Insulation Resistance > 10 Megaohms Dielectric Withstanding Voltage : 1000 VAC RMS 60hz Contact Resistance : Max 20 Milliohms Current rating : 1.5 Amp MECHANICAL Retention Strength : 1.7kg (171bs) Between Jack & Plug Crimp Tensile Strength : 2.27kg (51bs) Mating Force 4 Wires : 500 Grams Mating Force 6 Wires : 750 Grams Mating Force 8 Wires : 900 Grams \_\_\_\_\_ PRODUCT CPP81: CORDSET COILED 8 WAY Black 10Ft MATERIAL Jacket : PVC Jacket Diameter : 3mm x 9mm Conductor : Tinsel 32AWG (4 Foil + 0.1mm Tetron) PERFORMANCE Conductor Resistance : < 2.0 Ohm per Metre Insulation Resistance : > 2.5 M Ohm per 1000Ft Dielectric Strength : > 2000 VAC Plug Pull Strength : 50N Terminal Crimping Strength : 4.4 lbs



6(BLATE)

(tellow)3

(GREEN) 4 5/RED)

OPOSITION BEENTLET KEYED SURFACE SOCKENT

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Modular Connectors / Ethernet Connectors category:

Click to view products by Pro Signal manufacturer:

Other Similar products are found below :

 RJE231881317T
 MP1010RX-1000
 MP44RX-1000
 GAX-3-66
 GAX-8-62
 93606-0253
 GD-A-44
 GDCX-PA-66-50
 GDCX-PN-64
 GDCX-PN-64

 PN-66
 GDCX-PN-66-50
 GDLX-A-66
 GDLX-A-88
 GDLX-N-66
 GDLX-S-88K
 GDTX-S-88-50
 GDX-PA-1010
 GLX-N-1010M-BLK

 GLX-N-44M
 GLX-S-88M-BLK
 GMX-N-1010
 GMX-S-1010
 GMX-S-66
 GMX-SMT2-N-1010
 GMX-SMT2-N-64-50
 GMX-SMT2-S6-88

 GMX-SMT4-N-88
 GPX-2-64
 GRT1-BT1-5
 GSGX-N-2-88
 GSX-NS2-88-3.05
 GSX-NS2-88-3.05-50
 GSX-NS-88-3.05-30
 GSX-NS-88-3.05-30

 3.05-50
 GSX-NS-88-3.68
 1-1775629-2
 GWLX-S-88-GR
 GWLX-S9-88-YG
 1300500326
 1300500227
 1300530003
 1300570002
 1324640-4

 RJ11FTVC2G
 RJ11FTVC2N
 RJFTVX2SA1G
 132764-001
 1400000
 1413176
 1413235