



General ordering data

Order No.	9019000000
Part designation	H0,5/12D W
Version	Wire-end ferrule, 0.5 mm ² , 6 mm, Colour code: DIN, white
EAN	4008190085728
Qty.	500 pc(s).

Technical data

Length	12 mm
Width	3.1 mm
Height	3.1 mm

Product data

Conductor rated cross-section	0.5 mm ²
AWG	20
Total length (L1)	12 mm
Contact surface length (L2)	6 mm
Contact surface diameter (D1)	1 mm
Collar diameter (D2)	2.6 mm
Metal sleeve thickness (S1)	0.15 mm
Plastic collar thickness (S2)	0.25 mm

Approvals

Approvals institutes



Classifications

ETIM 2.0	EC000005
ETIM 3.0	EC000005
eClass 4.1	27-06-07-01
eClass 5.0	27-40-02-01
eClass 5.1	27-40-02-01

Classifications

Similar products

Order No.	Part designation	Version
0409500000	H0,5/12 OR	Wire-end ferrule, 0.5 mm ² , 6 mm, Colour code: Weidmüller, Orange
0690700000	H0,5/14 OR	Wire-end ferrule, 0.5 mm ² , 8 mm, Colour code: Weidmüller, Orange
9019010000	H0,5/14D W	Wire-end ferrule, 0.5 mm ² , 8 mm, Colour code: DIN, white
9025870000	H0,5/16 OR	Wire-end ferrule, 0.5 mm ² , 10 mm, Colour code: Weidmüller, Orange
9019020000	H0,5/16D W	Wire-end ferrule, 0.5 mm ² , 10 mm, Colour code: DIN, white

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Terminals](#) category:

Click to view products by [Weidmuller](#) manufacturer:

Other Similar products are found below :

[HT-13-10](#) [71M-250-32-NB](#) [01-2065-1-0216](#) [00581P0075](#) [M10-10RX](#) [M10BCK](#) [60205-1](#) [604200-1](#) [60598-1-CUT-TAPE](#) [60617-1-C](#) [60873-1](#) [M14-516R/SK](#) [M14-6RSX](#) [M18-10FLX](#) [M18-8FBX](#) [M18-8R/LX](#) [M18BCK](#) [61314-6-C](#) [61-S](#) [61-SN-A](#) [62-NBM-A](#) [63-S](#) [640179-1](#) [640917-2-CUT-TAPE](#) [6501550002](#) [66107-2-C](#) [66107-4-C](#) [696683-1](#) [696834-1](#) [696861-1](#) [696931-1](#) [696999-1](#) [M8-516RK](#) [M86700006](#) [MA250DMFMX-A](#) [701-2007](#) [701-2307](#) [701-7761-03](#) [70F-110-32-PB](#) [718-N-A](#) [71M-187-20-NBL](#) [71M-250-32-NBL](#) [72F-187-20-NBL](#) [72M-250-32-NBL](#) [7310](#) [73F-250-32](#) [73F-250-32-NBL](#) [73F-250-32-NL](#) [F14-10C](#) [F-1M](#)