

**3M** Science.  
Applied to Life.™

# The difference is in the grip.



**Electrical Markets**

**3M™ Comfort Grip Gloves and 3M™ Gripping Material Work Gloves**

# Safety runs in the family.

Your hands are everything. Protect them with the technology and craftsmanship you can trust. For decades, 3M has been a leader in innovative personal safety for the body, head, ears, eyes and now, hands.



## 3M™ Comfort Grip Gloves - General Use



### The Lightweight Heavyweight

Nitrile palm coating makes these gloves a light, flexible, abrasion-resistant and long lasting alternative to many cotton and latex palm-coated gloves. They provide excellent grip, even in wet or oily conditions.

The nylon stretch liner gives you a breathable, “second skin” fit and makes these gloves perfect for light- to medium-duty jobs that require precision handling, especially in hot and sweaty conditions. The gloves are washable and feature a knit wrist cuff style.

#### Typical Applications

- General material handling
- Handling small parts
- Electrical component assembly
- Carpentry, plumbing, roofing



NEW

## 3M™ Comfort Grip Gloves - Cut Resistant



### A Cut Above

These medium-duty gloves have the same features and comfort as the General Use Gloves with even greater cut, puncture and tear resistance. They're excellent for jobs requiring dexterity when handling sharp parts.

Two varieties allow you to customize your cut level to the job's requirements. The ANSI Cut Level 3, EN388 Cut Level 5 glove is nitrile foam coated, while the new ANSI Cut Level 2, EN388 Cut Level 3 glove is polyurethane coated. Both are washable and feature a knit wrist cuff style.

#### Typical Applications

- Handling abrasive or sharp materials
- Forming, bending or machining sharp parts
- Cable pulling and wire handling
- Cable preparation

# Product Information

We've got your body, head, ears, eyes and now, hands covered.

3M Style	UPC	Size	MOQ (pair/bag)	ANSI Level*	EN388 Level**
<b>3M™ Comfort Grip Gloves - General Use</b>					
CGM-GU	00-54007-98954-7	8M	6	1	4122
CGL-GU	00-54007-98955-4	9L	6	1	4122
CGXL-GU	00-54007-98956-1	10XL	6	1	4122
<b>3M™ Comfort Grip Gloves - Cut Resistant (ANSI Cut Level 3, EN388 Cut Level 5)</b>					
CGM-CR	00-54007-98957-8	8M	6	3	4544
CGL-CR	00-54007-98958-5	9L	6	3	4544
CGXL-CR	00-54007-98959-2	10XL	6	3	4544
<b>3M™ Comfort Grip Gloves - Cut Resistant (ANSI Cut Level 2, EN388 Cut Level 3) - NEW</b>					
CGM-CRE	00-51128-61032-9	8M	6	2	4343
CGL-CRE	00-51128-61033-6	9L	6	2	4343
CGXL-CRE	00-51128-61034-3	10XL	6	2	4343
<b>3M™ Comfort Grip Gloves - Winter - NEW</b>					
CGM-W	00-54007-99150-2	8M	6	N/A	4121
CGL-W	00-54007-99151-9	9L	6	N/A	4121
CGXL-W	00-54007-99152-6	10XL	6	N/A	4121
<b>3M™ Gripping Material Work Gloves</b>					
WGS-1	00-51115-63527-4	8S	1	N/A	N/A
WGM-1	00-51115-63546-5	9M	1	N/A	N/A
WGL-1	00-51115-63548-9	10L	1	N/A	N/A
WGXL-1	00-51115-63550-2	11XL	1	N/A	N/A
<b>3M™ Gripping Material High Dexterity Work Gloves - NEW</b>					
LWGM-1	00-51128-99775-8	9M	1	N/A	N/A
LWGL-1	00-51128-99776-5	10L	1	N/A	N/A
LWGX-1	00-51128-99777-2	11XL	1	N/A	N/A

\*ANSI Cut Level (0-5)  
 \*\*EN388 Abrasion Level (0-4), Cut Level (0-5),  
 Tear Level (0-4), Puncture Level (0-4)

3M is a trademark of 3M Company.

## Important Notice

All statements, technical information, and recommendations related to 3M's products are based on information believed to be reliable, but the accuracy or completeness is not guaranteed. Before using this product, you must evaluate it and determine if it is suitable for your intended application. You assume all risks and liability associated with such use. Any statements related to the product which are not contained in 3M's current publications, or any contrary statements contained on your purchase order shall have no force or effect unless expressly agreed upon, in writing, by an authorized officer of 3M.

## Warranty; Limited Remedy; Limited Liability.

3M's product warranty is stated in its Product Literature available upon request. **3M MAKES NO OTHER WARRANTIES INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.** If this product is defective within the warranty period stated above, your exclusive remedy shall be, at 3M's option, to replace or repair the 3M product or refund the purchase price of the 3M product. **Except where prohibited by law, 3M will not be liable for any direct, indirect, special, incidental or consequential loss or damage arising from this 3M product, regardless of the legal theory asserted.**



Electrical Markets Division  
 6801 River Place Blvd.  
 Austin, TX 78726-9000 USA

Phone 1-800-245-3573  
 Fax 1-800-245-0329  
 Web 3M.com/electrical/gloves

Please recycle. Printed in USA © 3M 2015.  
 All rights reserved. 80-6016-0807-0

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [3m manufacturer](#):*

Other Similar products are found below :

[SC401U](#) [98-0003-3071-6](#) [80-0012-6467-2](#) [00-054007-70220-7](#) [00-054007-34717-0](#) [021200-40230](#) [6840-2X50-GRAY](#) [701-W](#) [7993MP-2CIRCLE-100](#) [FDV14-187C](#) [8124/14](#) [812510-100](#) [8125/17](#) [813216](#) [8204-3LFM](#) [8425-8](#) [MNG14BCX](#) [FP301-1-6"-Clear](#) [FV14-6C](#) [920102-01-25-R](#) [927739-40](#) [929835-01-28-RK](#) [929836-09-16](#) [929974-01-40-R](#) [951240-2520-AR-PR](#) [960X/980X](#) [98-0003-3075-7](#) [HF36564-100](#) [HF625/26-30](#) [1/2-5-5430](#) [1/2-5-850S](#) [1/2-5-3431](#) [12X12-6-4056B](#) [12X12-6-433](#) [12X12-6-4930](#) [13-500-NB](#) [14526-EZ5B-300-02C](#) [1-4-4658F](#) [14520-EZAB-300-0EC](#) [DSTK9013-3420](#) [DSTK9015-3402](#) [14T26-SZLB-200-0LC](#) [14T50-SZWB-100-0NC](#) [1-5-3437](#) [1-5-4496W](#) [1-5-4943F](#) [1-5-363](#) [1-5-5451](#) [1-5-421](#) [158250-0120](#)