Braided Sleevings





Specification Table

Colour	Material	Minimum Operating Temperature (°C)	Maximum Operating Temperature (°C)	Nominal Bore Diameter	Maximum Bore Diameter	Minimum Bore Diameter	Reel Length (m)	Part number
Grey	- Polyester	-50	150	3	5	1	100	PP-03-8
				4	7	2		PP-04-8
				5	9	3		PP-05-8
				6	11	4		PP-06-8
				8	12	5		PP-08-8
				10	15	7		PP-10-8
				12	17	8	50	PP-12-8
				15	20	10		PP-15-8
				20	26	14	25	PP-20-8
				25	34	18		PP-25-8
				30	40	20		PP-30-8
				3	5	1	100	PP-03-0
Black				4	7	2		PP-04-0
				5	9	3		PP-05-0
				6	11	4		PP-06-0
				8	12	5		PP-08-0
				10	15	7		PP-10-0
				12	17	8	50	PP-12-0
				15	20	10		PP-15-0
				20	26	14	25	PP-20-0
				25	34	18		PP-25-0
				30	40	20		PP-30-0

Dimensions : Millimetres (Unless Specified)



www.element14.com www.farnell.com www.newark.com www.cpc.co.uk

Braided Sleevings



Specifications

Colour	Material	Minimum Operating Temperature (°C)	Maximum Operating Temperature (°C)	Nominal Bore Diameter	Maximum Bore Diameter	Minimum Bore Diameter	Reel Length (m)	Part number
Black / White	Polyester	-50	150	3	6.4	2.4	100	PP1/8-09
				6	9.5	3.2		PP1/4-09
				10	16	4.7	50	PP3/8-09
				13	19	6.4		PP1/2-09
				19	32	13	25	PP3/4-09
				32	45	19		PP1-1/4-09
Grey / Black				3	6.4	2.4	100	PP1/8-80
				6	9.5	3.2		PP1/4-80
				10	16	4.7	50	PP3/8-80
				13	19	6.4		PP1/2-80
				19	32	13	25	PP3/4-80

Dimensions : Millimetres (Unless Specified)

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Famell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the Group. © Premier Farnell plc 2011.



X-ON Electronics

Authorized Distributor

Click to view similar products for Wire Identification category.

Click to view products by Pro Power manufacturer.

Other Similar products are found below :

 PCM39
 M200X042FPT
 M200X042UPT
 M200X050ACT
 M200X050AGT

 M200X080FQT
 M200X080UPT
 M200X100ACT
 M200X100AFT
 M200X100AIT

 M300X050ACT
 M300X050AET
 M300X050AFT
 M300X100ACT
 M300X100AET

 PDP6
 PRL100BY18KIT
 PS10002WT
 H050X025H1TB
 H050X034H1T

 H050X034H1TB
 H050X044H1T
 H050X044H2T
 H050X044H3T
 H050X064H2T