

SAFETY DATA SHEET

Page 1 of 3

PPC178

Revision 1
Revision date 24-Nov-2008

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product name PPC178
Company PRO POWER
Premier Farnell plc
150 Armley Road,
Leeds LS12 2QQ
United Kingdom

Telephone +44 (0) 870 129 8608
Fax
Emergency telephone number +44 (0) 7831 130 543

2 HAZARDS IDENTIFICATION.

Main hazards No Significant Hazard

3 . COMPOSITION / INFORMATION ON INGREDIENTS.

4. FIRST AID MEASURES

Skin contact Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.

Eye contact Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.

Inhalation Move the exposed person to fresh air. Seek medical attention.

Ingestion If swallowed, seek medical advice immediately and show this container or label. Drink 1 to 2 glasses of water. Ingest 300ml of activated charcoal. DO NOT INDUCE VOMITING. Never give anything by mouth to an unconscious person.

General information If you feel unwell, seek medical advice (show the label where possible).

5. FIRE FIGHTING MEASURES

Extinguishing media Carbon dioxide (CO2) Foam. Dry chemical. Water spray.

Fire hazards Burning produces irritating, toxic and obnoxious fumes.

Protective equipment Wear: Self-contained breathing apparatus.

Print date 28-Oct-2009

PPC178

Revision 1
Revision date 24-Nov-2008

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Wear suitable protective equipment. Eliminate all sources of ignition. Keep personnel away from spill. Evacuate personnel to a safe area. Ensure adequate ventilation of the working area.
Environmental	Do not let product contaminate subsoil. Do not allow product to enter drains.
Clean up methods	Remove mechanically; cover the remainder with wet, absorbent material (e.g. sawdust, chemical binder based on calcium silicate hydrate, sand). After approximately one hour transfer to waste container and do not seal (evolution of CO ₂ !).

7. HANDLING AND STORAGE

Handling	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Do not eat, drink or smoke in areas where this product is used or stored.
Storage	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Do not store with food, feedstuffs, fertilizers and other sensitive materials..

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures	Ensure adequate ventilation of the working area.
Occupational exposure controls	Keep away from food, drink and animal feedingstuffs.
Respiratory protection	Wear suitable respiratory equipment when necessary. Suitable half mask respirator with filter P3 (EN 143)
Hand protection	Rubber gloves. Chemical resistant gloves (PVC)
Eye protection	Face shield. Approved safety goggles.
Protective equipment	Avoid contact with eyes and skin. Wash all contaminated clothing before reuse. Wear suitable protective equipment.

9. PHYSICAL AND CHEMICAL PROPERTIES

Description	Liquid.
Colour	Colourless.
Odour	Slight.
Flash point	275°C
Relative density	1.049

10. STABILITY AND REACTIVITY

Stability	Stable under normal conditions.
Conditions to avoid	Heat, sparks and open flames.
Materials to avoid	Acids. Oxidising agents.
Hazardous decomposition products	Carbon oxides. Nitrogen oxides.

11. TOXICOLOGICAL INFORMATION

Repeated or prolonged exposure	Avoid prolonged or repeated exposure.
---------------------------------------	---------------------------------------

12. ECOLOGICAL INFORMATION

Degradability	Not readily biodegradable.
----------------------	----------------------------

13. DISPOSAL CONSIDERATIONS

General information	Can be incinerated if in compliance with local and national regulations. Dispose of in compliance with all local and national regulations.
----------------------------	--

PPC178

Revision 1
Revision date 24-Nov-2008

14. TRANSPORT INFORMATION

Further information The product is not classified as dangerous for carriage.

15. REGULATORY INFORMATION

Risk phrases NSH - No Significant Hazard.

16. OTHER INFORMATION

Revision This document differs from the previous version in the following areas:
9 - flash point.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [pro power manufacturer](#):

Other Similar products are found below :

[CPR400 CANISTER PACK](#) [27/7/.1X2 50](#) [JY-1250RB](#) [KS24N](#) [PVS-024-1100-BLK](#) [PVI-S05-1100-BLK](#) [PVC TAPE 1933Y](#) [RB1804](#)
[CTFC12-12](#) [PP7102](#) [PPCY4C1.00 100M](#) [PP14791](#) [PP001103](#) [PP001097](#) [PP001091](#) [PP001061](#) [PP001059](#) [PP000953](#) [PP000945](#) [PP001320](#)
[PP000889](#) [PP001175](#) [PP000649](#) [PP000501](#) [PP001060](#) [PP000486](#) [PP001054](#) [PP000439](#) [PP000389](#) [PP000364](#) [PP000284](#) [PP000283](#)
[PP000244](#) [PP000708](#) [PP000180](#) [PP000672](#) [PP000173](#) [PP000630](#) [PP000088](#) [PP000466](#) [PP000454](#) [PP000024](#) [PP000135](#) [CTFCS150-18U](#)
[PP000085](#) [PP000025](#) [PP000021](#) [RG6UTWINBLK](#) [CF0082 BLACK 100M](#) [HWP-03-P](#)