

Defence Standard 61-12 Part 5 - 16-2-A Unscreened Multicore Cable

pro-POWER

RoHS
Compliant



Specifications:

Conductor Material	: Tinned Copper
Conductor Area CSA	: 0.5mm ²
Construction	: T0.2± 0.008×16
Stranded Dia.(mm)	: 0.88
Insulation Thickness	: 0.46
Insulation Dia.(+/-0.1mm)	: 1.8
Insulation	: PVC
Insulation Colours	: See Insulation Colours Table
Jacket Material	: PVC
Jacket Colour	: Black
Nylon Rip Cord	: 150D

Electrical Characteristics:

Max.Conductor DC Resistance at 20°C (Ω/Km)	: <41
20°C Insulation Resistance (MΩ/Km)	: >200
Rated Temperature(°C)	: 80
Rated Voltage(V)	: 440

Insulation Colours table

Core Number	Colour
1	Red
2	Blue
3	Green
4	Yellow
5	White
6	Black
7	Brown
8	Violet
9	Orange
10	Pink
11	Turquoise
12	Grey
13	Red/Blue

Core Number	Colour
14	Green/Red
15	Yellow/Red
16	White/Red
17	Red/Black
18	Red/Brown
19	Yellow/Blue
20	White/Blue
21	Blue/Black
22	Orange/Blue
23	Green/Blue
24	Grey/Blue
25	Yellow/Green

Defence Standard 61-12 Part 5 - 16-2-A Unscreened Multicore Cable



Part Number Table

Description	Core No.	Jacket Diameter (mm)	Filler	Reel Length (m)	Part Number
Cable, Unscreened, DEF 16-2-2A	2	5.5		25	PP000332
				100	PP000333
Cable, Unscreened, DEF 16-2-3A	3	5.8	-	25	PP000334
				100	PP000335
Cable, Unscreened, DEF 16-2-4A	4	6.3		25	PP000336
				100	PP000337
Cable, Unscreened, DEF 16-2-6A	6	7.3	1.8PVC Strip	25	PP000338
				100	PP000339
Cable, Unscreened, DEF 16-2-8A	8	8.5	2.9 PVC Strip	25	PP000340
				100	PP000341
Cable, Unscreened, DEF 16-2-12A	12	9.5	-	25	PP000342
				100	PP000343
Cable, Unscreened, DEF 16-2-18A	18	11	1.8PVC Strip	25	PP000344
				100	PP000345
Cable, Unscreened, DEF 16-2-25A	25	13.1	-	25	PP000346
				100	PP000347

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. pro-POWER is the registered trademark of the Group. © Premier Farnell plc 2012.

X-ON Electronics

Authorized Distributor

Click to view similar products for [Pro Power manufacturer](#).

Other Similar products are found below :

[PPCY4C075100M](#) [PPCY3C10050M](#) [PPC217](#) [PP001328](#) [PP001316](#) [PP001109](#) [PP001088](#)

[PP000940](#) [PP030](#) [PP000909](#) [PP001326](#) [PP001308](#) [PP000877](#) [PP000868](#) [PP000704](#)

[PP001163](#) [PP001156](#) [PP001085](#) [PP000510](#) [PP001076](#) [PP000944](#) [PP000914](#) [PP000407](#)

[PP000386](#) [PP000870](#)