



#### General ordering data

Order No.	9037540000
Part designation	H4,0/28D ZH GR
Version	Wire end ferrule, 4 mm <sup>2</sup> , 18 mm, Colour code: DIN, grey
EAN	4008190493110
Qty.	100 pc(s).

#### Technical data

Length	28 mm
Width	5.8 mm
Height	9.6 mm

#### Product data

Conductor rated cross-section	4 mm <sup>2</sup>
AWG	12
Total length (L1)	28 mm
Contact surface length (L2)	18 mm
Collar height (A)	9 mm
Collar width (B)	5.2 mm
Contact surface diameter (D1)	3.5 mm
Metal sleeve thickness (S1)	0.2 mm
Plastic collar thickness (S2)	0.5 mm

#### Approvals

Approvals institutes



#### Classifications

ETIM 2.0	EC000005
ETIM 3.0	EC000005
eClass 4.1	27-06-07-01
eClass 5.0	27-40-02-01

#### Classifications

eClass 5.1

27-40-02-01

#### Similar products

Order No.	Part designation	Version
9037530000	H4,0/22D ZH GR	Wire end ferrule, 4 mm <sup>2</sup> , 12 mm, Colour code: DIN, grey
9037670000	H4,0/22T ZH OR	Wire end ferrule, 4 mm <sup>2</sup> , 12 mm, Colour code: Miscellaneous, Orange
9037680000	H4,0/28T ZH OR	Wire end ferrule, 4 mm <sup>2</sup> , 18 mm, Colour code: Miscellaneous, Orange

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Terminals](#) category:*

*Click to view products by [Weidmuller](#) manufacturer:*

Other Similar products are found below :

[HT-13-10](#) [71M-250-32-NB](#) [01-2065-1-0216](#) [00581P0075](#) [M10-10RX](#) [M10BCK](#) [60205-1](#) [604200-1](#) [60598-1-CUT-TAPE](#) [60617-1-C](#) [60873-1](#) [M14-516R/SK](#) [M14-6RSX](#) [M18-10FLX](#) [M18-8FBX](#) [M18-8R/LX](#) [M18BCK](#) [61314-6-C](#) [61-S](#) [61-SN-A](#) [62-NBM-A](#) [63-S](#) [640179-1](#) [640917-2-CUT-TAPE](#) [6501550002](#) [66107-2-C](#) [66107-4-C](#) [696683-1](#) [696834-1](#) [696861-1](#) [696931-1](#) [696999-1](#) [M8-516RK](#) [M86700006](#) [MA250DMFMX-A](#) [701-2007](#) [701-2307](#) [701-7761-03](#) [70F-110-32-PB](#) [718-N-A](#) [71M-187-20-NBL](#) [71M-250-32-NBL](#) [72F-187-20-NBL](#) [72M-250-32-NBL](#) [7310](#) [73F-250-32](#) [73F-250-32-NBL](#) [73F-250-32-NL](#) [F14-10C](#) [F-1M](#)