

IS215T

PIR motion sensor

The IS215T is an entry level passive infrared motion sensor. Dip switch setting, a large wiring channel and mounting flexibility make the IS215T easy to install.

Compromising the IS215T is inhibited by the look-down zones, tamper switch, sabotage-resistant lens design and the magnet-proof relay. All these factors make the IS215T an ideal sensor for residential and light commercial applications.



Features:

- Cannot be compromised by a magnet
- Dip switches for easy setting of parameters
- Improved RF immunity
- Large wiring channel on back to allow surface wiring
- Patented look-down mirror provides optimum detection directly beneath the sensor
- Wall-mount and corner mount knockouts provides mounting flexibility
- Sabotage-resistant lens design
- Selectable sensitivity
- Tamper switch: activates before access to the circuitry is possible
- White Light Immunity of minimum 6500 Lux reduces the chance of false activation
- Bug guard prevents insects access to the sensor optics which reduces the chance of false activation
- Designed for residential and light commercial applications
- Silent relay allows for use in quiet environments


IS215T

PIR motion sensor


Specifications	
Detection method	Dual element passive infrared
Range	12 x 12 m
Detection zones	44 long range, 14 intermediate, 8 lower and 4 look-down
PIR sensitivity	Low (3-5 steps) and High (1-3 steps) by dipswitch
LED enable	By dipswitch
Mounting height	2.3 to 2.7 m
Power requirements	10 - 14 Vdc, 7 mA @ 12 Vdc
Alarm relay	Form A (NC) / 90 mA @ 16 Vdc, max. 40 Ohm protective resistor
Tamper switch	500 mA @ 30 Vdc
Operating temperature	-10°C to +55°C
Relative humidity	5% - 95% non condensing
RF Immunity	30 V/m from 10 to 1000 MHz
White Light Immunity	Better than 6500 Lux
Dimensions	86 x 60 x 38 mm. (HxWxD)
Weight	67g.

Detection Patterns:

• Top View



• Side View



Ordering:

IS215T Passive infrared motion sensor

Accessories:

SMB10 White swivel mount bracket (5 pack)
SMB10C White ceiling mount bracket (5 pack)
SMB10T Tampered white swivel mount bracket (5 pack)

Agency Listings:

- CE

Honeywell Security

Newhouse Industrial Estate

Motherwell

Lanarkshire

ML1 5SB

Scotland

Tel :+44 (0) 1698 738200

Fax : +44 (0) 1698 738300

www.honeywell.com/security/uk

Honeywell reserves the right to alter the specification of products without prior notice

HSC-IS215T-02-EN(1008)DS-Z
October 2008
© 2008 Honeywell International Inc.

Honeywell

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [honeywell](#) manufacturer:

Other Similar products are found below :

[14CE2-2](#) [91MCE2-S5](#) [GLLA06A1B](#) [3600080010001](#) [58C1-25](#) [58C1-3K](#) [5ML1-E1](#) [5SE1-12](#) [602HE1-6](#) [604HE223-6B](#) [61CX11-D01](#)
[M3050A13](#) [64AT22-3D](#) [66AT23-7](#) [6HM7-6](#) [MA215HT-96](#) [6PA104](#) [6PA148-E6](#) [701PB580](#) [727033](#) [EXD-AR20](#) [MD3211Q16](#) [76054-](#)
[00000700-01](#) [76061-00000015-15](#) [76061-B00000020-01](#) [76078-00000350-01](#) [76078-B00000400-01](#) [76584-M00000100-24](#) [F78EA502](#)
[F78SA102-B1](#) [77028-00001500-01](#) [77050-04000400-01](#) [78148-B00001000-01](#) [78408-00000100-01](#) [78410-00000400-01](#) [78SF2B103](#) [7HM5](#)
[FE7C-FRC6S-M](#) [FEF-PAD6-ML2](#) [FE-MLS9C](#) [FFS-20-03](#) [81808-B00000150-14](#) [ML-1155](#) [ML-1376](#) [82000-11](#) [MLH010BST01A](#)
[MLH025BGC13B](#) [MLH02KPSG06A](#) [MLH03KPSL01C](#) [MLH250BSL01B](#)