



Overview

This Carbon Monoxide (CO) gas sensor detects the concentrations of CO in the air and ouputs its reading as an analog voltage. The sensor can measure concentrations of 10 to 10,000 ppm. The sensor can operate at temperatures from -10 to 50 °C and consumes less than 150 mA at 5 V. Please read the MQ7 datasheet (185k pdf) for more information about the sensor.



Gas sensor with orange plastic case bottom view.

Connections

Connecting five volts across the heating (H) pins keeps the sensor hot enough to function correctly. Connecting five volts at either the A or B pins causes the sensor to emit an analog voltage on the other pins. A resistive load between the output pins and ground sets the sensitivity of the detector. The resistive load should be calibrated for your particular application using the equations in the datasheet, but a good starting value for the resistor is $10 \text{ k}\Omega$.

We offer two breakout boards that make it easier to interface with these sensors: a Pololu carrier board and a SparkFun carrier board. The Pololu version is shown below.



Pololu MQ gas sensor carrier with sensitivity-setting resistor soldered in the vertical orientation.

Documentation on producer website.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Air Quality Sensors category:

Click to view products by Pololu manufacturer:

Other Similar products are found below:

GMS-MSTH2.S.V.3 MO86571 MO86561 595001074420009 076074 01 DE800.A.1 MF010-2-LC1 MF020-2-LC3 KGZ10-5PIN
GMS10SENSORS IR25TT 208280-0001 LIS3MDL 3-AXIS MAGNETOMETER CARRIER SS-BME280#I2C SS-BMP280#I2C SSCCS811#I2C SS-HDC2010+CCS811#I2C SS-HDC2010#I2C GMS10-18C KGZ12 INIR-RF-R290 INIR-RF-R32 MODBUS-RS485
114991728 114991732 COLORPAL MR003-001.2 MIKROE-1628 SEN0162 T6713-6H FXTH8709026T1 POLOLU-1482 MF010-0-LC4
MF010-0-LC3 ELECDIT.V.1 GP2Y0D02YK0F 803P602 ZS-510-B 1201148022 1201190004 1201148023 DE800.V.1 D5VM-3P1 E3XMC11 EE-SPZ301 XS5FD421G80A SGAS701 SGAS711 HPMA115S0-XXX T3032-2-5K-24-P