

Suggested Copy for Lapp Limited in Farnell Catalogue

UNITRONIC® LAN STP/S-H PiMF 600 MHz CAT. 7

(Farnell: Unitronic LAN STP/S-H PiMF 600MHz CAT.7)

Application

UNITRONIC® LAN STP/S-H PiMF 600 MHz CAT. 7 is a halogen free twisted pair (TP) CATEGORY 7 high speed data transmission cable, each pair individually screened (STP), conforming to requirement for CLASS F Links (Draft) and exceeds the requirements acc. to EN 50173 as well as ISO/IEC IS 11801 "Generic Cabling for Customer Premises" for CLASS D Links.

The cable is designed for transfer rates up to 622 MBit/s (622 Mbps TPDDI resp. CDDI) is specified up to 600 MHz.

TPDDI TWISTED PAIR DISTRIBUTED DATA INTERFACE CDDI COPPER DISTRIBUTED DATA INTERFACE

Design

Conductor	solid bare copper wire, 0.55 mm {2} (23AWG)
Insulation	Foam-Skin PE
Core stranding	cores twisted to pairs, pairs twisted to cable core
Colour acc. to IEC 708	code pair 1 white and blue pair 2 white and orange pair 3 white and green pair 4 white and brown
Pair screening	pairs individually screened by aluminium laminated plastic foil (STP/S) <i>metal side outside</i>
Overall screening	tinned copper braiding (STP/S)
Sheath	halogen free, flame retardant, yellow
Outer diameter	approx. 7.8 mm

Electrical properties at 20°C

DC resistance (loop)		maxΩ/km	160
Insulation resistance		min. GΩ/km	10
Mutual capacitance	f = 800 kHz	nom. nF/km	42
Impedance	f = ≥ 1 MHz	Ω	100 ± 15 %
Nominal velocity of propagation (NVP)		nom. %	77
Signal delay		nom. ns/m	4.3

Delay skew		Max. ns/100m	5,0
Transfer impedance at	1 -100 MHz	≤ mΩ/m	6
Operating voltage (not for power purposes)		(peak value) V	125
Test voltages	core/core	Ueff V	1000
	core/screen	Ueff V	1000

Mechanical and thermal characteristics

Minimum bending radius	during installation	mm	63
	after installation	mm	32
Temperature range	flexing	°C	-0 to 50
	static	°C	-20 to 70
Fire load		kWh/m	0.2

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [lapp kabel manufacturer](#):

Other Similar products are found below :

[00008779](#) [0026122](#) [0026156](#) [0026124](#) [0026127](#) [0026253](#) [70002624](#) [70002708](#) [70002728](#) [EPIC KIT H-A 10 BS TBF-LB M20](#) [EPIC KIT H-A 3 BS AGS](#) [EPIC KIT H-BE 16 BS AG](#) [EPIC KIT LS1 A1 3+PE+4 K](#) [22260044](#) [22260046](#) [22260134](#) [22260986](#) [22262020](#) [22262022](#)
[22262023](#) [22262027](#) [21700623](#) [22260045](#) [22260122](#) [22260651](#) [52005949](#) [52005990](#) [52006010](#) [52006030](#) [52006107](#) [52006133](#) [52006153](#)
[52006173](#) [52006650](#) [52103115](#) [52103165](#) [52115750](#) [53015600](#) [53015610](#) [53015620](#) [53015650](#) [53015810](#) [53016610](#) [53016830](#) [53111640](#)
[53111700](#) [53111710](#) [53111730](#) [54000040](#) [54001620](#)