




**Panel Mount Indicator,
Mounting Hole 8mm, Superflat Bezel
with Resistor, IP67**



All dimensions are in mm



Maximum panel thickness: 8mm

Electrical and optical data are measured at an ambient temperature of $T_A = 25^\circ\text{C}$
 Storage temperature $T_{STG} : -25^\circ\text{C} - +80^\circ\text{C}$
 Ambient temperature $T_A : -20^\circ\text{C} - +60^\circ\text{C}$
 Voltage tolerance $V_{OP} : \pm 10\%$

| Part No. | Color | Voltage V_{OP} [V] DC | Current $I_{OP\ typ.}$ [mA] DC | Lumi. Intensity LED $I_{V\ typ.}$ [mcd] | Dominant Wavelength λ_D [nm] |
|---------------------------|--------|----------------------------|-----------------------------------|---|--|
| Satin Chrome Bezel | | | | | |
| WL-19010251 | green | 12 | 20 | 10 | 568 |
| WL-19010252 | yellow | 12 | 20 | 10 | 588 |
| WL-19010253 | red | 12 | 20 | 15 | 625 |
| WL-19010351 | green | 24 | 20 | 10 | 568 |
| WL-19010352 | yellow | 24 | 20 | 10 | 588 |
| WL-19010353 | red | 24 | 20 | 15 | 625 |
| WL-19010451 | green | 28 | 20 | 10 | 568 |
| WL-19010452 | yellow | 28 | 20 | 10 | 588 |
| WL-19010453 | red | 28 | 20 | 15 | 625 |
| Black Chrome Bezel | | | | | |
| WL-19011251 | green | 12 | 20 | 10 | 568 |
| WL-19011252 | yellow | 12 | 20 | 10 | 588 |
| WL-19011253 | red | 12 | 20 | 15 | 625 |
| WL-19011351 | green | 24 | 20 | 10 | 568 |
| WL-19011352 | yellow | 24 | 20 | 10 | 588 |
| WL-19011353 | red | 24 | 20 | 15 | 625 |
| WL-19011451 | green | 28 | 20 | 10 | 568 |
| WL-19011452 | yellow | 28 | 20 | 10 | 588 |
| WL-19011453 | red | 28 | 20 | 15 | 625 |

- 1) Degree of protection: IP67 in accordance to DIN EN 60529. Gap between LED and bezel and gap between bezel and front plate sealed to IP67 when using the supplied gasket.
- 2) Mounting hole $8 + 0.2\text{mm}$.
- 3) Connection is by solder tab terminals $2.8 \times 0.8\text{mm}$
- 4) Due to production tolerances, color temperature variations may be detected within individual consignments.

| | | | | | |
|----------|----|----------|---|---------------------------|------|
| Drawn | ND | 10/10/06 | Panel Mount Indicators 8mm Superflat Bezel | Datasheet: WL-1901XX5X | Rev: |
| Checked | EB | 10/10/06 | | | |
| Approved | EB | 10/11/06 | | | |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Other Tools](#) category:

Click to view products by [Wamco](#) manufacturer:

Other Similar products are found below :

[CR-05FL7--150R](#) [CR-05FL7--698K](#) [899-2-KT46](#) [899-5-KT46](#) [CR-0AFL4--332K](#) [CR-12FP4--260R](#) [CRCW04021100FRT7](#)
[CRCW04021961FRT7](#) [5800-0090](#) [CRCW04024021FRT7](#) [CRCW040254R9FRT7](#) [CRCW0603102JRT5](#) [59065-5](#) [00-8273-RDPP](#) [00-8729-](#)
[WHPP](#) [593033](#) [593058](#) [593072](#) [593564100](#) [593575](#) [593591](#) [593593](#) [011349-000](#) [LTLA506SBLAMNBL](#) [CRCW08052740FRT1](#) [LUC-](#)
[012S070DSM](#) [LUC-018S070DSP](#) [599-2021-3-NME](#) [599-JJ-2021-03](#) [00-5080-YWPP](#) [5E4750/01-20R0-T/R](#) [LW1A-L1-GL](#) [LW1A-P1-GD](#)
[LW1L-A1C10V-GL](#) [LW1L-M1C70-A](#) [0202-0173](#) [00-9089-RDPP](#) [00-9300-RDPP](#) [CRCW2010331JR02](#) [01-1003W-8/32-10](#) [601-GP-08-](#)
[KT39](#) [601-JJ-06](#) [601-SPB](#) [601YSY](#) [602-JJ-03](#) [602SPB](#) [602Z](#) [603-JJ-07-FP](#) [603-JJY-04](#) [604J](#)